JOURNAL OF
POLYMER SCIENCE

Combined Author Index to Volume 42

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science,* Vol. 42, 2004. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

Abbas, B.
—; Schwahn, D.; Willner, L.: Phase Behavior of the Polybutadiene–Polystyrene Diblock Copolymer with the Addition of the Nonselective Solvent Dichlorobenzene in Temperature and Pressure Fields, 3179P

Abdelrehim, M.
—; Komber, H.; Langenwalter, J.; Voit, B.; Bruchmann, B.: Synthesis and Characterization of Hyperbranched Poly(urea-urethane)s Based on AA* and B_2B* Monomers, 3062C

Abdolmaleki, A. See Banihashemi, A., 2106C

Abe, Y. See Gunji, T., 3676C

Abraham, J. See Thomas, R., 2531P

Açan, B. See Bai, J., 6143C

Acevedo, D. F. See Salavagione, H. J., 5587C

Achilias, D. S.
—; Papageorgiou, G. Z.; Karayannidis, G. P.: Isothermal and Nonisothermal Crystallization Kinetics of Poly(propylene terephthalate), 3775P

Adachi, K. See Hirose, Y., 4084P; Kumar, A. A., 785C

Adhikari, N. P.
—; Goveas, J. L.: Effects of Slip on the Viscosity of Polymer Melts, 1888P

Adhikari, R. See Huy, T. A., 4478P

Agata, Y. See Temma, T., 4607C

Ahn, J.-H.
—; Lee, C.-H.; Shin, Y.-D.; Lee, J.-S.: Generation of Highly Stable Amidate Anion in Anionic Polymerization of 3-(Triethylsilyl)propyl Isocyanate, 933C

Ahn, J. H. See Song, M. J., 772C

Ahn, K. H. See Cho, K. S., 2724P, 2730P

Ajiro, H. See Habaue, S., 4528C

Akashi, M. See Shimokuri, T., 4492C

Akiyama, H.
—; Tamaoki, N.: Polymers Derived from *N*-Isopropylacrylamide and Azobenzene-Containing Acrylamides: Photoresponsive Affinity to Water, 5200C

Akiyama, S. See Wu, C., 209P

Alam, T. M.
—; Celina, M.; Collier, J. P.; Currier, B. H.; Currier, J. H.; Jackson, S. K.; Kuethe, D. O.; Timmins, G. S.: γ-Irradiation of Ultrahigh-Molecular-Weight Polyethylene: Electron Paramagnetic Resonance and Nuclear Magnetic Resonance Spectroscopy and Imaging Studies of the Mechanism of Subsurface Oxidation, 5929C

Alanís, M. See González, V. A., 646P

Albertsson, A.-C. See Finne, A., 444C

Alcantar, N. A. See Hamilton, W. A., 3290P

Alegria, A. See Dereszewska, A., 3943P

Alessi, M. L.
—; Bittner, K. C.; Greer, S. C.: Eight-Arm Star Polystyrene in Methylcyclohexane: Cloud-Point Curves, Critical Lines, and Coexisting Densities and Viscosities, 129P

Alexandre, M. See Gorrasi, G., 1466P

Al-Haik, M. S.
—; Garmestani, H.; Li, D. S.; Hussaini, M. Y.; Sablin, S. S.; Tannenbaum, R.; Dahmen, K.: Mechanical Properties of Magnetically Oriented Epoxy, 1586P

Al-Hussein, M.
—; Strobl, G.: The Stress Relaxation Behavior of Isotactic Poly(1-butene) and Its Ethylene Copolymers, 2074P

Alkan, S. See Brack, H.-P., 2612P

Alla, A. See Regaño, C., 1566C

Alloin, F. See Saunier, J., 532P, 544P, 2308P

Almanza, O.
—; Masso-Moreu, Y.; Mills, N. J.; Rodríguez-Pérez, M. A.: Thermal Expansion Coefficient and Bulk Modulus of Polyethylene Closed-Cell Foams, 3741P
—; Rodríguez-Pérez, M. A.; de Saja, J. A.: Applicability of the Transient Plane Source Method to Measure the Thermal Conductivity of Low-Density Polyethylene Foams, 1226P

Almdal, K. See Mitra, S., 6216C; Chuai, C. Z., 898P

Alobaidi, F.
—; Ye, Z.; Zhu, S.: Direct Synthesis of Linear Low-Density Polyethylene of Ethylene/1-Hexene from Ethylene with a Tandem Catalytic System in a Single Reactor, 4327C
Alstrup, J. See Chuai, C. Z., 898P
Altintaş, E. B.
—; Kiliç, S.: Synthesis and Characterization of Secondary-Amine-Functional Microparticles, 3708C
Amaral, M. D.
—; Asua, J. M.: Synthesis of Large, High-Solid-Content Latexes by Miniemulsion Polymerization, 4222C
—; Van Es, S.; Asua, J. M.: Effect of the Particle Size Distribution on the Low Shear Viscosity of High-Solid-Content Latexes, 3936C
Ambade, A. V.
—; Kumar, A.: Synthesis and Characterization of *N*-Substituted Hyperbranched Polyureas, 5134C
Améduri, B. See Kostov, G., 1693C; Souzy, R., 5077C
Amos, D. A. See Sauvage, E., 3571P, 3584P
Amsden, B. G.
—; Stubbe, B. G.; Horkay, F.; De Smedt, S. C.; Demeester, J.: Modeling the Swelling Pressure of Degrading Hydroxyethylmethacrylate-Grafted Dextran Hydrogels, 3397P
An, J. H. See Cheong, I. W., 4353C; Yu, D.-G., 5608C
An, L. See Jiang, S., 656P; Jiang, W., 1433P; Zhao, J., 3496P
Anders, U. See Mayershofer, M. G., 4466C
Anderson, S. G. See Lizotte, J. R., 1547C
Ando, K. See Okabe, S., 1841P
Ando, S. See Terui, Y., 2354P; Watanabe, Y., 144C
Andou, Y. See Yasutake, M., 2621C
Andre, P. See LaCroix-Desmazes, P., 3537C
Andre, S.
—; Guida-Pietrasanta, F.; Rousseau, A.; Boutevin, B.; Caporiccio, G.: New Fluorinated Thermoplastic Elastomers. II. Synthesis and Characterization of Perfectly Alternating Fluorinated Polyimide–Fluorinated Polyhybridsiloxane Block Copolymers via Polyhydrosilylation, 200C
Andreeva, L. N.
—; Bushin, S. V.; Tsvetkov, N. V.; Belyaeva, E. V.; Il'In, V. V.; Bilibin, A. Y.; Pospiech, D.; Friedel, P.: Conformational Properties of Macromolecules of Heterocyclic Polyester Imides in Dilute Dichloroacetic Acid Solutions, 12P
Angelette, D. P. See Malwitz, M. M., 3102P
Angelopoulos, M. See Jones, R. L., 3063P
Angiolini, L.
—; Caretti, D.; Mazzocchetti, L.; Salatelli, E.; Willem, R.; Biesemans, M.: Synthesis and Characterizations of New Polystyrenes Containing Tributyltin Moieties Linked to the Aromatic Ring through a Methylenic Spacer, 5372C
Anilkumar, P. See Jayakannan, M., 3996C
Antalek, B. See Sauvage, E., 3571P, 3584P
Anthamatten, M.
—; Letts, S. A.; Day, K.; Cook, R. C.; Gies, A. P.; Hamilton, T. P.; Nonidez, W. K.: Solid-State Amidization and Imidization Reactions in Vapor-Deposited Poly(amic acid), 5999C
Aoki, H. See Harada, M., 758P
Aoki, T.
—; Fukuda, T.; Shinohara, K.-I.; Kaneko, T.; Teraguchi, M.; Yagi, M.: Synthesis of Chiral Helical Poly[*p*-(oligopinanylsiloxanyl)phenylacetylene]s and Enantioselective Permeability of Their Membranes, 4502C
—; See Tsuji, M., 4563C
Aoshima, S. See Sugihara, S., 2601C
Aota, H. See Doura, M., 2192C
Aouinti, M.
—; Gibaud, A.; Chateigner, D.; Poncin-Epaillard, F.: Morphology of Polypropylene Films Treated in CO_2 Plasma, 2007P
Aoyama, K. See Harada, M., 4044P
Apiwanthanakorn, N. See Supaphol, P., 4151P
Araki, C. See Takeshita, H., 4199P
Aramendia, E.
—; Barandiaran, M. J.; de la Cal, J. C.; Grade, J.; Blease, T.; Asua, J. M.: Incorporation of a New Alkenyl-Based Nonionic Surfmer into Acrylic Latexes, 4202C
Argoti, S. D. See Zhao, H., 916C
Arimitsu, K. See Gunji, T., 3676C
Arlen, M. J.
—; Dadmun, M. D.; Hamilton, W. A.: Using Neutron Reflectivity to Determine the Dynamic Properties of a Copolymer in a Homopolymer Matrix, 3235P
Arnt, L.
—; Nüsslein, K.; Tew, G. N.: Nonhemolytic Abiogenic Polymers as Antimicrobial Peptide Mimics, 3860C
Arrighi, V.
—; Holmes, P. F.; McEwen, I. J.; Qian, H.; Terrill, N. J.: Order in Amorphous Di-*n*-alkyl Itaconate Polymers, Copolymers, and Blends, 4000P
Arun, A.
—; Reddy, B. S. R.: The Influence of Comonomer (2-hydroxyethyl acrylate) and Keto Group on Photocrosslinking Property of Arylidene Polymers, 3433C
Asakawa, N. See Hexig, B., 2971P
Asari, T. See Morino, K., 4711C
Ash, B. J.
—; Siegel, R. W.; Schadler, L. S.: Glass-Transition Temperature Behavior of Alumina/PMMA Nanocomposites, 4371P
Asha, S. K.
—; Deepthimol, V.; Lekshmi, M.: Synthesis and Characterization of Novel Poly(cycloalkyl methacrylate) Bearing Fused-Ring Structure and Its Copolymers, 5617C
Asua, J. M.
—; Emulsion Polymerization: From Fundamental Mechanisms to Process Developments, 1025C
—; See Amaral, M. D., 3936C, 4222C; Aramendia, E., 4202C
Atthoff, B. See Trollsås, M., 1174C

Atvars, T. D. Z. See Brown, G. O., 2957P
Aubertin, F.
—; Zhao, Y.: Synthesis of Azobenzene-Containing Polythiophenes and Photoinduced Anisotropy, 3445C
Audibert-Hayet, A. See Kujawa, P., 1640P
Audouin, F.
—; Nuffer, R.; Mathis, C.: Synthesis of Di- and Tetra-Adducts by Addition of Polystyrene Macroradicals onto Fullerene C_{60}, 3456C
—; Nuffer, R.; Mathis, C.: Thermal Stability of the Fullerene-Chain Link in 6-Arm PS Stars with a C_{60} Core, 4820C
Auer, M.
—; Nicolas, R.; Vesterinen, A.; Luttikhedde, H.; Wilén, C.-E.: Facile Synthetic Route to Polymerizable Hindered Amine Light Stablizers for Transition-Metal-Catalyzed Olefin Copolymerization, 1350C
Avram, E. See Dragan, E. S., 2451C
Axente, D. See Dragan, E. S., 2451C
Azhgozhinova, G. S. See Dubolazov, A. V., 1610P

Bach, A. See Boiko, Y. M., 1861P
Backman, A.
—; Lange, J.; Hedenqvist, M. S.: Transport Properties of Uniaxially Oriented Aliphatic Polyketone, 947P
Bae, B.-S. See Kim, W.-S., 1979P
Bae, Y. C. See Chang, B. H., 1532P; Ko, S. J., 2254P
Baek, J.-B.
—; Chien, L.-C.: Synthesis and Photoluminescence of Linear and Hyperbranched Polyethers Containing Phenylquinoxaline Units and Flexible Aliphatic Spacers, 3587C
—; Harris, F. W.: Synthesis and Thermal Behavior of Phenylethynyl-Terminated Linear and Hyperbranched Polyphenylquinoxalines, 6318C
Baek, S. See Kim, H.-C., 825C
Baer, E. See Poon, B., 4357P; Hibbs, M. R., 1668C; Jin, Y., 3380P; Liu, R. Y. F., 493P
Bahnemann, J. See Koetz, J., 742C
Bai, F. See Li, H., 3775C
Bai, J.
—; Açan, B.; Ghahary, A.; Ritchie, B.; Somayaji, V.; Uludağ, H.: Poly(ethyleneimine)/Arginine–Glycine–Aspartic Acid Conjugates Prepared with *N*-Succinimidyl 3-(2-Pyridyldithio)propionate: An Investigation of Peptide Coupling and Conjugate Stability, 6143C
Bai, R. See Hua, D., 5670C
Baigude, H.
—; Katsuraya, K.; Okuyama, K.; Hatanaka, K.; Ikeda, E.; Shibata, N.; Uryu, T.: Synthesis of Spherical and Hemispherical Sugar-Containing Poly(ornithine) Dendrimers, 1400C
Baizhumanova, T. See Khutoryanskiy, V. V., 515P
Balakrishnan, S. See Yebasssa, D., 1310C
Balamurugan, S. S. See Yim, H., 3302P
Ballato, J. See Jin, J., 5292C
Balogh, D. T. See Bianchi, R. F., 1033P
Balsara, N. P.
—; Rappl, T. J.; Lefebvre, A. A.: Does Conventional Nucleation Occur during Phase Separation in Polymer Blends?, 1793P
Ban, H. T.
—; Tsunogae, Y.; Shiono, T.: Synthesis and Characterization of *cis*-Polybutadiene-*block*-*syn*-Polystyrene Copolymers with a Cyclopentadienyl Titanium Trichloride/Modified Methylaluminoxane Catalyst, 2698C
Bandyopadhyay, G. G.
—; Bhagawan, S. S.; Ninan, K. N.; Thomas, S.: Viscoelastic Behavior of Polypropylene/Nitrile Rubber Thermoplastic Elastomer Blends: Application of Kerner's Models for Reactively Compatibilized and Dynamically Vulcanized Systems, 1417P
Bang, H.-B. See Lee, J.-Y., 3189C
Banihashemi, A.
—; Hazarkhani, H.; Abdolmaleki, A.: Efficient and Rapid Synthesis of Polyureas and Polythioureas from the Reaction of Urea and Thiourea with Diamines under Microwave Irradiation, 2106C
Banik, I.
—; Carreau, P. J.; Schreiber, H. P.: Temperature-Dependent Polymer–Polymer Interactions in Polystyrene–Polyethylene Blends, 2545P
Bannister, M. K. See Liu, H., 3143C
Banu, P.
—; Radhakrishnan, G.: Thermoplastic Poly(ester-imide)s Derived from Anhydride-Terminated Polyester Prepolymer and Diisocyanate, 341C
Bao, S. P. See Tjong, S. C., 2878P
Barandiaran, M. J. See Aramendia, E., 4202C
Barbari, T. A. See Elabd, Y. A., 365P
Barberis, V. P. See Mikroyannidis, J. A., 3212C
Barbero, C. A. See Salavagione, H. J., 5587C
Barbosa, S. E. See Díaz, M. F., 452P
Barcia, F. L. See Soares, B. G., 4053P
Barner, L.
—; Li, C.; Hao, X.; Stenzel, M. H.; Barner-Kowollik, C.; Davis, T. P.: Synthesis of Core-Shell Poly(Divinylbenzene) Microspheres via Reversible Addition Fragmentation Chain Transfer Graft Polymerization of Styrene, 5067C
Barner-Kowollik, C. See Hao, X., 5877C; Barner, L., 5067C; Charton, N., 5170C; Szablan, Z., 2432C; Wulkow, M., 1441C
Barrière, B. See Saunier, J., 532P, 544P
Baschetti, M. G. See Elabd, Y. A., 365P
Basinska, T.
—; Slomkowski, S.; Kazmierski, S.; Dworak, A.; Chehimi, M. M.: Studies of the Surface Layer Structure and Properties of Poly(styrene/α-*t*-butoxy-ω-polyglycidol)

Microspheres by Carbon Nuclear Magnetic Resonance, X-Ray Photoelectron Spectroscopy, and the Adsorption of Human Serum Albumin and γ-Globulins, 615
Baskaran, D. See Raghunadh, V., 875C
Baśko, M.
—; Kubisa, P.: Properties of Double-Hydrophilic Graft Copolymers with a Polyacetal Backbone, 1189C
Bassett, D. C. See Weng, J., 3318P
Batis, C. See Karanikolopoulos, G., 3761C
Bauduin, G. See Kostov, G., 1693C
Bauer, B. J.
—; Transformation of Phase Size Distribution into Scattering Intensity, 3070P
Bauer, J.
—; Hüsing, N.; Kickelbick, G.: Tunable Block Copolymers Based on a Polysiloxane Backbone by Anionic Ring-Opening Polymerization, 3975C
Beaudoin, S. P. See Pruden, K. G., 2666C
Bébin, P.
—; Prud'Homme, R. E.: X-ray Photoelectron Spectroscopy of Miscible Poly(methyl methacrylate)/Poly(styrene-*co*-acrylonitrile) and Immiscible Poly(methyl methacrylate)/Polyacrylonitrile Polymer Surfaces Metallized by Nickel, 1408P
Beckman, E. J. See Shi, L., 4994C
Becquart, F.
—; Taha, M.; Zerroukhi, A.; Kaczun, J.; Stebani, U.: Functionalization of a Poly(vinyl alcohol) in the Solid State with a Swelling Agent by Methacrylic Anhydride, 1618C
Bednarek, M.
—; Kubisa, P.: Chain-Growth Limiting Reactions in the Cationic Polymerization of 3-Ethyl-3-hydroxymethyloxetane, 245C
—; Kubisa, P.: Matrix-Assisted Laser Desorption/Ionization Time-of-Flight Mass Spectrometry Analysis of Atom Transfer Radical Polymerization Macroinitiators Derived from Poly(3-ethyl-3-hydroxymethyloxetane), 608C
Behera, G. Ch.
—; Ramakrishnan, S.: Transetherification Polycondensation: The Roles of the Catalyst, Monomer Structure, and Polymerization Conditions, 102C
Beigzadeh, D.
—; Soares, J. B. P.; Duever, T. A.: Effect of Cocatalyst on the Chain Microstructure of Polyethylene Made with CGC-Ti/MAO/$B(C_6F_5)_3$, 3055C
Belana, J. See Tamayo, I., 4164P
Belcher, A. M. See Ni, J., 629P
Belfiore, L. A.
—; Das, P. K.: 1,2-Polybutadiene Complexes with d^8 Pseudo-Square-Planar Transition-Metal Salts Based on Nickel(II), Palladium(II), and Platinum(II), 2270P
Belfkira, A. See Kalmi, M., 1901C
Belviso, S. See Pucciariello, R., 1321P
Belyaeva, E. V. See Andreeva, L. N., 12P
Benavente, R. See Cerrada, M. L., 3797P; Laguna, M. F., 3766P
Benedyk, N. See Horák, D., 5827C
Benhzong, T. See Guijin, Y., 3224C
Benmouna, M. See Negadi, A., 3976P
Bercea, M. See Schneider, A., 1601P
Berezkin, A. V. See Khokhlov, A. R., 5339C
Bergbreiter, D. E. See Gonzalez, S. O., 6309C
Berlinova, I. V. See Nedelcheva, A. N., 5736C
Bermudez, H. See Dalhaimer, P., 168P
Bertin, D.
—; Gigmes, D.; Marque, S.; Maurin, R.; Tordo, P.: Synthesis of a Series of SG1 2-[*N*-*tert*-Butyl-*N*-(1-diethoxyphosphoryl-2,2-dimethylpropyl)aminoxyl] Based Alkoxyamines, SG1-$CH(Me)CO_2R$, and Measurement of the Homolysis Rate Constants of the C—ON Bond, 3504
Beyer, F. L. See Kurian, M., 4075P
Bhagawan, S. S. See Bandyopadhyay, G. G., 1417P
Bhanu, V. A. See Wiles, K. B., 2994C
Bhat, S. V. See Singh, T. J., 1299P
Bhattarai, N.
—; Jiang, W. Y.; Kim, H. Y.; Lee, D. R.; Park, S. J.: Synthesis and Hydrolytic Degradation of a Random Copolymer Derived from 1,4-Dioxan-2-one and Glycolide, 2558P
Bhowmick, A. K. See Maiti, M., 4489P; Sadhu, S., 1573P
Bialek, M. See Czaja, K., 2512C
Bianchi, R. F.
—; Balogh, D. T.; Tinani, M.; Faria, R. M.; Irene, E. A.: Ellipsometry Study of the Photo-Oxidation of Poly[(2-methoxy-5-hexyloxy)-*p*-phenylenevinylene], 1033P
Bianco-Peled, H. See Krasovitski, E., 3713P
Bicak, N.
—; Gazi, M.; Tunca, U.; Kucukkaya, I.: Utility of Atom Transfer Radical Polymerization for the Preparation of Poly(methyl methacrylate) Beads in an Aqueous Suspension, 1362C
Bidali, S. See Mariani, A., 2066C
Biedroń, T.
—; Kubisa, P.: Cationic Polymerization of Styrene in a Neutral Ionic Liquid, 3230C
Biesemans, M. See Angiolini, L., 5372C
Bikiaris, D. N. See Papageorgiou, G. Z., 843P
Bilibin, A. Y. See Andreeva, L. N., 12P
Binder, W. H.
—; Kunz, M. J.; Ingolic, E.: Supramolecular Poly(ether ketone)–Polyisobutylene Pseudo-Block Copolymers, 162C
—; See Kunz, M. J., 661C
Bistac, S. See Elzein, T., 2348P
Bittner, K. C. See Alessi, M. L., 129P
Black, C. T.
—; Guarini, K. W.: Structural Evolution of Cylindrical-Phase Diblock Copolymer Thin Films, 1970C

Blackwell, J. See Cho, J., 2576P
Blankenburg, L. See Pautsch, T., 722C
Blaszkiewicz, S. See Szczubialka, K., 3879C
Blazquez, J. A. See Marcilla, R., 208C
Blease, T. See Aramendia, E., 4202C
Boduch-Lee, K. A. See Shi, L., 4994C
Boedicker, J. Q. See Santini, C. M. B., 2784C
Boersma, A.
—; Soloukhin, V. A.; Brokken-Zijp, J. C. M.; De With, G.: Load and Depth Sensing Indentation as a Tool To Monitor a Gradient in the Mechanical Properties across a Polymer Coating: A Study of Physical and Chemical Aging Effects, 1628P
Boguslavsky, L.
—; Margel, S.: Synthesis and Characterization of Micrometer-Sized Homo and Composite Polyacrylonitrile Particles of Narrow Size Distribution on the Basis of Single-Step Swelling of Uniform Polystyrene Template Micropsheres, 4847C
Bohorquez, M. D. V. See Gómez, M. L., 4916C
Boiko, Y. M.
—; Bach, A.; Lyngaae-Jørgensen, J.: Self-Bonding in an Amorphous Polymer below the Glass Transition: A T-Peel Test Investigation, 1861P
Boisson, F. See Llauro, M.-F., 5439C
Boivin, J.
—; Brisson, J.: Synthesis of Rod Copolyaramids with Short Flexible Spacers, 5098C
Bongiovanni, R. See Mariani, A., 2066C; Sangermano, M., 1415C
Booth, C. J. See Hoppens, N. C., 3473C
Boqiu, W. See Guijin, Y., 3224C
Bordado, J. See Rosa, F., 505P
Bordegé, V. See Cuervo-Rodriguez, R., 4168C
Borrajo, J. See Riccardi, C. C., 1351P, 1361P
Borrull, F. See Fontanals, N., 2019C
Borsig, E.
—; Hrdlović, P.: Foreword, 387C
—; See Lazár, M., 675C
Bortoluzzi, J. H. See Domenech, S. C., 1767P
Borukhov, I.
—; Charge Renormalization of Cylinders and Spheres: Ion Size Effects, 3598P
Bosch, P. See Peinado, C., 1227C
Boudenne, A.
—; Ibos, L.; Fois, M.; Gehin, E.; Majeste, J.-C.: Thermophysical Properties of Polypropylene/Aluminum Composites, 722P
Bourgeat-Lami, E. See Flesch, C., 6011C; Joubert, M., 1976C
Boutevin, B. See Andre, S., 200C; Boyer, C., 5146C; Kostov, G., 1693C; LaCroix-Desmazes, P., 3537C; Souzy, R., 5077C
Bouzenad, F. See van der Heijden, P., 2857P
Bowman, C. N. See Cramer, N. B., 1752C, 5817C
Boyer, C.
—; Loubat, C.; Robin, J. J.; Boutevin, B.: Synthesis of Functionalized Amine Oligomers by Free-Radical Telomerization of Methyl Methacrylate with a Peculiar Telogen: 2-Aminoethanethiol Hydrochloride, 5146C
Brack, H.-P.
—; Fischer, D.; Peter, G.; Slaski, M.; Scherer, G. G.: Infared and Raman Spectroscopic Investigation of Crosslinked Polystyrenes and Radiation-Grafted Films, 59C
—; Ruegg, D.; Bührer, H.; Slaski, M.; Alkan, S.; Scherer, G. G.: Differential Scanning Calorimetry and Thermogravimetric Analysis Investigation of the Thermal Properties and Degradation of Some Radiation-Grafted Films and Membranes, 2612P
Brand, T.
—; Ratinac, K.; Castro, J. V.; Gilbert, R. G.: Hollow Latex Particles as Submicrometer Reactors for Polymerization in Confined Geometries, 5706C
Brash, J. See Feng, W., 2931C
Braun, D.
—; Poly(vinyl chloride) on the Way from the 19th Century to the 21st Century, 578C
Braun, M.
—; Sun, Y.: Antimicrobial Polymers Containing Melamine Derivatives. I. Preparation and Characterization of Chloromelamine-Based Cellulose, 3818C
Briber, R. See Voge, G., 3191P
Bridges, J. K. See Fevola, M. J., 3236C
Brinck, T. See Samuelsson, J., 6346C
Brisson, J. See Boivin, J., 5098C
Brokken-Zijp, J. C. M. See Boersma, A., 1628P
Brown, G. O.
—; Atvars, T. D. Z.; Guardala, N. A.; Price, J. L.; Weiss, R. G.: Temperature-Dependent Fluorescence from Pyrenyl-Modified Polyethylene Films. A Comparison of Attachment Methods and Morphology Changes by Irradiation with eV-Range Photons and Bombardment with MeV-Range Positive Ions, 2957P
Brown, H. R. See Wang, H., 253C, 263C
Brown, R. M., Jr.
—; Cellulose Structure and Biosynthesis: What is in Store for the 21st Century?, 487C
Bruchmann, B. See Abdelrehim, M., 3062C
Brüll, R. See Luruli, N., 5121C
Bu, H. See Gao, X., 296P
Buback, M.
—; Frauendorf, H.; Vana, P.: Initiation of Free-Radical Polymerization by Peroxypivalates Studies by Electrospray Ionization Mass Spectrometry, 4266C
Buckley, C. P. See Wu, J. J., 2027P
Bucknall, C. B.
—; Soares, V. L. P.: Cavitation of Rubber Particles in High-Impact Polystyrene: Effects of Crosslinking by γ-Irradiation, 2168P
Bucknall, D. G.
—; Higgins, J. S.; Butler, S. A.: Real-Time Neutron Reflectivity Study of the Early Stages of Diffusion into and Dissolution of Glassy Polymers, 3267P
Bugnon, L. See Nesvadba, P., 3332C

Buhrer, H. See Brack, H.-P., 2612P
Bui, V. T. See Wan, Y., 1379P
Bullions, T. A. See Rusa, C. C., 4207P; Wei, M., 386P
Burgess, J. O. See Xu, X., 985C
Burtscher, P. See Ullrich, G., 4948C
Buruiana, E. C. See Buruiana, T., 5463C
Buruiana, T.
—; Buruiana, E. C.: Synthesis and Characterization of Polyurethane Anionomers with Bisazoaromatic Chromophores and Carboxylate Groups, 5463C
Busch, M. See Wulkow, M., 1441C
Busfield, J. J. C.
—; Thomas, A. G.; Yamaguchi, K.: Electrical and Mechanical Behavior of Filled Elastomers 2: The Effect of Swelling and Temperature, 2161P
Bushin, S. V. See Andreeva, L. N., 12P
Butler, P. D. See Malwitz, M. M., 3102P
Butler, S. A. See Bucknall, D. G., 3267P
Bychkovsky, P. M. See Zimnitsky, D. S., 4785C
Byrdina, N. A. See Pavlyuchenko, V. N., 2225C

Càdiz, V. See Espinosa, M. A., 279C, 3516C
Cai, C. See Guo, B., 1192P
Cai, J. See Zhou, J., 347P
Cakmak, M. See Koike, Y., 2228P
Calzia, K. J. See Lesser, A. J., 2050P
Cambon, S. See Rivaton, A., 1239C
Cañadas, J. C. See Tamayo, I., 4164P
Candau, F. See Kujawa, P., 1640P
Cao, C. See Chung, T.-S., 354P
Cao, H.
—; Lin, G.; Jones, A. A.: Anomalous Penetrant Diffusion as a Probe of the Local Structure in a Blend of Poly(ethylene oxide) and Poly(methyl methacrylate), 1053P
Cao, W. See Yang, Z., 4284C
Cao, Y. See Lee, N. H. S., 1647C
Capacchione, C.
—; Proto, a.; Okuda, J.: Synthesis of Branched Polyethylene by Ethylene Homopolymerization Using Titanium Catalysts that Contain a Bridged Bis(phenolate) Ligand, 2815C
Capiati, N. J. See Díaz, M. F., 452P
Caporiccio, G. See Andre, S., 200C
Caretti, D. See Angiolini, L., 5372C
Carlini, C.
—; Macinai, A.; Masi, F.; Galletti, A. M. R.; Santi, R.; Sbrana, G.; Sommazzi, A.: Ethylene Polymerization by Bis(salicylaldiminate)nickel(II)/Aluminoxane Catalysts, 2534C
Carlise, J. R.
—; Weck, M.: Side-Chain Functionalized Polymers Containing Bipyridine Coordination Sites: Polymerization and Metal-Coordination Studies, 2973C
Carreau, P. J. See Banik, I., 2545P
Carrillo, A.
—; Kane, R. S.: Block Copolymer Nanoparticles of Controlled Sizes via Ring-Opening Metathesis Polymerization, 3352C
Caruso, U. See Casalboni, M., 3013C
Casalboni. M.
—; Caruso, U.; De Maria, A.; Fusco, M.; Panunzi, B.; Quatela, A.; Roviello, A.; Sarcinelli., F.; Sirigu, A.: New Polyurethanes and Polyesters for Second-Order Nonlinear Optical Applications, 3013C
Casalini, R. See Roland, C. M., 4313P
Casquilho, M. See Rosa, F., 505P
Castell, P.
—; Serra, A.; Galià, M.: Liquid-Crystalline Thermosets from Liquid-Crystalline Epoxy Resins Containing Bisazomethinebiphenylene Mesogens in the Central Core: Copolymerization with a Nonmesomophic Epoxy Resin, 3631C
Castro, J. V. See Brand, T., 5706C
Castro, P. See Kalmi, M., 1901C
Catalgil-Giz, H. See Degirmenci, M., 534C
Catalina, F. See Peinado, C., 1227C
Cavitt, T. B.
—; Phillips, B.; Hoyle, C. E.; Pan, B.; Hait, S. B.; Viswanathan, K.; Jönsson, S.: Photopolymerization of 1,6-Hexanedioldiacrylate Initiated by Three-Component Systems Based on *N*-Arylphthalimides, 4009C
Çaykara, T.
—; Doğmus, M.; Kantoğlu, Ö.: Network Structure and Swelling–Shrinking Behaviors of pH-Sensitive Poly(acrylamide-*co*-itaconic acid) Hydrogels, 2586P
Cazacu, M.
—; Ghimici, L.; Dragan, E. S.: Ionic Organic/Inorganic Materials. II. New Linear and Crosslinked Poly(ethylene xide)-Based Ionomers by Quarternization with Chloroalkyl-Functionalized Siloxanes, 3720C
Cebe, P. See Natesan, B., 777P
Celina, M. See Alam, T. M., 5929C
Celli, A. See Marchese, P., 2821P
Cerbus, C. A. See Dang, T. D., 6134C
Cernosek, R. See Hossenlopp, J., 2373P
Cerrada, M. L.
—; Benavente, R.; Pérez, E.; Moniz-Santos, J, Ribeiro, M. R.: Metallocenic Copolymers of Ethylene and 5,7-Dimethylocta-1,6-diene: Structural Characterization and Mechanical Behavior, 3797P
—; See Laguna, M. F., 3766P
Cervenka, A. J.
—; Young, R. J.; Kueseng, K.: Gravimetric Determination of the Diffusion Characteristics of Polymers using Small Specimens, 2122P
Cesteros, L. C. See Maldonado-Santoyo, M., 636P
Chaari, F.
—; Chaouche, M.: Rheooptical Investigation of the Crystallization of Poly(ethylene terephthalate) under Tensile Strain, 1915P
Chae, D. W.
—; Oh, S. G.; Kim, B. C.: Effect of Silver Nanoparticles on the

Dynamic Crystallization Behavior of Nylon-6, 790P

Chae, H. G.
—; Park, S. H.; Kim, B. C.; Kim, D. K.: Effect of Methyl Substitution of the Ethylene Unit on the Physical Properties of Poly(butylene succinate), 1759P

Chae, K. H.
—; Sung, K. H.: A Polymeric Photobase Generator Containing Oxime–Urethane Groups: Crosslinking Reaction and Application to Negative Photoresist, 975C

Chaikof, E. L. See Dong, C. M., 5754C

Chan, C.-H. See Chen, J.-K., 4063P

Chan, H. L. W. See Guo, S. S., 1099P

Chan, H. S. O. See Liu, S.-P., 4792C

Chan, S.-C. See Kuo, S.-W., 117P

Chang, B. H.
—; Bae, Y. C.: Phase Behaviors of Symmetric Polymer Blend Systems, 1532P

Chang, C.-P. See Huang, C.-I., 2995P

Chang, C.-Y. See Huang, H.-M., 5802C

Chang, Cheng-Liang See Lin, D.-J., 830P

Chang, Chi-Lin See Lin, D.-J., 830P

Chang, F.-C. See Chen, J.-K., 4063P; Kuo, S.-W., 117P; Lee, Y.-J., 1127P; Liaw, D.-J., 5766C

Chang, I.-S. See Kim, J.-W., 2202C, 2551C; Kim, Y.-J., 5627C

Chang, J.-H.
—; Seo, B.-S.; Kim, S. H.: Blends of a Thermotropic Liquid-Crystalline Polymer and a Poly(butylene terephthalate)/Organoclay Nanocomposite, 3667P

Chang, Y.
—; Chen, C.-Y.; Chen, W.-C.: Poly(methyl silsesquioxane)/Amphiphilic Block Copolymer Hybrids and Their Porous Derivatives: Poly(styrene-*block*-acrylic acid) and Poly(styrene-*block*-3-trimethoxysilylpropyl methacrylate), 4466P

Chang, Y.-H. See Hsiao, S. H., 1255C

Chang, Y.-M. See Hsiao, S.-H., 4056C

Chaouche, M. See Chaari, F., 1915P

Chapman, T. M. See Shi, L., 4994C

Char, K. See Kang, S. W., 3344P

Charmas, W. See Jabłońska-Pikus, T., 2566C

Charton, N.
—; Feldermann, A.; Theis, A.; Stenzel, M. H.; Davis, T. P.; Barner-Kowollik, C.: Initiator Efficiency of 2,2′-Azobis(isobutyronitrile) in Bulk Dodecyl Acrylate Free-Radical Polymerizations over a Wide Conversion and Molecular Weight Range, 5170C

Chateigner, D. See Aouinti, M., 2007P

Chatterjee, D. P.
—; Chatterjee, U.; Mandal, B. M.: Atom Transfer Radial Polymerization of Methyl Methacrylate at Ambient Temperature Using Soluble Cu(I) Complex Catalysts Formed with Mixed Ligands of Multidentate Amines and Halide Ions, 4132C
—; Chatterjee, U.; Mandal, B. M.: Atom Transfer Radical Polymerization of Methyl Methacrylate at Ambient Temperature Using Soluble Cu(I) Complex Catalysts Formed with Mixed Ligands of Multidentate Amines and Halide Ions, 5030C

Chatterjee, U. See Chatterjee, D. P., 4132C, 5030C

Chattopadhyay, S. See Liu, Z., 1496P

Chau, K. W.
—; Swei, G. S.: Contact Time and Interfacial Fracture Energy of Tacky Polymers, 3013P

Chaudhari, C. V. See Ramnani, S. P., 3897C

Chehimi, M. M. See Basinska, T., 615C

Chemtob, A.
—; Héroguez, V.; Gnanou, Y.: Comparative Behavior of Polybutadiene and Polynorbornene-Based Latices Prepared by Dispersion Ring-Opening Metathesis Polymerization with a Poly(ethylene oxide) Macromonomer, 2705C
—; Héroguez, V.; Gnanou, Y.: Synthesis of Polybutadiene-Based Particles via Disperison Ring-Opening Metathesis Polymerization, 1154C

Chen, C.
—; Tolle, T. B.: Fully Exfoliated Layered Silicate Epoxy Nanocomposites, 3981P

Chen, C.-C. See Kuo, P.-L., 2051C

Chen, C.-H.
—; Shu, C.-F.: Polyquinolines Containing Both Spirobifluorene and Cardofluorene Units: Synthesis and Characterization, 3314C

Chen, C.-W. See Hsiao, S.-H., 3302C

Chen, C.-Y. See Chang, Y., 4466P; Hu, Y.-H., 4976C

Chen, D.-J. See Zhang, Q.-H., 3750P

Chen, E. Y.-X.
—; Stereospecific Polymerization of Methylacrylates by Metallocene and Related Catalysts, 3395C

Chen, F. See Wu, X., 3049C

Chen, G.
—; Weng, W.; Wu, D.; Wu, C.: Nonlinear Conduction in Nylon-6/Foliated Graphite Nanocomposites above the Percolation Threshold, 155P
—; See Feng, M, 3428P; Weng, W., 2844P; Zhu, J., 2558C

Chen, H.
—; Hsieh, Y.-L.: Dual Temperature-and pH-Sensitive Hydrogels from Interpenetrating Networks and Copolymerization of *N*-Isopropylacrylamide and Sodium Acrylate. 3293C
—; Hsieh, Y.-L.: Ultrafine Hydrogel Fibers with Dual Temperature- and pH-Responsive Swelling Behaviors, 6331C
—; Yin, J.: Synthesis and Characterization of Negative-Type Photosensitive Hyperbranched Polyimides with Excellent Organosolubility from an $A_2 + B_3$ Monomer System, 1735C
—; See Zhang, R., 2441P

Chen, H.-T. See Hsu, S. L.-C., 5990C

Chen, J. See Chu, J., 1963C; Li, H., 1514P
Chen, J.-H. See Wu, S.-H., 3954C, 6061C
Chen, J.-K.
—; Lin, I.-K.; Ko, F.-H.; Huang, C.-F.; Chen, K.-S.; Chan, C.-H.; Chang, F.-C.: Behavior and Surface Energies of Polybenzoxazines formed by Polymerization with Argon, Oxygen, and Hydrogen Plasmas, 4063P
Chen, J.-W. See Chiu, F.-C., 4139P
Chen, K.-S. See Chen, J.-K., 4063P
Chen, L.
—; Wong, S.-C.; Liu, T.; Lu, X.; He, C.: Deformation Mechanisms of Nanoclay-Reinforced Maleic Anhydride-Modified Polypropylene, 2759P
—; See Xiao, Y., 60P
Chen, Q. See Li, X.-G., 2073C
Chen, R.
—; Nossarev, G. G.; Hogen-Esch, T. E.: Synthesis and Thermal and Spectroscopic Properties of Macrocyclic Vinyl Aromatic Polymers, 5488C
Chen, R.-F. See Li, X.-G., 2073C
Chen, S.
—; Qi, G.-R.; Hua, Z.-J.; Yan, H.-Q.: Double Metal Cyanide Complex Based on $Zn_3[Co(CN)_6]_2$ as Highly Active Catalyst for Copolymerization of Carbon Dioxide and Cyclohexene Oxide, 5284C
—; See Jin, J., 5292C
Chen, S.-H.
—; Chen, Y.: Luminescent Copoly(aryl ether)s with New Electron-Transporting Bis(3-(trifluoromethyl)phenyl)-1,3,4-oxadiazole or Bis(3-(trifluoromethyl)phenyl)-4-(4-hexyloxyphenyl)-4H-1,2,4-triazole Segments, 5900C
—; Hwang S.-W.; Chen, Y.: Photoluminescence and Electrochemical Properties of Novel Copoly(aryl ether)s with Isolated Fluorophores, 883C
—; See Chen, Y., 333P
Chen, T.-C. See Lin, D.-J., 830P
Chen, W. See Fukai, R., 5389C
Chen, W.-C. See Chang, Y., 4466P
Chen, X. See Tang, Z., 5974C; Deng, M., 950C; Weng, W., 2844P
Chen, Y.
—; Hwang, S.-W.; Chen, S.-H.: Optical and Electroluminescent Properties of Novel Poly(aryl ether)s with Isolated Carbazole and *p*-Quarterphenyl Fluorophores, 333P
—; See Chen, S.-H., 883C, 5900C; Deng, G., 3887C; Du, J., 2263C; Liu, X., 2659C; Puskas, J. E., 3091C; Wu, T.-Y., 1272C
Chen, Y.-C.
—; Tsai, C.-C.; Lee, Y.-D.: Preparation and Properties of Silylated PTFE/SiO_2 Organic—Inorganic Hybrids via Sol–Gel Process, 1789C
Chen, Y.-M. See Li, X.-G., 3380C
Chen, Y.-P. See Yang, C.-P., 3116C
Chen, Z. See Tang, Y., 6163C
Chen, Z.-K. See Lee, N. H. S., 1647C
Cheng, H.
—; Olvera de la Cruz, M.: Rod-like Polyelectrolyte Adsorption onto Charged Surfaces in Monovalent and Divalent Salt Solutions, 3642P
Cheng, L. See Lu, Z., 925C
Cheng, L.-P. See Lin, D.-J., 830P
Cheng, M. H.
—; Nauman, E. B.: Phase Ripening in Particulate Binary Polymer Blends, 603P
Cheng, R. See Xie, H., 3701P
Cheng, S.-X. See Peng, T., 1356C; Zhang, J.-T., 1249C
Cheong, I. W.
—; Kong, H. C.; An, J. H.; Kim, J. H.: Synthesis and Characterization of Polyurethane–Urea Nanoparticles Containing Methylenedi-*p*-phenyl Diisocyanate and Isophorone Diisocyanate, 4353C
Chien, L.-C. See Baek, J.-B., 3587C
Chin, W.-K. See Huang, S.-L., 3476P
Chinwanitcharoen, C. See Kanoh, S., 4570C
Chipara, M.
—; Rowlands, C. C.; Galatanu, A. N.: Electron Spin Resonance Investigation of Molecular Motions in Oil-Extended Styrene–Butadiene–Styrene Block Copolymers. I. The Temperature Dependence of Resonance Specta: Glass, Narrowing, and Inflection Temperatures, 1960P
Chiriac, A. P.
—; Polymerization in Magnetic Filed. XVI. Kinetic Aspects Regarding Methyl Methacrylate Polymerization in High Magnetic Field, 5678C
Chiu, F.-C.
—; Lai, S.-M.; Chen, J.-W.; Chu, P.-H.: Combined Effects of Clay Modifications and Compatibilizers on the Formation and Physical Properties of Melt-Mixed Polypropylene/Clay Nanocomposites, 4139P
Chiu, W.-Y. See Lee, C.-F., 3029C; Wang, P.-C., 5695C
Chng, M. L. See Liu, S. L., 2769P
Cho, I. See Yoo, J.-H., 5401C
Cho, J.
—; Blackwell, J.; Chvalun, S. N.; Litt, M.; Wang, Y.: Structure of a Poly(2,5-benzimidazole)/Phosphoric Acid Complex, 2576P
Cho, K. S.
—; Ahn, K. H.; Lee, S. J.: Simple Method for Determining the Critical Molecular Weight from the Loss Modulus, 2724P
—; Ahn, K. H.; Lee, S. J.: Universality of Linear Viscoelasticity of Monodisperse Linear Polymers, 2730P
Cho, S. H. See Kim, M. S., 5784C
Cho, S. I. See Lee, D. W., 2747C
Choe, S. See Lee, K., 1114P; Shim, S. E., 835C, 3967C
Choi, D. S. See Jang, Y., 1164C
Choi, H. H. See Shim, S. E., 835C
Choi, S.-S.
—; Kim, I.-S.; Lee, S. G.; Joo, C. W.: Filler-Polymer Interactions of Styrene and Butadiene Units in Silica-Filled Styrene–Butadiene Rubber Compounds, 577P
Choi, U. S. See Ko, Y. G., 2010C, 2430P

Choi, W. M. See Park, C. I., 1685P

Chojnowski, J. See Kazmierski, K., 1682C

Chou, C.-H. See Dinakaran, K., 4838C

Chou, C.-I. See Liu, Y.-L., 5954C

Choy, C. L. See Guo, S. S., 1099P

Christensen, J. B. See Pittelkow, M., 3792C

Chromik, ä. See Mosnáček, J., 765C

Chu, J.
—; Chen, J.; Zhang, K.: *N,N,N′,N′,N″*-Penta(methyl acrylate)diethylenetriamine: A Novel Ligand for Atom Transfer Radical Polymerization of Methyl Methacrylate, 1963C

Chu, P.-H. See Chiu, F.-C., 4139P

Chu, P. P.
—; Reddy, M. J.; Tsai, J.: Structural and Transport Characteristics of Polyethylene Oxide/Phenolic Resin Blend Solid Polymer Electrolytes, 3866P

Chuai, C. Z.
—; Li, S.; Almdal, K.; Alstrup, J.; Lyngaae-Jørgensen, J.: The Effect of Compatibilization and Rheological Properties of Polystyrene and Poly(dimthylsiloxane) on Phase Structure of Polystyrene/ Poly(dimethylsiloxane) Blends, 898P

Chujo, Y. See Morisaki, Y., 5891C; Naka, K., 5872C; Kumar, A. A., 785C; Umeyama, T., 3604

Chum, S. P. See Poon, B., 4357P

Chung, C.-L. See Hsiao, S.-H., 1008C

Chung, I.-J. See Mishra, J. K., 2900P

Chung, T.-S.
—; Cao, C.; Wang, R.: Pressure and Temperature Dependence of the Gas-Transport Properties of Dense Poly[2,6-toluene-2,2-bis(? 4-dicarboxylphenyl)-hexafluoropropane diimide] Membranes, 354P
—; See Liu, S. L., 2769P

Chvalun, S. N. See Cho, J., 5276P

Cieplak, P.
—; Kaim, A.: Theoretical Study of Free-Radical Copolymerization of Styrene with Methyl Methacrylate: Comparative Study to the Styrene–Acrylonitrile Monomer System, 1557C

Cimmino, S. See Silvestre, C., 3368P

Cimrová, V. See Vıprachtickı, D., 1243P

Ciolino, A. E.
—; Galland, G. B.; Ferreira, M. L.; Villar, M. A.: Novel Synthesis of Polyethylene–Poly(dimethylsiloxane) Copolymers with a Metallocene Catalyst, 2462C
—; Pieroni, O. I.; Vuano, B. M.; Villar, M. A.; Vallés, E. M.: Synthesis of Polybutadiene-*graft*-poly(dimethylsiloxane) and Polyethylene-*graft*-poly(dimethylsiloxane) Copolymers with Hydrosilylation Reactions, 2920C

Claesson, H. See Malkoch, M., 1758C; Trollsås, M., 1174C

Claviere, J. See Llauro, M.-F., 5439C

Coelho, J. F. J. See Percec, V., 6267C

Cohen, R. E. See Gorga, R. E., 2690P

Cohen, Y. See Krasovitski, E., 3713P; Rein, D. M., 53P, 2238P

Colby, R. H. See Dobrynin, A. V., 3513P; Sauvage, E., 3571P, 3584P

Cole, M. See Cramer, N. B., 5817C

Collard, D. M. See Hibbs, M. R., 1668C

Collier, J. P. See Alam, T. M., 5929C

Cong, H. See Yang, Z., 4284C

Convertine, A. J., 1724C

Cook, R. C. See Anthamatten, M., 5999C

Coretsopoulos, C. N. See Gou, L., 1285C

Corradini, P.
—; The Discovery of Isotactic Polypropylene and Its Impact on Pure and Applied Science, 391C

Corrales, T. See Peinado, C., 1227C

Cortázar, M. See Torre, J., 1949P

Coskun, M. See Demirelli, K., 5964C

Coulon, G. See Ferreiro, V., 687P

Covavisaruch, S. See Rojanapitayakorn, P., 871P, 886P

Cox, J. M. See Sonnenschein, M. F., 271C

Cramer, N. B.
—; Reddy, S. K.; Cole, M.; Hoyle, C.; Bowman, C. N.: Initiation and Kinetics of Thiol-ene Photopolymerizations without Photoinitiators, 5817C
—; Reddy, S. K.; Lu, H.; Cross, T.; Raj, R.; Bowman, C. N.: Thiol-Ene Photopolymerization of Polymer-Derived Ceramic Precursors, 1752C

Creber, K. A. M. See Wan, Y., 1379P

Creton, C. See Shull, K. R., 4023P

Crist, B.
—; Metaxas· C.: Neck Propagation in Polyethylene, 2081P
—; See Mirabella, F. M., 3416P

Crivello, J. V. See Zhang, D., 4230P
—; Falk, B.; Zonca, M. R., Jr.: Photoinduced Cationic Ring-Opening Frontal Polymerizations of Oxetanes and Oxiranes, 1630C

Cross, T. See Cramer, N. B., 1752C

Crossetti, G. L. See Galland, G. B., 2171C

Csetneki, I.
—; Faix, M. K.; Szilágyi, A.; Kovács, A. L.; Németh, Z.; Zrinyi, N. M.: Preparation of Magnetic Polystyrene Latex via the Miniemulsion Polymerization Technique, 4802C

Cuervo-Rodriguez, R.
—; Bordegé, V.; Fernández-Monreal, M. C.; Fernández-Garcia, M.; Madruga, E. L.; Nitroxide-Mediated Free-Radical Copolymerization of Styrene with Butyl Acrylate, 4168C

Cui, X.
—; Yan, D.: Crystalline Transition of Polyamide-10,20 Investigated by *In Situ* Fourier Transform Infrared Spectroscopy, 4017P

Cui, Y. See Sun, J., 6071C

Cujo, Y. See Umeyama, T., 3023C
Currier, B. H. See Alam, T. M., 5929C
Currier, J. H. See Alam, T. M., 5929C
Czaja, K.
—; Bialek, M.; Utrata, A.;: Copolymerization of Ethylene with 1-Hexene over Metallocene Catalyst Supported on Complex of Magnesium Chloride with Tetrahydrofuran, 2512C

Da, J.
—; Hogen-Esch, T. E.: Synthesis and Association of Poly(*N,N*-dimethylacrylamide) Copolymers with Perfluorocarbon Pendent Groups Connected through Polyethylene-glycol Tethers, 360C
Dadmun, M. D. See Arlen, M. J., 3235P; Viswanathan, S., 1010P
Dahman, Y. See Puskas, J. E., 3091C
Dahmen, K. See Al-Haik, M. S., 1586P
Dai, J. See Mya, K. Y., 3490C
Dai, Z. See Deng, M., 950C
Dakwa, P. H. R. See Fukai, R., 5389C
Dalhaimer, P.
—; Bermudez, H.; Discher, D. E.: Biopolymer Mimicry with Polymeric Wormlike Micelles: Molecular Weight Scaled Flexibility, Locked-in Curvature, and Coexisting Microphases, 168P
Dalton, M. J. See Dang, T. D., 6134C
Daly, J. H. See McGonigle, E.-A., 2916P
D'Amato, R. See Sone, T., 2365C
Dan, K. S. See Lee, E. J., 1451P
Dang, T. D.
—; Dalton, M. J.; Venkatasubramanian, N.; Johnson, J. A.; Cerbus, C. A.; Feld, W. A.: Synthesis and Characterization of Polyaryleneetherketone Triphenylphosphine Oxides Incorporating Cycloaliphatic/Cage Hydrocarbon Structural Units, 6134C
Dangseeyun, N. See Supaphol, P., 676P
Darcos, V. See Monge, S., 6299C
—; Monge, S.; Haddleton, D. M.: *In situ* Fourier Transform Near Infrared Spectroscopy Monitoring of Copper Mediated Living Radical Polymerization, 4933C
Das, P. K. See Belfiore, L. A., 2270P
Dasgupta, A. See Kurian, M., 4075P
Da Silva, L. P. See Galland, G. B., 2171C
Datta, S. See Kaczmarek, H., 585P
David, L. See Ibanes, C., 2633P, 3876P
Davis, T. P. See Hao, X., 5877C; Barner, L., 5067C; Charton, N., 5170C; Szablan, Z., 2432C; Wulkow, M., 1441C
Day, K. See Anthamatten, M., 5999C
Dayananda, K.
—; Dhamodharan, R.; Vijayakumaran, K.; Rajamannar, T.: Photochemical Attachment of Polymers on Planar Surfaces with a Covalently Anchored Monlayer of a Novel Naphthyl Ketone Photochemical Radical Generator, 5413C
—; Dhamodharan, R.: ATRP of Methyl Methacrylate Using a Novel Binol Ester-Based Bifunctional Initiator, 902C
De A. Prado, L. A. S.
—; Wittich, H.; Schulte, K.; Goerigk, G.; Garamus, V. M.; Willumeit, R.; Vetter, S.; Ruffmann, B.; Nunes, S. P.: Anomalous Small-Angle X-Ray Scattering Characterization of Composites Based on Sulfonated Poly(ether ether ketone), Zirconium Phosphates, and Zirconium Oxide, 567P
Déak, G. See Kéki, S., 587C
De Alcantara, M. See De Fátima, M., 9C
de al Cruz, M. O. See Ermoshkin A. V., 766P
De Angelis, M. G.
—; Sarti, G. C.; Sanguineti, A.; Maccone, P.: Permeation, Diffusion, and Sorption of Dimethyl Ether in Fluoroelastomers, 1987P
De Apodaca, E. D. See Katime, I., 2756C
De Boissieu, M. See Ibanes, C., 3876P
Deepthimol, V. See Asha, S. K., 5617C
De Fátima, M.
—; Marques, V.; De Alcantara, M.: Alumina as Support for Metallocene Catalyst in Ethylene Polymerization, 9C
Degirmenci, M.
—; Catalgil-Giz, H.; Yagci, Y.: Synthesis of Block Copolymers by Combined Ultrasonic Irradiation and Reverse Atom Transfer Radical Polymerization Processes, 534C
—; Izgin, O.; Yagci, Y.: Synthesis and Characterization of Cyclohexene Oxide Functional Poly(Î-caprolactone) Macromonomers and Their Use in Photoinitiated Cationic Homo- and Copolymerization, 3365
DeGueil, M. See Moine, L., 1216C
De Ilarduya, A. M. See Regaño, C., 1566C
de la Cal, J. C. See Aramendia, E., 4202C
Delaite, C. See Flesch, C., 6011C; Joubert, M., 1976C; Nasser-Eddine, M., 1745C
Deleuze, H. See Moine, L., 1216C
Dellacherie, E. See Nouvel, C., 2577C
Delolme, F. See Llauro, M.-F., 5439C
De Los Ríos, C. See Rodríguez, J. G., 6031C
Del Val, J. J. See Guarrotxena, N., 2337P
De Maria, A. See Casalboni, M., 3013C
Demeester, J. See Amsden, B. G., 3397P
Demirelli, K.
—; Coskun, M.; Kaya, E.: Polymers Based on Benzyl Methacrylate: Synthesis via Atom Transfer Radical Polymerization, Characterization, and Thermal Stabilities, 5964C
Denac, M.
—; Musil, V.; Šmit, I.: Structure and Mechanical Properties of Talc-Filled Blends of Polypropylene and Styrenic Block Copolymers, 1255P

Deng, G.
—; Chen, Y.: Preparation of Novel Macromonomers and Study of Their Polymerization, 3887C
Deng, J. See Yang, P., 4074C
Deng, M.
—; Chen, X.; Piao, L.; Zhang, X.; Dai, Z.; Jing, X.: Synthesis of Four-Armed Poly(L-caprolactone)-*block*-poly(ethylene oxide) by Diethylzinc Catalyst, 950C
Deng, Q. See Zhou, J., 5911C
Deng, Y. See Jin, L., 6081C
Dereszewska, A.
—; Alegria, A.; Olayo, R.: Dielectric Study of the Phase Diagram of the Poly(γ-benzyl-L-glutamate)/Dimethylformamide System, 3943P
De Risi, F. R.
—; D'Ilario, L.; Martinelli, A.: Synthesis and Characterization of Epoxidized Polybutadiene/Polyaniline Graft Conducting Copolymer, 3082C
de Saja, J. A. See Almanza, O., 1226P
Desimone, J. M. See LaCroix-Desmazes, P., 3537C
De Smedt, S. C. See Amsden, B. G., 3397P
Devasahayam, S.
—; Interfacial Toughness in Polymer-Layered Laminar Composites, 3822P
De Wet-Roos, D. See Sprong, E., 2502P; McLeary, J.B., 960C
De With, G. See Boersma, A., 1628P
Dhamodharam, R. See Dayanada, K., 902C, 5413C; Munirasu, S., 1053C
Dhathathreyan, A. See Usha, R., 3859P
Dhib, R. See Scorah, M. J., 5647C
Diamond, K. L.
—; Pandey, R. B.; Thames, S. F.: Modeling the Polymerization Behavior of Vegetable-Oil-Derived Macromonomers in Solution by Computer Simulation, 1164P
Dias, M. L. See Galland, G. B., 2171C
Diat, O. See van der Heijden, P., 2857P
Díaz, D. D.
—; Punna, S.; Holzer, P.; McPherson, A. K.; Sharpless, K. B.; Fokin, V. V.; Finn, M. G.: Click Chemistry in Materials Synthesis. I. Adhesive Polymers from Copper-Catalyzed Azide-Alkyne Cycloaddition, 4392C
Díaz, M. F.
—; Barbosa, S. E.; Capiati, N. J.: Polypropylene/Polystyrene Blends: *In Situ* Compatibilization by Friedel-Crafts Alkylation Reaction, 452P
Diego, J. A. See Tamayo, I., 4164P
D'Ilario, L. See De Risi, F. R., 3082C
Di Lorenzo, M. L. See Righetti, M. C., 2191P
Dimonie, V. L. See Pan, G., 4921C
Dinakaran, K.
—; Chou, C.-H.; Hsu, S.-L.; Wei, K.-H.: Synthesis and Characterization of Fluorescent Poly[fluorene-*co*-phenylene-1-(di-2-pyridylamine)] Copolymer and Its Ru(II) Complex, 4838C
Ding, L. See Liao, L., 303C, 1820C, 5853C; Mikroyannidis, J. A., 3212C
Ding, M. See Song, N., 4318C
Ding, M.-X. See Fang, X.-Z., 2130C
Ding, S.
—; Shen, Y.; Radosz, M.: A New Ligand for Atom Transfer Radical Polymerization, 3553C
—; Tang, H.; Radosz, M.; Shen, Y.: Atom Radical Polymerization of Ionic Liquid 2-(1-Butylimidazolium-3-yl)ethyl Methacrylate Tetrafluoroborate, 5794C
—; Yang, J.; Radosz, M.; Shen, Y.: Atom Transfer Radical Polymerization of Methyl Methacrylate via Reversibly Supported Caalysts on Silica Gel via Self-Assembly, 22C
Ding, X. See Xu, X., 985C
Ding, Y.
—; Novikov, V. N.; Sokolov, A. P.: Unusual Relaxation Process in Polybutadiene: Resolving the Controversy, 994P
—; Sokolov, A. P.: Comment on the Dynamic Bead Size and Kuhn Segment Length in Polymers: Example of Polystyrene, 3505P
—; See Hartschuh, R., 1106P; Xu, X., 1042P
Dischер, D. E. See Dalhaimer, P., 168P
Djonlagić, J.
—; Petrović, Z. S.: Semi-Interpenetrating Polymer Networks Composed of Poly(*N*-isopropyl acrylamide) and Polyacrylamide Hydrogels, 3987P
Dobrynin, A. V.
—; Colby, R. H.; Rubinstein, M.: Polyampholytes, 3513P
—; See Lefaux, C. J., 3654P
Dobrzynski, P.
—; Initiation Process of L-Lactide Polymerization Carried Out with Zirconium(IV) Acetylacetonate, 1886C
Doğmus, M. See Çaykara, T., 2586P
Dolmaire, N.
—; Espuche, E.; Méchin, F.; Pascault, J.-P.: Water Transport Properties of Thermoplastic Polyurethane Films, 473P
Domb, A. J. See Weiss, Z., 1658C
Domenech, S. C.
—; Bortoluzzi, J. H.; Soldi, V.; Franco, C. V.; Gronski, W.; Radusch, H.-J.: Characterization, Morphology, Thermal and Mechanical Properties of Conductive Polyaniline-Functionalized EPDM Elastomers Obtained by Casting, 1767P
Dondos, A.
—; Treating the Polyelectrolytes as Polymers with a Draining Effect. I. The Statistical Segment Length, 4225P
Dong, C.-M.
—; Faucher, K. M.; Chaikof, E. L.: Synthesis and Properties of Biomimetic Poly(L-glutamate)-*b*-Poly(2-acryloyloxyethyllactoside)-*b*-Poly(L-glutamate) Triblock Copolymers, 5754C
Dong, H.
—; Nyame, V.; MacDiarmid, A. G.; Jones, W. E., Jr.: Polyaniline/Poly(methyl methacrylate) Coaxial Fibers: The Fabrication and Effects of the Solution Properties on the Morphology of

Electrospun Core Fibers, 3934P
Dong, Y. See Wu, Y., 2747P
Donovan, M. S. See Sumerlin, B. S., 1724C
Douglas, J. F. See Gallagher, P. D., 4126P; Soles, C. L., 3218P
Doura M.
—; Aota, H.; Matsumoto, A.: Novel Amphiphilic Network Polymers Consisting of Nonpolar, Short Primary Polymer Chains and Polar, Long Crosslink Units: Influence of Characteristic Dangling Chains on Swelling Behavior of Resulting Amphiphilic Gels, 2192C
Dragan, E. S.
—; Avram, E.; Axente, D.; Marcu, C.: Ion-Exchange Resins. III. Functionalization–Morphology Correlations in the Synthesis of Some Macroporous, Strong Basic Anion Exchangers and Uranium-Sorption Properties Evaluation, 2451C
—; Schwarz, S.: Polyelectrolyte Complexes. VI. Polycation Structure, Polyanion Molar Mass, and Polyion Concentration Effects on Complex Nanoparticles Based on Poly(sodium 2-acrylamido-2-methylpropanesulfonate), 2495C
—; Schwarz, S.: Polyelectrolyte Complexes. VII. Complex Nanoparticles Based on Poly(sodium 2-acrylamido-2-methylpropanesulfonate) Tailored by the Titrant Addition Rate, 5244C
—; See Cazacu, M., 3720C
Drzal, L. T. See Miyagawa, H., 4384P; Miyagawa, H., 4391P
Du, A.
—; Peng, Z.; Zhang, Yong; Zhang, Yinxi: Fracture Morphology and Mechanical Properties of Ethylene/Vinyl Acetate Rubber Vulcanizates Reinforced by *In Situ* Prepared Sodium Methacrylate, 1715P
Du, J.
—; Chen, Y.: Preparation of Poly(ethylene oxide) Star Polymers and Poly(ethylene oxide)—Polystyrene Heteroarm Star Polymers by Atom Transfer Radical Polymerization, 2263C
Du, R. See Na, B., 1831P
Du, X. S.
—; Xiao, M.; Meng, Y. Z.: Synthesis and Characterization of Polyaniline/Graphite Conducting Nanocomposites, 1972P
Duan, Y. See Zhang, Y., 4440P
Dubois, P. See Gorrasi, G., 1466P; Nouvel, C., 2577C
Dubolazov, A. V.
—; Güven, O.; Pekel, N.; Azhgozhinova, G. S.; Mun, G. A.; Nurkeeva, Z. S.: Electrochemical, Spectroscopic, and Thermal Studies on Interactions of Linear Poly(acrylic acid) with Uranyl Ions in Aqueous Solutions, 1610P
Duever, T. A. See Beigzadeh, D., 3055C
Duguet, E. See Flesch, C., 6011C
Duić, L.
—; Kraljić, M.; Grigić, S.: Influence of Phenylenediamine Additions on the Morphology and on the Catalytic Effect of Polyaniline, 1599C
Dumas, P. See Flesch, C., 6011C; Joubert, M., 1976C; Nasser-Eddine, M., 1745C
Du Toit, A. See Luruli, N., 5121C
Dworak, A. See Basinska, T., 615C

Edson, J. B.
—; Knauss, D. M.: Thianthrene as an Activating Group for the Synthesis of Poly(aryl ether thianthrene)s by Nucleophilic Aromatic Substitution, 6353C
Einfeldt, J. See Meibner, D., 188P
Einsla, B. R.
—; Hong, Y.-T.; Kim, Y. S.; Wang, F.; Gunduz, N.; McGrath, J. E.: Sulfonated Naphthalene Dianhydride Based Polyimide Copolymers for Proton-Exchange-Membrane Fuel Cells. I. Monomer and Copolymer Synthesis, 862C
Eisenbach, C. D. See Winter, D., 1919C
Eisenberg, A. See Soo, P. L., 923P
El-Aasser, M. S. See Pan, G., 4921C
Elabd, Y. A.
—; Baschetti, M. G.; Barbari, T. A.: Time-Resolved Fourier Transform Infrared/Attenuated Total Reflection Spectroscopy for the Measurement of Molecular Diffusion in Polymers, 365P
El-Ghayoury, A. See Hofmeier, H., 4028C
Elicegui, A. See Guarrotxena, N., 2337P
Ellis, G. See Torre, J., 1949P
Elzein, T.
—; Galliano, A.; Bistac, S.: Chains Anisotropy in PDMS Networks Due to Friction on Gold Surfaces, 2348P
Endo, K.
—; Sugita, T.: Synthesis of Graft Copolymer from Copolymerization of Styrene-Terminated Poly(ethylene oxide) Macromonomer and Styrene with $CpTiCl_3$/Methylaluminoxane Catalyst, 2904C
Endo, R. See Uddin, A. J., 433P
Endo, T. See Iwamura, T., 6384C; Haba, O., 2943C; Hino, T., 2162C, 2166C, 3360C, 5113C, 5407C; Iwamura, T., 6384C; Motokucho, S., 2506C; Nagai, A., 1143C; Nagai, D., 5384C; Ochiai, B., 3812C, 4941C; Suzuki, K., 4276C; Tanaka, M., 4417C, 5026C; Yasutake, M., 2621C
Epicier, T. See Ibanes, C., 3876P
Erdener, D. See Kaya, I.., 2717C
Erdogan, T.
—; Ozyurek, Z.; Hizal, G.; Tunca, U.: Facile Synthesis of AB_2-Type Miktoarm Star Polymers through the Combination of Atom Transfer Radical Polymerization and Ring-Opening Polymerization, 2313C
—; See Tunca, U., 4228C
Ermoshkin, A. V.
—; de la Cruz, M. O.: Gelatin in Strongly Charges Polyelectrolytes, 766P
Erol, I.
—; Synthesis, Characterization, and Biological Activity of [2-Oxo-2-(4-acetyl) phenyl amino] Ethylene Methacrylate and Its Derivatives, 3157C

Escher, F. F. N.
—; Galland, G. B.: ^{13}Carbon Nuclear Magnetic Resonance of Ethylene–Propylene–1-hexene Terpolymers, 2474C
Esker, A. R.
—; Grüll, H.; Satija, S. K.; Han, C. C.: Polymer Dynamics in Hydrogenous Systems by Neutron Reflectivity, 3248P
Espinosa, M. A.
—; Cádiz, V.; Galiá, M.: Development of Novel Flame-Retardant Thermosets Based on Benzoxazine–Phenolic Resins and a Glycidyl Phosphinate, 279C
—; Galià, M.; Càdiz, V.: Novel Flame-Retardant Thermosets: Phosphine Oxide-Containing Diglycidylether as Curing Agent of Phenolic Novolac Resins, 3516C
Espuche, E. See Dolmaire, N., 473P
Esterly, D. M.
—; Love, B. J.: Phase Transformation to β-Poly(vinylidene fluoride) by Milling, 91P

Fahoum, L. See Paz, Y., 33P
Faix, M. K. See Csetneki, I., 4802C
Fakhraai, Z.
—; Sharp, J. S.; Forest, J. A.: Effect of Sample Preparation on the Glass-Transition Temperature in Thin PS Films, 4503P
Fakis, M. See Karastatiris, P., 2214C
Falk, B. See Crivello, J. V., 1630C
Fan, L. See Liu, J.-G., 1845C; Yang, S. Y., 4143C
Fan, W. See Tang, Y., 6163C
Fan, Z. See Wang, Q., 1093C
Fang, J. See Guo, X., 1432C
Fang, Q.
—; Yamamoto, T.: Preparation of a New Polymer Containing Photoluminescent Pyrazoline Unit in the Main Chain, 2686C
Fang, X.-Z.
—; Li, Q.-X.; Wang, Z.; Yang, Z.-H.; Gao, L.-X.; Ding, M.-X.: Synthesis and Properties of Novel Polyimides Derived from 2,2′, 3,3′-Benzophenonetetracarboxylic Dianhydride, 2130C
Faria, R. M. See Bianchi, R. F., 1033P
Farmer, B. L. See Park, S.-Y., 1868P
Farrell, B. P. See Zhao, H., 916C
Farris, R. J. See Pedicini, A., 752P
Farwaha, R. See Oh, J. K., 3479C; Wu, J., 5005C
Fasce, L. A.
—; Frontini, P. M.; Wong, S.-C.; Mai, Y.-W.: Polypropylene Modified with Elastomeric Metallocene-Catalyzed Polyolefin Blends: Fracture Behavior and Development of Damage Mechanisms, 1075P
Faucher, K. M. See Dong, C. M., 5754C
Fefelova, N. A. Khutoryanskiy, V. V., 515P; Mun, G. A., 1506P
Fekete, Z. A.
—; Wilusz, E.; Karasz, F. E.: Modeling of Displacement Damage in an Ion-Beam-Modified Perfluorosulfonate Ionomer, 1343P
—; See Hoffmann, E. A., 551C
Feld, W. A. See Dang, T. D., 6134C
Feldermann, A. See Charton, N., 5170C
Fellows, C. M. See Pham, T. T. B., 3404C
Feng, M.
—; Gong, F.; Zhao, C.; Chen, G.; Zhang, S.; Yang, M.; Han, C. C.: The β-Crystalline Form of Isotactic Polypropylene in Blends of Isotactic Polypropylene and Polyamide-6/Clay Nanocomposites, 3428P
—; See Qin, H., 3006P
Feng, W.
—; Brash, J.; Zhu, S.: Atom-Transfer Radical Grafting Polymerization of 2-Methacryloyloxyethyl Phosphorylcholine from Silicon Water Surfaces, 2931C
Fenouillot, F. See Riccardi, C. C., 1351P, 1361P
Feresenbet, E. See Yebasssa, D., 1310C
Fernández,-García, M.
—; Fernández-Sanz, M.; Madruga, E. L.: Free-Radical Copolymerization of Styrene with Butyl Acrylate. II. Elemental Kinetic Copolymerization Step Predictions from Homopolymerization Data, 130C
—; See Cuervo-Rodriguez, R., 4168C
Fernández-Monreal, M. C. See Cuervo-Rodriguez, R., 4168
Fernández-Sanz, M. See Fernández-García, M., 130C
Fernando, G. F. See Moniruzzaman, M., 2886C
Ferreira, M. L. See Ciolino, A. E., 2462C
Ferreiro, V.
—; Coulon, G.: Shear Banding in Strained Semicrystalline Polyamide 6 Films as Revealed by Atomic Force Microscopy: Role of the Amorphous Phase, 687P
Fetters, L. J. See Gallagher, P. D., 4126P; Radulescu, A., 3113P
Fevola, M. J.
—; Bridges, J. K.; Kellum, M. G.; Hester, R. D.; McCormick, C. L.: pH-Responsive Ampholytic Terpolymers of Acrylamide, Sodium 3-Acrylamido-3-methylbutanoate, and (3-Acrylamidopropyl)trimethylammonium Chloride. I. Synthesis and Characterization, 3236C
—; Kellum, M. G.; Hester, R. D.; McCormick, C. L.: pH-Responsive Ampholytic Terpolymers of Acrylamide, Sodium 3-Acryamido-3-methylbutanoate, and (3-Acrylamidopropyl)trimethylammonium Chloride. II. Solution Properties, 3252C
Fiedlerová, A. See Lazár, M., 675C
Fijten, M. W. M.
—; Meier, M. A. R.; Hoogenboom, R.; Schubert, U. S.: Automated Parallel Invesitgations/Optimizations of the Reversible Addition-Fragmentation Chain Transfer Polymerization of Methyl Methacrylate, 5775C
—; See Hoogenboom, R., 1830C; Zhang, H., 1876C
Filardo, G. See Galia, A., 173C
Filgueiras, C. A. L. See Galland, G. B., 2171C
Filisko, F. E. See Menna, T. J., 4116P
Finelli, L.
—; Lotti, N.; Munari, A.; Gazzano, M.; Malta, V.:

Poly(thiodiethylene adipate): Melting Behavior, Crystallization Kinetics, Morphology, and Crystal Structure, 553P
Finn, M. G. See Díaz, D. D., 4392C
Finne, A.
—; Albertsson, A.-C.: New Functionalized Polyesters to Achieve Controlled Architectures, 444C
Fiori, S. See Mariani, A., 2066C
Fiorini, M. See Marchese, P., 2821P
Fischer, D. See Brack, H.-P., 59C
Fischer, D. A. See Hexemer, A., 411P
Flesch, C.
—; Delaite, C.; Dumas, P.; Bourgeat-Lami, E.; Duguet, E.: Grafting of Poly(ϵ-caprolactone) onto Maghemite Nanoparticles, 6011C
Fois, M. See Boudenne, A., 722P
Fokin, V. V. See Díaz, D. D., 4392C
Fond, C.
—; Schirrer, R.: Compliant Rubber Domains in a Rigid Polymer Matrix: Shape and Orientation Factors Related to Cavitation and Plastic Dissipation, 1476P
Fonseca, I. F. See Matos, I., 3464C
Fontanals, N.
—; Marcé, R. M.; Galià, M.; Borrull, F.: Synthesis of Hydrophilic Sorbents from *N*-Vinylimidazole/Divinylbenzene and the Evaluation of Their Sorption Properties In the Solid-Phase Extraction of Polar Compounds, 2019C
Fontanille, M. See Lavaud, F., 4964C
Forest, J. A. See Fakhraai, Z., 4503P
Foresti, M. L. See Giannotti, M. I., 3953P
Fosser, K. See Voge, G., 3191P
Foster, A. See Hoppens, N. C., 3473C
Foulger, S. H. See Jin, J., 5292C
Fragouli, P. G.
—; Iatrou, H.; Hadjichristidis, N.: Synthesis and Characterization of Linear Tetrablock Quarterpolymers of Styrene, Isoprene, Dimethylsiloxane, and 2-Vinylpyridine, 514C
Franco, C. V. See Domenech, S. C., 1767P
Frauendorf, H. See Buback, M., 4266C
Fréchet, J. M. J. See Lee, C. C., 3563C
Freeman, B. D. See Nagai, K., 2407P
French, R. See Percec, S., 541C
Friedel, P. See Andreeva, L. N., 12P
Friedrich, K. See Luo, Y., 3842C
Friere, F. See Matos, I., 3464C
Froehling P.
—; Development of DSM's Hybrane® Hyperbranched Polyesteramides, 3110C
Frontini, P. M. See Fasce, L. A., 1075P
Fu, Q. See Na, B., 1831P; Zhang, J., 2385P
Fu, S. See Jiang, W., 733C
Fujikawa, T. See Mitsuda, Y., 3800C
Fujiki, M. See Miyamoto, Y., 4248C; Saxena, A., 4518C
Fujimori, A.
—; Ishitsuka, M.; Nakahara, H.; Ito, E.; Hara, M.; Kanai, K.; Ishii, H.; Ouchi, Y.; Seki, K.: Changes in the Near-Edge X-Ray Absorption Fine Structure Spectra of Long-Chain Diacetylene Derivatives through Photopolymerization in Langmuir–Blodgett Films, 2329P
Fujita, M.
—; Seki, Y.; Miyatake, T.: Synthesis of Ultra-High-Molecular-Weight Poly(α-olefin)s by Thiobis(phenoxy)-titanium/Modified Methylaluminoxane System, 1107C
Fujita, Y. See Teramoto, G., 2738P
Fujito, R. See Sakurai, S.-I., 4621C
Fukai, R.
—; Dakwa, P. H. R.; Chen, W.: Strategies Toward Biocompatible Artificial Implants: Grafting of Functionalized Poly(ethylene glycol)s to Poly(ethylene terephthalate) Surfaces, 5389C
Fukuda, K.-I. See Kanoh, S., 4570C
Fukuda, T.
—; Fundamental Kinetic Aspects of Living Radical Polymerization and the Use of Gel Permeation Chromatography to Shed Light on Them, 4743C
—; See Aoki, T., 4502C
Fukuda, Y. See Mori, T., 2651C
Fukui, S. See Uedono, A., 341P
Fulchiero, E. C. See Huang, H., 5530C
Fuller, K. N. G.
—; Gough, J.; Thomas, A. G.: The Effect of Low-Temperature Crystallization on the Mechanical Behavior of Rubber, 2181P
Fumitaka, K. See Nakano, K., 4666C
Furlani, A. See Sone, T., 2365C
Furo, M. See Ishizu, K., 76C
Furukawa, M. See Kojio, K., 4448P
Furusho, Y. See Maeda, T., 4693C
Furuya, T.
—; Koga, T.; Tanaka, F.: Effects of Added Surfactants on Thermoreversible Gelation of Associating Polymer Solutions, 733P
Furyk, S. See Gonzalez, S. O., 6309C
Fusco, M. See Casalboni, M., 3013C
Fytas, G. See Tommaseo, G., 3311P

Gädda, T. M.
—; Nelson, A. K.; Weber, W. P.: Selectivity in Anionic and Cationic Ring-Opening Polymerizations of Tetramethyl-1-(3′-trifluoromethylphenyl)-1-phenylcyclotrisiloxane and Tetramethyl-1-[3,′5′-bis(trifluoromethyl)phenyl]-1-phenylcyclotrisiloxane, 5235C
Gal, Y.-S. See Jin, S.-H., 2347C
Galante, M. J. See Giannotti, M. I., 3953P, 3964P
Galatanu, A. N. See Chipara, M., 1960P
Galeski, A. See Jin, Y., 3380P
Galia, A.
—; Giaconia, A.; Iaia, V.; Filardo, G.: Synthesis of Hydrophilic Polymers in Supercritical Carbon Dioxide in the Presence of a Siloxane-Based Macromonomer Surfactant: Heterogeneous

Polymerization of 1-Vinyl-2 Pyrrolidone, 173C
Galià, M. See Castell, P., 3631C; Espinosa, M. A., 279C, 3516C; Fontanals, N., 2019C
Gallagher, P. D.
—; Satija, S. K.; Karim, A.; Douglas, J. F.; Fetters, L. J.: Swelling of a Polymer Brush by a Poor Solvent, 4126P
Galland, G. B.
—; Da Silva, L. P.; Dias, M. L.; Crossetti, G. L.; Ziglio, C. M.; Filgueiras, C. A. L: ^{13}C NMR Determination of the Microstructure of Polypropylene Obtained with the DADNi(NCS)$_2$/ Methylaluminoxane Catalyst System, 2171C
—; See Ciolino, A. E., 2462C; Escher, F. F. N., 2474C
Galletti, A. M. R. See Carlini, C., 2534C
Galli, P.
—; Vecellio, G.: Polyolefins: The Most Promising Large-Volume Materials for the 21st Century, 396C
Galliano, A. See Elzein, T., 2348P
Galvin, M. E. See Kurian, M., 4075P
Gamage, N. J. W.
—; Hill, D. J. T.; Lukey, C. A.; Pomery, P. J.: Distribution of Melamine in Polyester-Melamine Surface Coatings Cured under Nonisothermal Conditions, 83C
Gan, L.-H. See Mao, B., 5161C
Gan, Y.-Y. See Mao, B., 5161C
Ganeshsanjeev See Singh, T. J., 1299P
Gao, J. See Xu, X., 1042P
Gao, L. See Song, N., 4218C
Gao, L.-X. See Fang, X.-Z., 2130C
Gao, X.
—; Liu, R.; Yu, Y.; Jin, M.; Bu, H.: Influence of Additives on the Crystal Structure and Melting Behavior of Poly(ethylene-2,6-naphthalene dicarboxylate), 296P
Gao, Y. See Xu, X., 1042P
Garamszegi, L. See Luciani, A., 1218P
Garamus, V. M. See De A. Prado, L. A. S., 567P
García-Franco, C. A. See Robertson, C. G., 1671P
García-Gaitán, B.
—; Pérez-González, M. D. P.; Martínez-Richa, A.; Luna-Bárcenas, G.; Nuño-Donlucas, S. M.: Segmented Block Copolymers of Poly(ethylene glycol) and Poly(ethylene terephthalate), 4448C
Gardette, J.-L. See Rivaton, A., 1239C
Garmestani, H. See Al-Haik, M. S., 1586P
Gawdzik, B. See Jablońska-Pikus, T., 2566C
Gaymans, R. J. See Sauer, B. B., 1783P
Gazi, M. See Bicak, N., 1362C
Gazzano, M. See Finelli, L., 553P
Ge, Z. Y. See Yang, S. Y., 4143C
Gehin, E. See Boudenne, A., 722P
Gelover-Santiago, A. See Naka, K., 5872C
Geng, J.
—; Zhou, E.; Li, G.; Lam, J. W. Y.; Tang, B. Z.: Electric-Field-Induced Molecular Alignment of Side-Chain Liquid-Crystalline Polyacetylenes Containing Biphenyl Mesogens, 1333P
Gerhardt, R. A. See Ou, R., 98P
Getty, R. See Percec, S., 541C
Ghahary, A. See Bai, J., 6143C
Ghanbari-Siahkali, A. See Mitra, S., 6216C
Ghimici, L. See Cazacu, M., 3720C
Giaconia, A. See Galia, A., 173C
Giamberini, M. See Ronda, J. C., 326C
Giannotti, M. I.
—; Foresti, M. L.; Mondragon, I.; Galante, M. J.; Oyanguren, P. A.: Reaction-Induced Phase Separation in Epoxy/ Polysulfone/Poly(ether imide) Systems. I. Phase Diagrams, 3953P
—; Mondragon, I.; Galante, M. J.; Oyanguren, P. A.: Reaction-Induced Phase Separation in Epoxy/Polysulfone/Poly(ether imide) Systems. II. Generated Morphologies, 3964P
Gibaud, A. See Aouinti, M., 2007P
Gies, A. P. See Anthamatten, M., 5999C
Gigmes, D. See Bertin, D., 3504C
Gilbert, R. G. See Brand, T., 5706C; Pham, T. T. B., 3403C
Glinka, C. J. See Ho, D. L., 4337P
Gnanou, Y.
—; Hizal, G.: Effect of Phenol and Derivatives on Atom Transfer Radical Polymerization in the Presence of Air, 351C
—; See Chemtob, A., 1154C, 2705C; Lavaud, F., 4964C
Goerigk, G. See De A. Prado, L. A. S., 567P
Goh, S. H. See Huang, H. L., 1145P
Gohy, J.-F. See Mayer, G., 4458C
Gök, A.
—; Sari, B.; Talu, M.: Preparation and Characterization of Polyfuran/Poly(2-fluoroaniline) Conducting Composites, 3359P
Goldfarb, D. L. See Jones, R. L., 3063P
Gómez, M. See Torre, J., 1949P
Gómez, M. L.
—; Montejano, H. A.; Bohorquez, M. D. V.; Previtali, C. M.: Photopolymerization of Acrylamide Initiated by the Three-Component System Safranine/Triethanolamine/ Diphenyliodonium Chloride: The Effect of the Aggregation of the Salt, 4916C
Gómez-Antón, M. R. See Molina, M. J., 2294P
Gong, F. See Feng, M, 3428P; Qin, H., 3006P
Gong, K.-C. See Su, Y.-Z., 2329C
Gonzalez, S. O.
—; Furyk, S.; Li, C.; Tichy, S. E.; Bergbreiter, D. E.; Simanek, E. E.: Latent Solid-Phase Extraction with Thermoresponsive Soluble Polymers, 6309C
González, V. A.
—; Alanís, M.; Guerrero, C.; Ortiz, U.: Surface Roughness in Dynamically Crstallized Isotactic Polypropylene Films, 646P
González-Benito, J. See Mikeš, F., 64P
Goossens, J. G. P. See Casteren, I. A., 2137P
Gordon, C. M. See Muldoon, M. J., 3865C
Gordon, C. See Koga, T., 3282P
Gorga, R. E.
—; Cohen, R. E.: Toughness Enhancements in

Poly(methyl methacrylate) by Addition of Oriented Multiwall Carbon Nanotubes, 2690P
Gorrasi, G.
—; Tortora, M.; Vittoria, V.; Pollet, E.; Alexandre, M.; Dubois, P.: Physical Properties of Poly(ε-caprolactone) Layered Silicate Nanocomposites Prepared by Controlled Grafting Polymerization, 1466P
—; See Pucciariello, R., 1321P, 3907P
Goto, K. See Liu, S. L., 2769P; Zetterland, P. B., 2640C
Gotoh, Y.
—; Nagara, Y.; Nakano, T., Okamoto, Y.; Ohkoshi, Y.; Nagura, M.: Viscoelastic Behaviors and Molecular Motions of Highly Syndiotactic Poly(vinyl alcohol) Fibers, 800P
—; See Okumura, W., 79P; Uddin, A. J., 433P
Gou, L.
—; Coretsopoulos, C. N.; Scranton, A. B.: Measurement of the Dissolved Oxygen Concentration in Acrylate Monomers with a Novel Photochemical Method, 1285C
Gough, J. See Fuller, K. N. G., 2181P
Govaert, L. E.
—; Tervoort, T. A.: Strain Hardening of Polycarbonate in the Glassy State: Influence of Temperature and Molecular Weight, 2041P
—; See Tervoort, T. A., 2066P; Van Dommelen, J. A. W., 2983P
Goveas, J. L. See Adhikari, N. P., 1888P
Graciet, J.-C. See Tronc, F., 1999C
Grade, J. See Aramendia, E., 4202C
Grader, G. S. See Silverstein, M. S., 1023P
Grayson, S. M. See Lee, C. C., 3563C
Green, P. F. See Putz, K. W., 2286P
Greenlief, C. M. See Gudipati, C. S.
Greer, S. C. See Alessi, M. L., 129P
Grest, G. S. See Sides, S. W., 199P
Grigić, S. See Duić, L., 1599C
Grigoras, C. See Percec, V., 505C
Gronski, W. See Domenech, S. C., 1767P
Gruber, K.
—; Kratky, C.: Bipolymers for Biocatalysis; Structure and Catalytic Mechanism of Hydroxynitrile Lyases, 479C
Grüll, H. See Esker, A. R., 3248P
Grumel, V. See Luruli, N., 5121C
Gryshchuk, O.
—; Karger-Kocsis, J.: Influence of the Type of Epoxy Hardener on the Structure and Properties of Interpenetrated Vinyl Ester/Epoxy Resins, 5471C
Gu, G. See Xiong, M., 3682P
Gu, X. See Zhang, R., 2441P
Guan, Y. See Hu, J.-S., 5262C
Guan, Z.
—; Contol of Polmer Topology through Late-Tranistion-Metal Catalysts, 213C
Guardala, N. A. See Brown, G. O., 2957P
Guarini, K. W. See Black, C. T., 1970C
Guarrotxena, N.
—; Del Val, J. J.; Elicegui, A.; Millan, J.: A Stereochemical Microstructure-Based Attempt to Explain the Dielectric Behavior of Poly(vinyl chloride) (PVC), 2337P
Gudipati, C. S.
—; Greenlief, C. M.; Johnson, J. A.; Prayongpan, P.; Wooley, K. L.: Hyperbranched Fluoropolymer and Linear Poly(ethylene glycol) Based Amphiphilic Crosslinked Networks as Efficient Antifouling Coatings: An Insight into the Surface Compositions, Topographies, and Morphologies, 6193C
Guerrero, C. See González, V. A., 646P
Guida-Pietrasanta, F. See Andre, S., 200C
Guijun, Y.
—; Boqiu, W.; Yuping, D.; Maofeng, Z.; Zhaohui, Y.; Qiaoling, Y.; Yip, L. J. W.; Benzhong, T.: Self-Assembly and Photovoltaic Properties of Multilayer Films Based on Partially Doped Polyaniline and Poly(4-carboxyphenyl)-acetylene, 3224C
Guiver, M. D. See Xing, P., 2866C
Gunduz, N. See Einsla, B. R., 862C
Gunji, T.
—; Iizuka, Y,; Arimitsu, K.; Abe, Y.: Preparation and Properties of Alkoxy(methyl)silsesquioxanes as Coating Agents, 3676C
Guo, B.
—; Ouyang, X.; Cai, C.; Jia, D.: Exploitation of Introducing of Catalytic Centers into Layer Galleries of Layered Silicates and Related Epoxy Nanocomposites. I. Epoxy Nanocomposites Derived from Montmorillonite Modified with Catalytic Surfactant-Bearing Carboxyl Groups, 1192P
Guo, C.
—; Jin, G.-X.; Wang, F.: Preparation and Characterization of SBA-15 Supported Iron(II)-Bismine Pyridine Catalyst for Ethylene Polymerization, 4830C
Guo, D. See Zhang, T., 4765C
Guo, L.-H. See Zhang, A.-M., 3759P
Guo, Q.
—; Slavov, S.; Halley, P. J.: Phase Behavior, Crystallization, and Morphology in Thermosetting Blends of a Biodegradable Poly(ethylene glycol)-Type Epoxy Resin a nd Poly(Ĭ-caprolactone), 2833P
Guo, S. S.
—; Li, W. P.; Zhao, X.-Z.; Peng, Z.; Lau, S. T.; Chan, H. L. W.; Choy, C. L.: Thermally Stimulated Depolarization Current in Electron-Irradiated Poly(vinylidene fluoride-trifluoroethylene) (56/44 mol %) Copolymers, 1099P
Guo, X.
—; Fang, J.; Tanaka, K.; Kita, H.; Okamoto, K.-I.: Synthesis and Properties of Novel Sulfonated Polyimides from 2,2′-Bis(4-aminophenoxy)-biphenyl-5,5′-disulfonic Acid, 1432C

Guo, Y. See Liu, W., 5180C
Guo, Z.-X. See Zeng, Z., 2253C
Gupta, A. S.
—; Lopina, S. T.: Investigation of the Solid Phase Synthesis of Tyrosine-Derived Diphenol Monomers with Resin-Bound Carbodiimide Coupling Reagents, 4906C
Gupta, V. D. See Pande, S., 316P
Gurny, R. See Trimaille, T., 4379C
Güven, O. See Dubolazov, A. V., 1610P; Pekel, N., 986P
Guymon, C. A. See Roper, T. M., 6283C; Lee, T. Y., 4424C

Ha, C.-S. See Mishra, J. K., 2900P
Ha, C.-S.V., 5189C
Haase, W. See Mayer, G., 4458C
Haba, O.
—; Sasaki, N.; Sasaki, Y.; Endo, T.: New Class of Cationic Ring-Opening Polymerizations of 2,2-Diphenyl-1,3-Oxathiolanes Accompanying Quantitative Elimination of Benzophenone, 2943C
Habaue, S.
—; Ajiro, H.; Yoshi, Y.; Hirasa, T.: Asymmetric Oxidative Coupling Polymerization Affording Polynaphthylene with 1,1′-Bi-2-naphthol Units, 4528C
Habibi, A.
—; Vasheghani-Farahani, E.; Semsarzadeh, M. A.; Sadaghiani, K.: Estimation of Monomer Reactivity Ratios in Free-Radical Solution Copolymerization of Lauryl Methacrylate–Isobutyl Methacrylate, 112C
Haddleton, D. M. See Darcos, V., 4933C; Monge, S., 6299C
Hadjichristidis, N. See Karanikolopoulos, G., 3761C; Pitsikalis, M., 4177C
Hägg, M.-B. See Kim, T.-J., 4326P
Hagihara, H.
—; Tsuchihara, K.; Sugiyama, J.; Takeuchi, K.; Shiono, T.: Copolymerization of 3-Buten-1-ol and Propylene with an Isospecific Zirconocene/Methylaluminoxane Catalyst, 5600C
—; Tsuchihara, K.; Takeuchi, K.; Murata, M.; Ozaki, H.; Shiono, T.: Copolymerization of Ethylene or Propylene with α-Olefins Containing Hydroxyl Groups with Zirconocene/Methylaluminoxane Catalyst, 52C
Hait, S. B. See Cavitt, T. B., 4009C
Halasa, A. See Voge, G., 3191P
Hall, H. K., Jr.
—; Padias, A. B.: Organic and Polmer Chemistry of Electrophilic Tri- and Tetrasubstituted Ethylenes, 2845C
Halley, P. J. See Guo, Q., 2833P
Hamaide, T. See Iojoiu, C., 689C
Hamilton, T. P. See Anthamatten, M., 5999C
Hamilton, W. A.
—; Smith, G. S.; Alcantar, N. A.; Majewski, J.; Toomey, R. G.; Kuhl, T. L.: Determining the Density Profile of Confined Polymer Brushes with Neutron Reflectivity, 3290P
—; See Arlen, M. J., 3235P
Hammond, P. T. See Santini, C. M. B., 2784C
Han, C. C. See Esker, A. R., 3248P; Feng, M, 3428P; Huang, C.-I., 2995P
Han, H. See Kim, S.-U., 4303P; Lee, C., 137C, 861P, 2202P; Lee, L., 3612C, 3621C; Yang, S.-J., 4293P
Han, S. See Jang, Y., 1164C; Wu, X., 3049C
Han, S.-H. See Kim, J.-W., 2202C, 2551C
Hanabusa, K. See Okabe, S., 1841P
Hao, X.
—; Nilsson, C.; Jesberger, M.; Stenzel, M. H.; Malmström, E.; Davis, T. P.; Östmark, E.; Barner-Kowollik, C.: Dendrimers as Scaffolds for Multifunctional Reversible Addition–Fragmentation Chain Transfer Agents: Syntheses and Polymerization, 5877C
—; See Barner, L., 5067C; Szablan, Z., 2432C
Hara, M. See Fujimori, A., 2329P
Hara, S.
—; Yamamoto, K.; Shimada, S.; Nishi, H.: Rotational Vibration of Poly(tetrafluoroethylene) Chains by the Electron Spin Resonance Method, 1539P
—; See Shimada, S., 1705P
Hara, T. See Uddin, A. J., 433P
Harabagiu, V. See Iojoiu, C., 689C
Harada, M.
—; Aoyama, K.; Ochi, M.: Fracture Mechanism of Liquid-Crystalline Epoxy Resin Systems with Different Phase Structures, 4044P
—; Ochi, M.; Tobita, M.; Kimura, T.; Ishigaki, T.; Shimoyama, N.; Aoki, H.: Thermomechanical Properties of Liquid-Crystalline Epoxy Networks Arranged by a Magnetic Field, 758P
Harada, T.
—; Zetterlund, P. B.; Yamada, B.: Preparation of Macromonomers by Copolymerization Methyl Acrylate Dimer Involving β Fragmentation, 597C
Harden, A. See Sangermano, M., 1415C
Harper-Nixon, D. See Jeon, H., 2522P
Harris, F. W. See Baek, J.-B., 6318C
Hartschuh, R.
—; Ding, Y.; Roh, J. H.; Kisliuk, A.; Sokolov, A. P.; Soles, C. L.; Jones, R. L.; Hu, T. J.; Wu, W. L.; Mahorowala, A. P.: Brillouin Scattering Studies of Polymeric Nanostructures, 1106P
Hasegawa, T. See Ye, J., 3677P
Hashimoto, T.
—; Nakamura, T.; Tanahashi, S.; Kodaira, T.: Gel Formation in Cationic Polymerization of Divinyl Ethers. III. Effect of oligooxyethylene Chain *versus* Oligomethylene Chain as Central Spacer Units, 3729C
—; Small-Angle Neutron Scattering Studies of Dynamics and Hierarchial Pattern Formation in Binary Mixtures of Polymers and Small Molecules, 3027P
—; Umehara, A.; Urushisaki, M.; Kodaira, T.: Synthesis of a New Degradable Polyurethane Elastomer Containing Polyacetal Soft Segments, 2766C
—; Watanabe, K.; Kodaira, T.: Cationic Cyclopolymerization of 1,2-Bis(2-vinyloxyethoxy)-benzenes: Introduction of Bulky Substituents to

Increase Cyclopolymerization Tendency, 3373C
—; See Namikoshi, T., 2960C, 3649C
Hatada, K.
—; Kitayama, T.; Ute, K.; Nishiura, T.: Uniform Polymer in Synthetic Polymer Chemistry, 416C
—; See Baigude, H., 1400C
Hatton, T. A. See Santini, C. M. B., 2784C
Hawley, M. C. See Zong, L., 2871P
Hay, A. S. See Kang, N., 5745C; Wang, L., 1779C
Hay, J. N. See Kong, Y., 2129P
Hayashi, S. See Yamamoto, S.-I., 5021C
Hayashi, T. See Uozumi, T., 1069C
Hayn, G. See Kunz, M. J., 661C
Hayward, D. See McGonigle, E.-A., 2916P
Hazarkhani, H. See Banihashemi, A., 2106C
He, C. See Chen, L., 2759P; Huang, J., 1173P; Krishnan, P. S. G., 4036C; Kwak, S.-Y., 3853C; Mya, K. Y., 3490C; Zheng, W., 1810P
He, H.-P. See Zhang, Z.-Q., 4311C
He, J. See Liao, X., 280P; Zheng, X., 1619P
He, P. See Xiao, Y., 60P
He, Q.-J. See Zhang, A.-M., 3759P
He, X.-Z. See Hu, J.-S., 5262C
He, Y.
—; Inoue, Y.: Effect of α-Cyclodextrin on the Crystallization of Poly(3-hydroxybutyrate), 3461P
—; See Hexig, B., 2971P
Hedenqvist, M. S. See Backman, A., 947P
Hedrick, J. L. See Trollsås, M., 1174C
Heinzelmann, H. See Vasilev, C., 1312P
Henning, S. See Huy, T. A., 4478P
Henry, R. M.
—; Ramsey, R. A.; Sharma, S. C.: Effects of Crosslinking Agent, Cure Temperature, and UV Flux on the Electro-optical Properties of Polymer-Dispersed Liquid Crystal Cells, 404P
Henssler, J. T. See Shi, L., 4994C
Herati, Ramin S. See Herati, Reza S., 1934C
Herati, Reza S.
—; Herati, Ramin S.: Synthesis of 1-Methoxypoly(oxyethylene)-benzocyclobutene and Its Diels–Alder Reactions, 1934C
Herczegh, P. See Kéki, S., 587C
Hermanson, K. D.
—; Kaler, E. W.: Transition from Microemulsion to Emulsion Polymerization: Mechanism and Final Properties, 5253C
Héroguez, V. See Chemtob, A., 1154C, 2705C
Herzog, D. See Liska, R., 752C; Ullrich, G., 4948C
Hesse, S. See Seifert, M., 463C
Hester, R. D. See Fevola, M. J., 3236C, 3252C
Hexemer, A.
—; Sivaniah, E.; Kramer, E. J.; Xiang, M.; Li, X.; Fischer, D. A.; Ober, C. K.: Managing Polymer Surface Structure Using Surface Active Block Copolymers in Block Copolymer Mixtures, 411P
Hexig, B.
—; He, Y.; Asakawa, N.; Inoue, Y.: Diphenol Miscibility Effect on the Immiscible Polyester/Polyether Binary Blends through Intermolecular Hydrogen-Bonding Interaction, 2971P
Hibbs, M. R.
—; Holtzclaw, J.; Collard, D. M.; Liu, R. Y. F.; Hiltner, A.; Baer, E.; Schiraldi, D. A.: Poly(ethylene terephthalate) Modified with Aromatic Bisester Diamides: Thermal and Oxygen Barrier Properties, 1668C
Higashi, F.
—; Kira, K.: Polyesterification of Aromatic Dicarboxylic Acids and Bisphenols with Tosyl Chloridce/Dimethylformamide/pyridine Promoted by the Improvement of the Difficult Solubility of the Activated Diacids with Lithium Chloride, 2725C
—; Koyanagi, S.: The Effect of Compositions and Combinations of the Reactants upon the Copolycondensation of Isophthalic Acid/Terephthalic Acid with a Combination of Hydroquinones and Bisphenols by Tosyl Chloride/Dimethylformamide/Pyridine, 1100C
—; Sugishita, K.: Two-Stage Copolycondensation of Preformed Oligomers with Bisphenols by Tosyl Chloride/Dimethylformamide/Pyridine from Distributions of Resulting Oligomers Determined by a Combination of Gel Permeation Chromatography and NMR, 44C
—; Takakura, T.; Sumi, Y.: Copolycondensation of Various Compositions of Isophthalic Acid and Terephthalic Acid with Hydroquinones or Bisphenols by Tosyl Chloride/Dimethylformamide/Pyridine, 2321C
—; Tsubonouchi, S.: Additional Evidence of Possible Structural Effect of Diol Units in Preformed Oligoesters on Solution Copolycondensation with *y,y*-Dihydroxytoluenes and Their Isomers Promoted by Tosyl Chloride/Dimethylformamide/Pyridine, 5687C
—; Yokote, S.; Murakawa, T.: New Polymerization through the Activation of Amino Groups with Phenyl Dichlorophosphite in Pyridine, 4126C
Higashi, K. See Hirano, T., 4895C
Higashida, N. See Sato, T., 1609C
Higashihara, T.
—; Hirao, A.: Synthesis of Asymmetric Star-Branched Polymers Consisting of Three or Four Different Segments in Composition by Means of Living Anionic Polymerization with a New Dual-Functionalized 1,1-Bis(3-chloromethylphenyl)-ethylene, 4535C
Higgins, J. S. See Bucknall, D. G., 3267P
Hiki, S. See Yasutake, M., 2621C
Hill, D. J. T. See Gamage, N. J. W., 83C
Hillmyer, M. A. See Radhakrishnan, K., 853C
Hiltner, A. See Hibbs, M. R., 1668C; Jin, Y., 3380P; Liu, R. Y. F., 493P; Poon, B., 4357P

Hino, T.
—; Endo, T.: Cationic Ring-Opening Polymerization of an Epoxide by Tropylium Salts as Thermal- and Photolatent Initiators, 2166C
—; Endo, T.: Novel Anionic Thermally Latent Initiating Systems: Anionic Polymerization of Glycidyl Phenyl Ether with Potassium *tert*-Butoxide/Active Methylene Compounds, 5407C
—; Endo, T.: Polymerization of an Epoxide by Woodward's Reagents as Thermally Latent Initiators, 2162C
—; Inoue, N,; Endo, T.: Cationic Copolymerization Behavior of Cyclic Ether Monomers with Norbornene-Containing Cyclic Carbonate or Spiro–Orthoether Structure, 5113C
—; Ito, Y.; Endo, T.: Unusual Cationic Ring-Opening Behavior of a Novel Six-Membered Ring Spiro-Orthocarbonate Bearing Adamantane Backbones, 3360C
Hinojosa-Falcon, L. A. See Percec, V., 6267C
Hirai, T. See Watanabe, M., 523P, 2460P
Hirano, T.
—; Higashi, K.; Seno, M.; Sato, T.: Reaction Control in Radical Polymerization of Di-*n*-butyl Itaconate Utilizing a Hydrogen-Bonding Interaction, 4895C
—; Miki, H.; Seno, M.; Sato, T.: Significant Effect of Hydrogen-Bonding Interaction on Syndiotactic-Specificity in Radical Polymerization of *N*-Isopropylacrylamide, 4404C
—; See Masaki, K., 4437C; Sato, T., 1609C
Hirao, A. See Higashihara, T., 4535C
Hiraoka, S. See Suzuki, Y., 1198C
Hirasa, T. See Habaue, S., 4528C
Hirashima, Y.
—; Tamanishi, H.; Sato, H.; Saito, K.; Naito, A.; Suzuki, A.: Formation of Hydrogen Bonding in Ionized Poly(*N*-isopropylacrylamide) Gels by Continuous Water Exchange, 1090P
Hirose, Y.
—; Urakawa, O.; Adachi, K.: Dynamics in Disordered Block Copolymers and Miscible Blends Composed of Poly(vinyl ethylene) and Polyisoprene, 4084P
Hizal, G. Gnanou, Y., 351C; Tunca, U., 4228C
Hlil, A. R. See Kang, N., 5745C
Ho, D. L.
—; Glinka, C. J.: New Insights into Hansen's Solubility Parameters, 4337P
Hobzova, R. See Kricheldorf, H. R., 3751C
Hoffmann, E. A.
—; Fekete, Z. A.; Korugic-Karasz, L. S.; Karasz, F. E.; Wilusz, E.: Theoretical and Experimental X-Ray Photoelectron Spectroscopy Investigation of Ion-Implanted Nafion, 551C
Hofmeier, H.
—; El-Ghayoury, A.; Schubert, U. S.: Free Radical and Thermal Curing of Terpyridine-Modified Terpolymers, 4028C
Hogen-Esch, T. E. Chen, R., 5488C; Da, J., 360C; Warner, W. N., 237C
Holder, E. Marin, V., 374C; Yang, S. Y., 4153C
Holm, C. See Missina, R., 3557P
Holmes, P. F. See Arrighi, V., 4000P
Holtzclaw, J. See Hibbs, M. R., 1668C
Holzer, P. See Díaz, D. D., 4392C
Hong, C. K. See Chang, J., 1441P
Hong, C.-Y.
—; You, Y.-Z.; Pan, C.-Y.: Synthesis and Characterization of Well-Defined Diblock and Triblock Copolymers of Poly(*N*-isopropylacrylamide) and Poly(ethylene oxide), 4873C
Hong, L. See Ng, Y. H., 2710P
Hong, S. U. See Lee, K., 1114P
Hong, Y. See Yang, Q., 3721P
Hong, Y.-T. See Einsla, B. R., 862C
Hoogenboom, R.
—; Fijten, M.W.M.; Schubert, U. S.: Parallel Kinetic Investigation of 2-Oxazoline Polymerizations with Different Initiators as Basis for Designed Copolymer Synthesis, 1830C
—; See Fijten, M. W. M., 5775C; Yang, S. Y., 4153C
Hoppens, N. C.
—; Hudnall, T. W.; Foster, A.; Booth, C. J.: Aliphatic–Aromatic Copolyesters Derived from 2,2,4,4-Tetramethyl-1,3-cyclobutanediol, 3473C
Horák, D.
—; Benedyk, N.: Magnetic Poly(Glycidyl Methacrylate) Microspheres Prepared by Dispersion Polymerization in the Presence of Electrostatically Stabilized Ferrofluids, 5827C
Horii, H. See Suzuki, K., 4276C
Horkay, F. See Amsden, B. G., 3397P
Hosaka, S. See Kondo, S.-I., 4161C
Hossenlopp, J.
—; Jiang, L.; Cernosek, R.; Josse, F.: Characterization of Epoxy Resin (SU-8) Film Using Thickness-Shear Mode (TSM) Resonator Under Various Conditions, 2373P
Hou, S.-S. See Kuo, P.-L., 2051C
Houbertz, R. See Kim, W.-S., 1979P
Howe, P. M. See Smith, G. S., 3258P
Hoyle, C. See Cramer, N. B., 5817C
Hoyle, C. E.
—; Lee, T. Y.; Roper, T.: Thiol-Enes: Chemistry of the Past with Promise for the Future, 5301C
—; See Cavitt, T. B., 4009C; Lee, T. Y., 4424C; Pan, B., 1953C; Roper, T. M., 6283C
Hrdlović, P. See Borsig, E., 387C; Mosnáček, J., 765C
Hsiao, B. S. See Liu, Z., 1496P; Toki, S., 956P
Hsiao, C. N. See Lin, C. H., 3986C
Hsiao, F.-Z. See Yang, C.-P., 2272C
Hsiao, S.-H.
—; Chang, Y.-H.: Synthesis and Properties of Soluble Trifluoromethyl-Substituted Polyimides Containing Laterally Attached *p*-Terphenyls, 1255C
—; Chang, Y.-M.: Synthesis and Properties of Novel Soluble

Polyamides Having Ether Linkages and Laterally Attached *p*-Terphenyl Units, 4056C
—; Chen, C.-W.; Liou, G.-S.: Novel Aromatic Polyamides Bearing Pendent Diphenylamino of Carbazolyl Groups, 3302C
—; Chung, C.-L.; Lee, M.-L.: Synthesis and Characterization of Soluble Polyimides Derived from 2′,5′-Bis(3,4-dicarboxyphenoxy)-*p*-terphenyl Dianhydride, 1008C
—; Yang, C.-P.; Huang, S.-C.: Preparation and Properties of New Polyimides and Polyamides Based on 1,4-Bis(4-amino-2-trifluoromethyl-phenoxy)naphthalene, 2377C
—; See Yang, C.-P, 2416C
Hsieh, C.-D. See Liu, J.-H., 1075C
Hsieh, Y.-L. See Chen, H., 6331C, 3293C; McClain, A. R., 92C; Wang, Y., 4289C
Hsu, C.-C. See Wu, S.-H., 3954C, 6061C
Hsu, C.-H. See Huang, H.-M., 5802C
Hsu, S. L.-C.
—; Chen, H.-T.; Tsai, S.-J.: Novel Positive-Working and Aqueous-Base-Developable Photosensitive Poly(imide benzoxazole) Precursor, 5990C
Hsu, S.-L. See Dinakaran, K., 4838C
Hu, C. P. See Wang, F., 4809C
Hu, H. See Liu, Z.-L., 4370C
Hu, J. See Jin, L., 6081C; Warner, W. N., 237C
Hu, J. D.
—; Zheng, Z. M.; Ma, T.; Zhang, Z. J.; Ye, J. P.; Wang, D. Y.; Xie, Z. M.: Synthesis and Properties of Novel Conjugated Poly(silyacetylene silazane)s, 2897C
Hu, J.-S.
—; Zhang, B.-Y.; Guan, Y.; He, X.-Z.: Side-Chain Cholesteric Liquid-Crystalline Elastomers Derived from Smectic Crosslinking Units: Synthesis and Phase Behavior, 5262C
—; Zhang, B.-Y.; Wang, Y.; Meng, F.-B.: Synthesis and Phase Behavior of Side-Chain Liquid-Crystalline Polymers Containing Malachite Green Lactone Groups, 3870C
Hu, L.
—; Lu, H.; Zheng, S.: Effect of Crosslinking on Intramolecular Interactions in Thermosetting Blends of Epoxy Resin with Poly(ethylene oxide), 2567P
Hu, T. See Jones, R. L., 3063P
Hu, T. J. See Hartschuh, R., 1106P
Hu, X. See Lam, Y. C., 302P; Zheng, P., 1849P
Hu, Y. See Li, H., 3947C; Sun, H., 2124C
—; See Tang, Y., 6163C
Hu, Y.-C.
—; Liu, Y.; Pan, C.-Y.: Reversible Addition–Fragmentation Transfer Polymerization of *p*-Nitrophenyl Acrylate and Synthesis of Diblock Copolymers Poly(*p*-nitrophenyl acrylate)-*b*-Polystyrene, 4862C
Hu, Y.-H.
—; Chen, C.-Y.; Wang, C.-C.; Huang, Y.-H.; Wang, S.-P.: Living Polymerization of Styrene Initiated by Mercaptan/ε-Caprolactam, 4976C
Hua, D.
—; Bai, R.; Lu, W.; Pan, C.: Dithiocarbamate Mediated Controlled/Living Free Radical Polymerization of Methyl Acrylate under ^{60}Co γ-Ray Irradiation: Conjugation Effect of *N*-Group, 5670C
Hua, F.
—; Ruckenstein, E.: Highly Soluble Conducting Poly(ethylene oxide) Grafted at Two Sites of Poly(*o*-aminobenzyl alcohol), 4756C
—; Ruckenstein, E.: Synthesis of a Water-Soluble Diblock Copolymer of Polysulfonic Diphenyl Aniline and Poly(ethylene oxide), 2179C
Hua, Z.-J. See Chen, S., 5284C
Huan, C. H. A. See Huang, H. L., 1145P
Huang, B. See Wei, L., 941C
Huang, C. See Yu, Q. S., 1042C
Huang, C.-F. See Chen, J.-K., 4063P
Huang, C.-I.
—; Chang, C.-P.; Shimizu, K.; Han, C. C.: Phase Behavior and Crystallization Analysis in Binary Crystalline Blends of Syndiotactic Polyprpylene and Ethylene—Propylene Random Copolymer, 2995P
Huang, F. See Xu, X., 1042P
Huang, F.-J.
—; Wang, T.-L.: Synthesis and Characterization of New Segmented Polyurethanes with Side-Chain, Liquid-Crystalline Chain Extenders, 290C
Huang, H.
—; Fulchiero, E. C.; Penn, L. S.: Effect of Solvent Quality on Kinetics of Tethered Layer Formation, 5530C
Huang, H. L.
—; Goh, S. H.; Lai, D. M. Y.; Wee, A. T. S.; Huan, C. H. A.: Miscibility and Surface Properties of Fluorinated Copolymer Blends Involving Hydrogen-Bonding Interactions, 1145P
Huang, H.-M.
—; Liu, I.-C.; Chang, C.-Y.; Tsai, H.-C.; Hsu, C.-H.; Tsiang, R. C.-C.: Preparing a Polystyrene-Functionalized Multiple-Walled Carbon Nanotubes via Covalently Linking Acyl Chloride Functionalities with Living Polystyryllithium, 5802C
Huang, J.
—; Li, X.; Lin, T.; He, C.; Mya, K. Y.; Xiao, Y.; Li, J.: Inclusion Complex Formation between α,γ-Cyclodextrins and Organic–Inorganic Star-Shaped Poly(ethylene glycol) from an Octafunctional Silsesquioxane Core, 1173P
—; Pintauer, T.; Matyjaszewski, K.: Effect of Variation of $[PMDETA]_0/[Cu(I)Br]_0$ Ratio on Atom Transfer Radical Polymerization of *n*-Butyl Acrylate, 3285C
—; See Mya, K. Y., 3490C; Ren, Y., 3828C; Wang, Y., 2093C; Xu, X., 5523C
Huang, J.-M.
—; Miscibility, Melting, and Crystallization of Poly(butylene-2,6-naphthalate)/Poly(ether imide) Blends, 1694P
Huang, M.-R. See Li, X.-G., 2073C, 3380C, 6109C
Huang, R. See Li, Z.-M., 374P, 4095P; Zhang, L., 1656P

Huang, S.-C. See Hsiao, S.-H., 2377C
Huang, S.-L.
—; Chin, W.-K.; Yang, W. P.: Viscosity, Particle Size Distribution, and Structural Investigation of Tetramethyloxysilane/2-Hydroxyethyl Methacrylate Sols during the Sol–Gel Process with Acid and Base Catalysts, 3476P
Huang, S.-W. See Zhang, J.-T., 1249C
Huang, W. See Lee, N. H. S., 1647C
Huang, W.-J. See Lee, Y.-J., 1127P
Huang, X.
—; Nayak, B. R.; Lowe, T. L.: Synthesis and Characterization of Novel Thermoresponsive-*co*-Biodegradable Hydrogels Composed of *N*-isopropylacrylamide, Poly(L-lactic aicd), and Dextran, 5054C
Huang, Y. See Peng, Q., 2985C
Huang, Y.-H. See Hu, Y.-H., 4976C
Hudnall, T. W. See Hoppens, N. C., 3473C
Hudson, S. D. See Yebasssa, D., 1310C
Huitric, J.
—; Pillin, I.; Moan, M.; Pimbert, S.: Rheological and Thermal Study of Delayed Crystallization in Poly(butylene terephthalate)/Ethylene-*co*-Ethyl Acrylate Blends, 714P
Hult, A. See Malkoch, M., 1758C
Hummert, M. See Sun, J., 6071C
Hunt, M. A. See Rusa, C. C., 4182P
Hurduc, N. See Kazmierski, K., 1682C
Hurtrez, G. See Nasser-Eddine, M., 1745C
Hüsing, N. See Bauer, J., 3975C
Hussaini, M. Y. See Al-Haik, M. S., 1586P
Huy, T. A.
—; Adhikari, R.; Lüpke, T.; Henning, S.; Michler, G. H.: Molecular Deformation Mechanisms of Isotactic Polypropylene in α- and β-Crystal Forms by FTIR Spectroscopy, 4478P
Hvilsted, S. See Mitra, S., 6216C
Hwang, S.-H.
—; Yoo, K. S.; Moorefield, C. N.; Lee, S.-W.; Newkome, G. R.: Thermal Behavior of Metallodendrimers Possessing Bis(terpyridinyl)$Ru^{(II)}$ Connectivity and Different Surface Functionality, 1487P
Hwang, S.-W. See Chen, S.-H., 883C; Chen, Y., 333P

Iaia, V. See Galia, A., 173C
Iatrou, H. See Fragouli, P. G., 514C
Ibanes, C.
—; David, L.; De Boissieu, M.; Séguéla, R.; Epicier, T.; Robert, G.: Structure and Mechanical Behavior of Nylon-6 Fibers Filled with Organic and Mineral Nanoparticles. I. Microstructure of Spun and Drawn Fibers, 3876P
—; David, L.; Seguela, R.; Rochas, C.; Robert, G.: Structure and Mechanical Behavior of Nylon 6 Fibers Filled with Organic and Mineral Nanoparticles. II. *In Situ* Study of Deformation Mechanisms, 2633P
Ibos, L. See Boudenne, A., 722P
Igarashi, T. See Tanaka, K., 2859C
Ihara, E.
—; Todaka, T.; Inoue, K.: Anionic Polymerization of Methyl Methacrylate Initiated with Lithium Diphenylamide (Ph_2NLi) in the Presence of Divalent Transition Metal Halide, 31C
Iizuka, Y. See Gunji, T., 3676C
Ikeda, E. See Baigude, H., 1400C
Ikeda, Y. See Toki, S., 956P
Il'In, V. V. See Andreeva, L. N., 12P
Inagaki, N.
—; Narushim, K.; Tuchida, N.; Miyazaki, K.: Surface Characterization of Plasma-Modified Poly(ethylene terephthalate) Film Surfaces, 3727P
Ince, B. S. See Natesan, B., 777P
Indi, S. S. See Paul, G. K., 5271C
Ingolic, E. See Binder, W. H., 162C
Inoue, K.
—; Kato, K.; Tohnai, N.; Miyata, M.: Stereological Simulations of Asymmetric Polymerization in Channels of Bile Acid Inclusion Compounds: A Detailed Analysis of the Monomer Arrangements in the Channels, 4648C
—; See Ihara, E., 31C
Inoue, N. See Hino, T., 5113C
Inoue, S. See Sugimoto, H., 5561C
Inoue, Y.
—; Matyjaszewski, K.: Preparation of Polyethylene Block Copolymers by a Combination of Postmetallocene Catalysis of Ethylene Polymerization and Atom Transfer Radical Polymerization, 496C
—; See He, Y., 3461P; Hexig, B., 2971P
Iojoiu, C.
—; Hamaide, T.; Harabagiu, V.; Simionescu, B. C. : Modified Poly(Ī-caprolactone)s and Their Use for Drug-Encapsulating Nanoparticles, 689C
Iot, Y. See Hino, T., 3360C
Iraqi, A.
—; Wataru, I.: 3,6-Linked 9-Alkyl-9*H*-carbazole Main-Chain Polymers: Preparation and Properties, 6041C
Irene, E. A. See Bianchi, R. F., 1033P
Irie, S. See Sakurai, K., 2595P; Wu, Y., 2747P, 4107P
Iriyama, H. See Suyama, K., 2612C
Isayev, A. I. See Oh, J. S., 1875P
Isayeva, I. S.
—; Kennedy, J. P.: Amphiphilic Membranes Crosslinked and Reinforced by POSS, 4337C
Ishida, T. See Morisaki, Y., 5891C
Ishigaki, T. See Harada, M., 758P
Ishii, H. See Fujimori, A., 2329P
Ishii, N. See Takeshita, H., 4199P
Ishikawa, J. See Nagai, A., 1143C
Ishikawa, T. See Kondo, S.-I., 4161C
Ishitsuka, M. See Fujimori, A., 2329P
Ishizawa, H.
—; Nakano, T.; Yade, T.; Tsuji, M.; Nakagawa, O.; Yamaguchi, T.: Stereospecific Polymerization of 9-Fluorenyl

Methacrylate: Tacticity Effects on the Thermal and Photophysical Properties of the Polymers, 4656C

Ishizu, K.
—; Kakinuma, H.; Park, J.: Synthesis of Functionalized Macroinimer by *N,N*-Diethyldithiocarbamate-Mediated Living Free-Radical Polymerization, 3644C
—; Khan, R. A.; Ohta, Y.; Furo, M.: Controlled Radical Polymerization of 2-Hydroxyethyl Methacrylate Initiated by Photofunctional 2-(*N,N*-Diethyldithiocarbamyl)isobutyric Acid, 76C

Ito, E. See Fujimori, A., 2329P

Ito, H.
—; Miller, D. C.: Radical Copolymerization of 2-Trifluoromethylacrylic Monomers. I. Kinetics of Their Copolymerization with Norbornenes and Vinyl Ethers as Studied by *in situ* ^{1}H NMR Analysis, 1468C
—; Okazaki, M.; Miller, D. C.: Radical Coplymerization of 2-Trifluoromethylacrylic Monomers. II. Kinetics, Monomer Reactivities, and Penultimate Effect in Their Copolymerization with Norbornenes and Vinyl Ethers, 1478C
—; Okazaki, M.; Miller, D. C.: Radical Copolymerization of 2-Trifluoromethylacrylic Monomers. III. Kinetics and Monomer Reactivities in the Copolymerization of *t*-Butyl 2-Trifluoromethylacrylate and Methacrylate with Styrene Bearing Hexafluoroisopropanol, 1506C

Ito, M. See Yanagase, A., 1112C

Itoh, T. See Mitsuda, Y., 3800C; Uno, T., 4548C

Itsuno, S.
—; Tsuji, A.; Takahashi, M.: Preparation of the Enantiopure 1,2-Diamine Monomer and its Polymerization: The Efficient Polymeric Chiral Ligand of an Asymmetric Hydrogenation Catalyst, 4556C

Ivanchev, S. S. See Pavlyuchenko, V. N., 2225C

Iwamoto, N. See Okuhira, H., 1137P

Iwamoto, T. See Ochiai, B., 3812C, 4941C

Iwamura, T.
—; Morioka, Y.; Nakagawa, T.; Endo, T.: Selective Radical Cyclopolymerization of a Bifunctional Vinyl Monomer Derived from *N*-Vinylacetamide, 6384C

Iyer, N. P. See Lee, C., 137C, 2202P

Izawa, K. See Suzuki, K., 3447P

Izgin, O. See Degirmenci, M., 3365C

Jääskeläinen, P. See Weng, J., 3318P

Jablońska-Pikus, T.
—; Charmas, W.; Podkościelna, B.; Gawdzik, B.: Polymeric Stationary Phase, Based on *(R,R)*-Tartramide and Bisphenol S, with Potential Chiral Properties, 2566C

Jackson, S. K. See Alam, T. M., 5929C

Jahed, N. See Lutz, J.-F., 1939C

Jakakumar, R.
—; Nanjundan, S.: Calcium-Containing Poly(urethane-urea)s: Synthesis, Spectral, and Thermal Studies, 1809C

Janata, M. See Toman, L., 6098C

Jang, M.-K.
—; Kong, B.-G.; Jeong, Y.-I.; Lee, C. H.; Nah, J.-W.: Physicochemical Characterization of α-Chitin, β-Chitin, and γ-Chitin Separated from Natural Resources, 3423C

Jang, W. See Kim, S.-U., 4303P; Yang, S.-J., 4293P

Jang, Y.
—; Choi, D. S.; Han, S.: Effects of Tris(pentafluorophenyl)borane on the Activation of a Metal Alkyl-free Ni-Based Catalyst in the Polymerization of 1,3-Butadiene, 1164C

Janigová, I. See Lazár, M., 675C

Jasti, B. See Wamsley, A., 317C

Jayakannan, M.
—; Anilkumar, P.: Mechanistic Aspects of Ester-Carbonate Exchange on Polycarbonate/Cycloaliphatic Polyester with Model Reactions, 3996C

Jaycox, G. D.
—; Stimuli-Responsive Polymers, VII. Photomodulated Chiroptical Switches: Periodic Copolyaramides Containing Azobenzene, Phenylene, and Chiral Binaphthylene Main-Chain Linkages, 566C

Jean, Y. C. See Zhang, R., 2441P

Jeng, R.-J. See Liu, Y.-L., 5921C

Jenkins, S. D. See McGonigle, E.-A., 2916P

Jenneskens, L. WS. See Oosterbaan, W. D., 4775C

Jeon, H.
—; Wyatt, J.; Harper-Nixon, D.; Weinkauf, D.: Characterization of Thin Polymer-Like Films Formed by Plasma Polymerization of Methylmethacrylate: A Neutron Reflectivity Study, 2522P

Jeon, H. S.
—; Rameshwaram, J. K.; Kim, G.: Structure–Property Relationships in Exfoliated Polyisoprene/Clay Nanocomposites, 1000P

Jeong, Y. G.
—; Jo, W. H.; Lee, S. C.: Synthesis and Isodimorphic Cocrystallization Behavior of Poly(1,4-cyclohexylenedimethylene terephthalate-*co*-1,4-cyclohexylenedimethylene 2,6-naphthalate) Copolymers, 177P

Jeong, Y.-I. See Jang, M.-K., 3423C

Jérôme, R. See Vangeyte, P., 1132C

Jesberger, M. See Hao, X., 5877C

Jewrajka, S. K.
—; Mandal, B. M.: Living Radical Polymerization. II. Improved Atom Transfer Radical Polymerization of Acrylamide in Aqueous Glycerol Media with a Novel Pentamethyl-diethylenetriamine-Based Soluble Copper(I) Complex Catalyst System, 2483C

Jeynes, C. See Simpson, T. R. E., 1421C

Ji, P. See Teng, C., 5045C, 5845C

Ji, X. See Zhao, J., 3496P

Ji, Y. See Koga, T., 3282P

Jia, D. See Guo, B., 1192P

Jia, P. See Wang, L., 6259C

Jian, X. See Zhu, X., 2026C

Jian, X. G. See Wang, J. Y., 6089C

Jiang, B. See Jiang, S., 656P; Jiang, W., 1433P; Zhao, J., 3496P
Jiang, J.
—; Zhang, K.; Zhou, H.: Atom Transfer Radical Polymerization Initiated by *N*-Bromosuccinimide, 5811C
Jiang, L. See Hossenlopp, J., 2373P; Lam, Y. C., 302P
Jiang, S.
—; An, L.; Jiang, B.: Crystallization Kinetics in Shearing-Induced Oriented and Stretched Poly(ethylene oxide), 656P
—; See Zhao, J., 3496P
Jiang, W.
—; Yang, W.; Zeng, X.; Fu, S.: Structure and Properties of Poly(methyl methacrylate) Particles Prepared by a Modified Microemulsion Polymerization, 733C
—; Yu, D.; An, L.; Jiang, B.: Brittle–Ductile Transition of Polypropylene/Ethylene–Propylene–Diene Monomer Blends Induced by Size, Temperature, and Time, 1433P
—; See Zhu, Y., 5714C
Jiang, W. Y. See Bhattarai, N., 2558P
Jiang, X.
—; Zhang, Yong; Zhang, Yinxi: Crystallization Behavior of Dynamically Cured Polypropylene/Epoxy Blends, 1181P
—; See Perahia, D., 3165P
Jie, S. See Zhang, T., 4765C
Jikei, M.
—; Kakimoto, M.-A.: Dendritic Aromatic Polyamides and Polyimides, 1293C
—; See Wang, K.-L., 3200C
Jin, G.
—; Zhang, D.: Micron-Granula Polyolefin with Self-Immobilized Nickel and Iron Diimine Catalyts Bearing One or Two Allyl Groups, 1018C
Jin, G.-X. See Audouin, F., 4830
Jin, J.
—; Topping, C. M.; Chen, S.; Ballato, J.; Foulger, S. H.; Smith, D. W., Jr.: Synthesis and Comparison of CF_3 *versus* CH_3 Substituted Perfluorocyclobutyl (PFCB) Networks for Optical Applications, 5292C
Jin, J. G. See Shin, D.-C., 5636C
Jin, J.-I. See Joo, S.-H., 1335C
Jin, L.
—; Deng, Y.; Hu, J.; Wang, C.: Preparation and Characterization of Core-Shell Polymer Particles with Protonizable Shells Prepared by Oxyanionic Polymerization, 6081C
Jin, M.
—; Yang, Q. X.; Lu, R.; Xu, T. H.; Zhao, Y. Y.: Syntheses of Bisazo-Containing Polymethyacrylates Using Atom Transfer Radical Polymerization and the Photoalignment Behavior, 4237C
—; See Gao, X., 296P
Jin, S.-H.
—; Koo, D.-S.; Seo, H.-U.; Kim, Y.-I.; Gal, Y.-S.; Park, D.-K.: Homologous Series of Alkylsilylphenyl-Substituted Poly(*p*-phenylenevinylene)s for Light-Emitting Diodes, 2347C
Jin, Y.
—; Rogunova, M.; Hiltner, A.; Baer, E.; Nowacki, R.; Galeski, A.; Piorkowska, E.: Structure of Polypropylene Crystallized in Confined Nanolayers, 3380P
Jin, Y.-D. See Wang, X.-L., 3417C
Jing, X. See Deng, M., 950C; Li, H., 3947C; Sun, H., 2124C; Tang, Z., 5974C
Jing, X.-B. See Zhang, Q.-H., 3750P
Jo, W. H. See Jeong, Y. G., 177P
Jog, J. P. See Kalgaonkar, R. A., 2657P
Johansson, M. See Samuelsson, J., 6346C
Johnson, J. A. See Dang, T. D., 6134C; Gudipati, C. S.
Johnson, M. A. See Santini, C. M. B., 2784C
Jones, A. A. See Cao, H., 1053P
Jones, B. A.
—; Torkelson, J. M.: Large Melting Point Depression of 2–3-nm Length-Scale Nanocrystals Formed by the Self-Assembly of an Associative Polymer: Telechelic, Pyrene-Labeled Poly(dimethylsiloxane), 3470P
Jones, C. W. See Nguyen, J. V., 1367C, 1384C
Jones, R. L.
—; Hu, T,; Lin, E. K; Wu, W.-L.; Goldfarb, D. L.; Angelopoulos, M.; Trinque, B. C.; Schmid, G. M.; Stewart, M. D.; Willson, C. G.: Formation of Deprotected Fuzzy Blobs in Chemically Amplified Resists, 3063P
—; See Hartschuh, R., 1106P
Jones, W. E., Jr. See Dong, H., 3934P
Jönsson, E. S. See Roper, T. M., 6283C; Lee, T. Y., 4424C
Jonsson, M. See Samuelsson, J., 6346C
Jönsson, S. See Cavitt, T. B., 4009C
Joo, C. W. See Choi, S.-S., 577P
Joo, S.-H.
—; Jin, J.-I.: All Hydrocarbon Main-Chain Thermotropic Liquid Crystalline Polymers, Poly(1,1′-biphenylene-4,4′-alkenediyl)s, Prepared by the ADMET Method and Their Hydrogenated Polymers, Poly(1,1′-biphenylene-4,4′-alkanediyl)s, 1335C
José, N. M.
—; Prado, L. A. S. A.; Yoshida, I. V. P.: Synthesis, Characterization, and Permeability Evaluation of Hybrid Organic–Inorganic Films, 4281P
Josse, F. See Hossenlopp, J., 2373P
Joubert, M.
—; Delaite, C.; Bourgeat-Lami, E.; Dumas, P.: Ring-Opening Polymerization of l-Caprolactone and L-Lactide from Silica Nanoparticles Surface, 1976C
Ju, H.-K. See Kim, J.-W., 2202C
Ju, L.-K. See Restrepo, A. S., 2950C
Jung, J. C. See Lee, S. J., 3130C
Jungnickel, B.-J. See Liu, J., 974P

Kaats-Richters, V. E. M. See Oosterbaan, W. D., 4775C
Kabrelian, V. See Seifert, M., 463C
Kaczmarek, H.
—; Kowalonek, J.; Klusek, Z.; Pierzgalski, S.; Datta, S.: Studies of Photooxidative Degradation of Poly(vinyl chloride)/Poly(ethylene oxide) Blends, 585P

Kaczun, J. See Becquart, F., 1618C
Kadlubowski, S. See Khutoryanskiy, V. V., 515P
Kaga, H. See Tsuji, M., 4563C
Kaim, A. See Cieplak, P., 1557C
Kaji, K. See Nishida, K., 1068P, 1817P
Kajiwara, K. See Okumura, W., 79P
Kajiyama, T.
—; Tanaka, K.; Takahara, A.: Analysis of Surface Mobility in Polystyrene Films with Monodisperse and Bimodal Molecular Weights by Lateral Force Microscopy, 639C
Kakimoto, M.-A. See Jikei, M., 1293C; Wang, K.-L., 3200C
Kakinuma, H. See Ishizu, K., 3644C
Kakuchi, T.
—; Sawamoto, M.: Foreward, 4479C
—; See Obata, M., 4671C; Tsuji, M., 4563C
Kaler, E. W. See Hermanson, K. D., 5253C
Kalgaonkar, R. A.
—; Nandi, S.; Tambe, S. S.; Jog, J. P.: Analysis of Viscoelastic Behavior and Dynamic Mechanical Relaxation of Copolyester Based Layered Silicate Nanocomposites using Havriliak–Negami Model, 2657P
Kaliaguine, S. See Xing, P., 2866C
Kalmi, M.
—; Lahcini, M.; Castro, P.; Lehtonen, O.; Belfkira, A.; Leskelä, M.; Repo, T.: Tetrakis Sn(IV) Alkoxides as Novel Initiators for Living Ring-Opening Polymerization of Lactides, 1901C
Kalogeras, I. M.
—; Thermally Stimulated Currents of Poly(methyl methacrylate): Comments on the Molecular Origin of a Debye-Type Signal between the α- and β-Relaxation Modes, 702P
Kaluzynski, K. See Penczek, S., 432C
Kameyama, A. See Konno, Y., 2543C; Minegishi, S., 2031C; Tanaka, K., 2859C
Kamikawa, Y.
—; Kato, T.; Onouchi, H.; Kashiwagi, D.; Maeda, K.; Yashima, E.: Helicity Induction on a Poly(phenylacetylene) Bearing a Phosphonate Residue by Chiral Dendrons, 4580C
Kamino, K. See Obata, M., 4671C
Kaminsky, W.
—; The Discovery of Metallocene Catalysts and Their present State of the Art, 3911C
Kanai, K. See Fujimori, A., 2329P
Kanaoka, S. See Sugihara, S., 2601C
Kanaya, T. See Nishida, K., 1068P, 1817P
Kandpal, L. D. See Nandan, B., 1548P
Kane, R. S. See Carrillo, A., 3352C
Kaneko, T. See Aoki, T., 4502C; Shimokuri, T., 4492C
Kang, H.-H. See Kim, J.-W., 2202C, 2551C
Kang, J.-G. See Park, S.-J., 3841P
Kang, N.
—; Hlil, A. R.; Hay, A. S.: Fluorescent Poly(aryl ether)s Containing Benzo[*g*]phthalazine and Benzo[*g*]isoquinoline Moieties, 5745
Kang, S. W.
—; Kim, J. H.; Ko, D.; Kim, C. K.; Won, J.; Char, K.; Kang, Y. S.: Complexation of Phthalate Oxygens in Poly(ethylene phthalate) with Silver Ions and Its Effect on the Formation of Silver Nanoparticles, 3344P
Kang, Y. S. See Kang, S. W., 3344P; Kim, J. H., 232P, 621P, 2263P
Kanki, K.
—; Nakazato, A.; Nomura, R.; Sanda, F.; Masuda, T.: Polymerization of Substituted Phenylacetylenes with a Novel, Water-Soluble Rh–Vinyl Complex in Water, 2100C
Kannan, P. See Sakthivel, P., 5215C
Kanoh, S.
—; Takemura, A.; Fukuda, K.-I.; Chinwanitcharoen, C.; Motoi, M.: Coordinate Anionic Ring-Opening Polymerization of Oxetanes with Aluminum Benzyl Alcoholate Bis(2,6-di-*tert*-butyl-4-methylphenolate), 4570C
Kantoğlu, Ö. See Çaykara, T., 2586P
Karanikolopoulos, G.
—; Batis, C.; Pitsikalis, M.; Hadjichristidis, N.: Zirconocene-Catalyzed Copolymerization of Methyl Methacrylate with Other Methacrylate Monomers, 3761C
Karastatiris, P.
—; Mikroyannidis, J. A.; Spiliopoulos, I. K.; Fakis, M.; Persephonis, P.: Luminescent Poly(Phenylene vinylene) Derivatives with *m*-Terphenyl or 2,6-Diphenylpyridine Kinked Segments Along the Main Chain: Synthesis, Characterization, and Stimulated Emission, 2214C
Karasz, F. E. See Fekete, Z. A., 1343P; Hoffmann, E. A., 551C; Liao, L., 303C, 1820C, 5853C; Mikroyannidis, J. A., 3212C
Karayannidis, G. P. See Achilias, D. S., 3775P; Papageorgiou, G. Z., 843P
Karger-Kocsis, J. See Gryshchuk, O., 5471C
Karim, A. See Gallagher, P. D., 4126P
Kase, T. See Miyazawa, A., 1841C
Kashio, M. Sugizaki, T., 4212C
Kashiwa, N.
—; The Discovery and Progress of $MgCl_2$-Supported $TiCl_4$ Catalysts, 1C
Kashiwagi, D. See Kamikawa, Y., 4580C
Kasimis, T. S. See Mikroyannidis, J. A., 2112C
Kaszas, G. See Shaikh, S., 4084C
Katime, I.
—; Novoa, R.; De Apodaca, E. D.; Rodríguez, E.: Release of Theophylline and Aminophylline from Acylic Acid/*n*-Alkyl Methacrylate Hydrogels, 2756C
—; See Maldonado-Santoyo, M., 636P
Kato, K. See Inoue, K., 4648C
Kato, S.-I.
—; Takagi, K.; Suzuki, K.; Kinoshita, T.; Yuki, Y.: Coordination of Nickel and Copper Dithiolate to 2,2′-

Bipyridine-Based π-Conjugated Polymers, 2631C
Kato, T. See Kamikawa, Y., 4580C
Katsuraya, K. See Baigude, H., 1400C
Kaul, B. L. See Tronc, F., 1999C
Kaung, W. See Lee, T. Y., 4424C
Kawa, M.
—; Takahagi, T.: Focal-Point Anchoring: Large Proton Relaxivity Observed for Gadolinium-Cored Dendrimer Complexes in Water, 2680P
Kawaguchi, H. See Ni, H., 2823C, 2833C
Kawakami, Y. See Pakjamsai, C., 4587C
Kawasumi, M.
—; The Discovery of Polymer-Clay Hybrids, 819C
Kaya, E. See Demirelli, K., 5964C
Kaya, I.
—; Moral, F.; Erdener, D.: Synthesis, Characterization, and Optimum Reaction Conditions of Oligo-2-[(pyridine-2-yl-methylene) amino] Phenol, 2717C
Kazama, S. See Nagai, K., 2407P
Kazmierski, K.
—; Hurduc, N.; Sauvet, G.; Chojnowski, J.: Polysiloxanes with Chlorobenzyl Groups as Precursors of New Organic-Silicone Materials, 1682C
Kazmierski, S. See Basinska, T., 615C
Keddie, J. L. See Simpson, T. R. E., 1421C
Kéki, S.
—; Nagy, M.; Deák, G.; Herczegh, P.; Zsuga, M. : Aminotelechelics: A Convenient Synthesis and Characterization of Primary Amino-Terminated Telechelic Poly(propylene glycol) and Polyisobutylene, 587C
Kellum, M. G. See Fevola, M. J., 3236C, 3252C
Kempel, L. C. See Zong, L., 2871P
Kennedy, J. P. See Isayeva, I. S., 4337C
Kent, M. S. See Yim, H., 3302P
Keskkula, H. See Okada, O., 1739P
Kesselman, E. See Paz, Y., 33P
Khalatur, P. G. See Khokhlov, A. R., 5339C
Khalfin, R. L. See Rein, D. M., 53P, 2238P
Khan, R. A. See Ishizu, K., 76C
Khang, G. See Kim, M. S., 5784C
Khastgir, D. See Soares, B. G., 4053P
Khokhlov, A. R.
—; Berezkin, A. V.; Khalatur, P. G.: Computer Modeling of Radical Copolymerization under Unusual Conditions, 5339C
Khomko, E.
—; Mashlyakovskiy, L.; Tonelli, C.: Fluoropolyethers End-Capped by Polar Functional Groups. IV. A Novel Approach to the Evaluation of Reactivities of Hydroxy-Terminated Ethoxylated Fluoropolyethers in the Tin (IV)-Catalyzed Reactions with Isophorone Diisocyanate, 5354C
Khutoryanskiy, V. V.
—; Nurkeeva, Z. S.; Mun, G. A.; Sergaziyev, A. D.; Kadlubowski, S.; Fefelova, N. A.; Baizhumanova, T.; Rosiak, J. M.: Temperature-Responsive Linear Polyelectrolytes and Hydrogels Based on [2-(Methacryloyloxy)ethyl] trimethylammonium chloride and *N*-Isopropylacrylamide and Their Complex Formation with Potassium Hexacyanoferrates (II,III), 515P
—; See Mun, G. A., 1506P, 2625P
Kickelbick, G. See Bauer, J., 3975C
Kikutani, T. See Kim, J. Y., 395P
Kiliç, S. See Altintaş, E. B., 3708C
Kim, B. C. See Chae, D. W., 790P; Chae, H. G., 1759P; Kim, E. S., 939P; Lee, E. J., 1451P
Kim, B. K. See Kim, E. H., 613P
Kim, C.
—; Kim, H.; Park, K.: Diels–Alder Reaction with Anthracene and Quinone Derivatives on the Dendritic Periphery, 2155C
Kim, C. H. See Lee, J. S., 557C
Kim, C. K. See Kang, S. W., 3344P; Kim, J. H., 232P, 621P
Kim, C. Y. See Lee, J. S., 557C
Kim, D.
—; Scranton, A.: The Role of Diphenyl Iodonium Salt (DPI) in Three-Component Photoinitiator Systems Containing Methylene Blue (MB) and an Electron Donor, 5863C
Kim, D. J. See Song, M. J., 772C
Kim, D. K. See Chae, H. G., 1759P
Kim, D. M. See Kim, T. Y., 2813P
Kim, D. Y. See Lee, J. S., 557C
Kim, E. H.
—; Kim, B. K.: Diffraction Grating in Noncrosslinked Polymers, 613P
Kim, E. S.
—; Kim, B. C.; Kim, S. H.: Structural Effect of Linear and Star-Shaped Poly(L-lactic acid) on Physical Properties, 939P
Kim, G. See Jeon, H. S., 1000P
Kim, G.-H. See Mishra, J. K., 2900P
Kim, H. See Kim, C., 2155C
Kim, H.-C.
—; Kim, J.-S.; Kim, K.-S.; Park, H.-K.; Baek, S.; Ree, M.: Synthesis and Characterization of New, Soluble Polyazomethines Bearing Fluorene and Carbazole Units in the Backbone and Solubility-Improving Moieties in the Side Group, 825C
Kim, H.-J. See Percec, V., 505C
Kim, H. K. See Song, B. J., 6375C
Kim, H. Y. See Bhattarai, N., 2558P
Kim, I. See Mishra, J. K., 2900P; Wahab, M. A., 5189C
Kim, I.-S. See Choi, S.-S., 577P
Kim, J. See Kim, Y.-J., 5627C; Lee, S.-S., 246P, 2367P
Kim, J. H.
—; Min, B. R.; Kim, C. K.; Won, J.; Kang, Y. S.: Structural Changes of Silver Polymer Electrolytes: Comparison Between Poly(2-ethyl-2-oxazoline) and Poly(*N*-vinyl pyrrolidone) Complexes with Silver Salt, 232P
—; Min, B. R.; Won, J.; Kim, C. K.; Kang, Y. S.: Structure and Coordination Properties of Facilitated Olefin Transport Membranes Consisting of Crosslinked

Poly(vinyl alcohol) and Silver Hexafluoroantimonate, 621P
—; Won, J.; Kang, Y. S.: π-Complexes of Polystyrene with Silver Salts and Their Use as Facilitated Olefin Transport Membranes, 2263P
—; See Cheong, I. W., 4353C; Kang, S. W., 3344P; Lee, J. S., 557C
Kim, J. K. See Yang, N. C., 1058C
Kim, J.-S. See Kim, H.-C., 825C
Kim, J.-W.
—; Lee, J.-E.; Ryu, J.-H.; Lee, J.-S.; Kim, S.-J.; Han, S.-H.; Chang, I.-S.; Kang, H.-H.; Suh, K.-D.: Synthesis of Metal.Polymer Colloidal Composites by the Tailored Deposition of Silver onto Porous Polymer Microspheres, 2551C
—; Lee, K.-S.; Ju, H.-K.; Ryu, J.-H.; Han, S.-H.; Chang, I.-S.; Kang, H.-H.; Oh, S.-G.; Suh, K.-D.: Microencapsulation of Cholesteryl Alkanoate by Polymerization-Induced Phase Separation and Its Association with Drugs, 2202C
—; See Kim, Y.-J., 5627C
Kim, J. Y.
—; Kim, S. H.; Kikutani, T.: Fiber Property and Structure Development of Polyester Blend Fibers Reinforced with a thermotropic Liquid-Crystal Polymer, 395P
Kim, K.-S. See Kim, H.-C., 825C
Kim, M. H. See Park, C. I., 1685P
Kim, M. S.
—; Seo, K. S.; Khang, G.; Cho, S. H.; Lee, H. B.: Preparation of Methoxy Poly(ethylene glycol)/Polyester Diblock Copolymers and Examination of the Gel-to-Sol Transition, 5784C
Kim, N. H. See Lee, E. J., 1451P
Kim, S. C. See Song, M. J., 772C
Kim, S. H. See Chang, J.-H., 3667P; Kim, E. S., 939P; Kim, J. Y., 395P
Kim, S. I. See Kim, S. J., 914P
Kim, S. J.
—; Yoon, S. G.; Kim, S. I.: Effect of the Water State on the Electrical Bending Behavior of Chitosan/Poly(diallyl-dimethylammonium chloride) Hydrogels in NaCl Solutions, 914P
Kim, S.-J. See Kim, J.-W., 2551C
Kim, S.-U.
—; Lee, C.; Sundar, S.; Jang, W.; Yang, S.-J.; Han, H.: Synthesis and Characterization of Soluble Polyimides Containing Trifluoromethyl Groups in their Backbone, 4303P
Kim, S. Y. See Yoo, J.-H., 5401C
Kim, T.-J.
—; Li, B.; Hägg, M.-B.: Novel Fixed-Site–Carrier Polyvinylamine Membrane for Carbon Dioxide Capture, 4326P
Kim, T. Y.
—; Kim, D. M.; Kim, W. J.; Lee, T. H.; Suh, K. S.: Effects of Poly[styrene-*b*-(ethylene-*co*-butylene)-*b*-styrene] on the Charge Distributions of Low-Density Polyethylene/Polystyrene Blends, 2813P
Kim, W. J. See Kim, T. Y., 2813P
Kim, W.-S.
—; Houbertz, R.; Lee, T.-H.; Bae, B.-S.: Effect of Photoinitiator on Photopolymerization of Inorganic–Organic Hybrid Polymers (ORMOCER®), 1979P
Kim, Y. H. See Seul, S. D., 4063C; Shin, D.-C., 5636C
Kim, Y.-I. See Jin, S.-H., 2347C
Kim, Y.-J.
—; Kim, J.-W.; Lee, J.-E.; Ryu, J.-H.; Kim, J.; Chang, I.-S.; Suh, K.-D.: Synthesis and Adsorption Properties of Gold Nanoparticles within Pores of Surface-Functional Porous Polymer Microspheres, 5627C
Kim, Y. S. See Einsla, B. R., 862C; Na, J., 2444C
Kimura, A. See Sugizaki, T., 4212C
Kimura, S. See Uedono, A., 341P
Kimura, T. See Harada, M., 758P
Kingshott, P. See Mitra, S., 6216C
Kinoshita, T. See Kato, S.-I., 2631C; Nishioka, N., 1208C
Kira, K. See Higashi, F., 2725C
Kiriyama, K. See Nishida, K., 1068P
Kirker, K. R.
—; Prestwich, G. D.: Physical Properties of Glycosaminoglycan Hydrogels, 4344P
Kirsch, A. See Sipani, V., 4409C
Kisliuk, A. See Hartschuh, R., 1106P
Kita, H. See Guo, X., 1432C
Kitami, T. See Shinohara, K.-I., 3930C
Kitamura, S. See Lee, Y.-K., 6157C
Kitayama, T. See Hatada, K., 416C
Kleinová, A. See Lazár, M., 675C
Klemm, D. See Seifert, M., 463C
Klemm, E. See Pautsch, T., 722C, 2911C
Klumperman, B. See McLeary, J. B., 960C; Venkatesh, R., 3271C
Klusek, Z. See Kaczmarek, H., 585P
Knauss, D. M. See Edson, J. B., 6353C
Knoop, C. A. See Schulte, T., 3342C
Ko, D. See Kang, S. W., 3344P
Ko, F.-H. See Chen, J.-K., 4063P
Ko, S. J.
—; Bae, Y. C.; Kong, S.-H.; Ryu, S.-O.: Phase Behaviors of Hyperbranched Solid Polymer Electrolyte/Salt Systems: The Structure Effect, 2254P
Ko, Y. G.
—; Choi, U. S.; Park, Y. S.; Woo, J. W.: Fourier Transform Infared Spectroscopy Study of the Effect of pH on Anion and Cation Adsorption onto Poly(acrylo-amidino diethylenediamine), 2010C
—; Choi, U. S.; Woo, J. W.; Park, Y. S.: Equilibrium Adsorption Model of Anions onto a Novel Synthesized Chelating Fiber under Various pHs and Fourier Transform Infrared Study of These Adsorptions, 2430P
Kobayashi, K. See Miura, Y., 4598C
Kobayashi, M. See Temma, T., 4607C
Kobayashi, N. See Pakjamsai, C., 4587C
Koberstein, J. T.
—; Molecular Design of Functional Polymer Surfaces, 2942P
Kodaira, T. See Hashimoto, T., 2766C, 3373C, 3729C; Namikoshi, T., 2960C, 3649C

Koetz, J.
—; Bahnemann, J.; Kosmella, S.: Influence of a Cationic Polyelectrolyte on the Inverse Micellar Region of the Ternary System Sulfobetaine/Water/Alcohol, 742C
Koga, T.
—; Ji, Y.; Seo, Y. S.; Gordon, C.; Qu, F.; Rafailovich, M. H.; Sokolov, J. C.; Satija, S. K.: Neutron Reflectivity Study of Glassy Polymer Brushes in Density Fluctuating Supercritical Carbon Dioxide, 3282P
—; See Furuya, T., 733P
Kohjiya, S. See Toki, S., 956P
Koike, Y.
—; Cakmak, M.: Atomic Force Microscopy Observations of the Structural Development during the Uniaxial Stretching of Crosslinked Low-Density Polyethylene in Partial and Fully Molten States, 2228P
—; See Liu, W., 5180C
Koizumi, S.
—; Gel-Like Aspect of a Miscible Polymer Mixture Studied by Small-Angle Neutron Scattering, 3148P
Kojio, K.
—; Nonaka, Y.; Masubuchi, T.; Furukawa, M.: Effect of the Composition Ratio of Copolymerized Poly(carbonate) glycol on the Microphase-Separated Structures and Mechanical Properties of Polyurethane Elastomers, 4448P
Komber, H. See Abdelrehim, M., 3062C
Kondo, S.-I.
—; Sasai, Y.; Hosaka, S.; Ishikawa, T.; Kuzuya, M.: Kinetic Analysis of the Mechanolysis of Polymethylmethacrylate in the Course of Vibratory Ball Milling at Various Mechanical Energy, 4161C
Kondo, Y. See Sakurai, K., 2595P
Kong, B.-G. See Jang, M.-K., 3423C
Kong, H. C. See Cheong, I. W., 4353C
Kong, S.-H. See Ko, S. J., 2254P
Kong, Y.
—; Hay, J. N.: The Effect of Annealing on the Crystallization of Poly(ethylene terephthalate)/Polycarbonate Blends, 2129P
Konishi, T. See Nishida, K., 1817P
Konno, Y.
—; Kudo, H.; Kameyama, A.; Nishikubo, T.: Synthesis and Properties of Fluorine-Containing Polyethers with Pendant Hydroxyl Groups by the Polyaddition of Bis(epoxide)s with Diols, 2543C
Koo, D.-S. See Jin, S.-H., 2347C
Korugic-Karasz, L. S. See Hoffmann, E. A., 551C
Kosmella, S. See Koetz, J., 742C
Kostič, I. See Mosnáček, J., 765C
Kostov, G.
—; Améduri, B.; Boutevin, B.; Bauduin, G.; Stankova, M.: Synthesis and Characterization of Original Functional Polymers of Tetrafluoroethylene and 4,5,5-Trifluoro-4-ene Pentyl Acetate, 1693C
Kotek, R.
—; Pang, K.; Schmidt, B.; Tonelli, A.: Synthesis and Gas Barrier Characterization of Poly(ethylene isophthalate), 4247P
Kovács, A.L. See Csetneki, I., 4802C
Kowalonek, J. See Kaczmarek, H., 585P
Koyanagi, S. See Higashi, F., 1100C
Koyano, M. See Pakjamsai, C., 4587C
Kraft, A. See Rabani, G., 1449C
Kraljić, M. See Duić, L., 1599C
Kramer, E. J. See Hexemer, A., 411P
Krasovitski, E.
—; Cohen, Y.; Bianco-Peled, H.: The Effect of Salts on the Conformation and Microstructure of Poly(*N*-isopropylacrylamide) (PNIPA) in Aqueous Solution, 3713P
Kratky, C. See Gruber, K., 479C
Kremer, K. See Missina, R., 3557P
Kricheldorf, H. R.
—; Biodegradable Polymers with Variable Architectures via Ring-Expansion Polymerization, 4723C
—; Hobzova, R.; Schwartz, G.; Schultz, C.-L.: Hyperbranched Polyesters of 3,5-Diacetoxybenzoic Acid: A Reinvestigation, 3751C
—; Vakhtangishvili, L,; Schwarz, G.: Multicyclic Polethers Derived from 1,1,1-Tris(4-hydroxyphenyl)ethane and 2,6-Dihalopyridines, 5725C
Krishnamoorti, R. See Putz, K. W., 2286P; Yurekli, K., 3204P
Krishnan, P. S. G.
—; He, C.; Shang, C. T. S.: Synthesis, Characterization, and Curing Kinetics of Novel Ladder-Like Polusilsesquioxanes Containing Side-Chain Maleimide Groups, 4036C
Kuang, X. See Wang, J., 2703P
Kubisa, P. See Baśko, M., 1189C; Bednarek, M., 245C, 608C; Biedroń, T., 3230C
Kubo, M. See Mitsuda, Y., 3800C; Uno, T., 4548C
Kubota, T.
—; Yamamoto, C.; Okamoto, Y.: Phenylcarbamate Derivatives of Cellulose and Amylose Immobilized onto Silica Gel as Chiral Stationary Phases for High-Performance Liquid Chromatography, 4704C
Kucukkaya, I. See Bicak, N., 1362C
Kudo, H.
—; Kurakata, T.; Sasaki, M.; Nishikubo, T.: Synthesis of Polyesters by the Polyaddition of Bis(oxetane)s with Active Di(ester)s, 1528C
—; See Konno, Y., 2543C; Makita, S., 3697C; Morita, A., 3739C; Nagai, A., 1143C
Kudoh, H. See Lio, K., 1707C
Kueseng, K. See Cervenka, A. J., 2122P
Kuethe, D. O. See Alam, T. M., 5929C
Kuga, S. See Nakamura, K., 1206P
Kuhl, T. L. See Hamilton, W. A., 3290P
Kujawa, P.
—; Audibert-Hayet, A.; Selb, J.; Candau, F.: Rheological Properties of Multisticker Associative Polyelectrolytes in Semidilute Aqueous Solutions, 1640P
Kulkarni, A. P. See Mikroyannidis, J. A., 2112C
Kulkarni, M. V.
—; Viswanath, A. K.; Marimuthu, R.; Seth, T.: Synthesis and

Characterization of Polyaniline Doped with Organic Acids, 2043C
Kum, D. H. See Noh, S. K., 1712C
Kumano, T. See Takahashi, Y., 3836P
Kumar, A. See Ambade, A. V., 5134C; Ranganathan, T., 2734C
Kumar, A. A.
—; Adachi, K.; Chujo, Y.: Synthesis and Characterization of Stereoregular Poly(methyl methacrylate)–Silica Hybrid Utilizing Stereocomplex Formation, 785C
Kumar, K. S. See Sandhya, K. Y., 1289P
Kunisada, H. See Nishioka, N., 1208C
Kunitake, M. See Sakurai, S.-I., 4621C
Kunz, M. J.
—; Hayn, G.; Saf, R.; Binder, W. H.: Hydrogen-Bonded Supramolecular Poly(ether ketone)s, 661C
—; See Binder, W. H., 162C
Kuo, P.-L.
—; Hou, S.-S.; Lin, C.-Y.; Chen, C.-C.; Wen, T.-C.: Solid Polymer Electrolytes I, Preparation, Characterization, and Ionic Conductivity of Gelled Polymer Electrolytes Based on Novel Crosslinked Siloxane/Poly(ethylene glycol) Polymers, 2051C
—; Ni, S.-C.: Hyperbranched-Polyethyleneiminated Functional Polymers. III. Synthesizing Thiophosphate-Containing Pseudodendirtic Poly-Ethyleneiminated Polyoxypropylenediamine and Its Behavior at an Oil/Metal Interface under Extreme Pressure, 5504C
—; See Liang, W.-J., 151C, 1928P
Kuo, S.-W.
—; Chan, S.-C.; Chang, F.-C.: Crystallization Kinetics and Morphology of Binary Phenolic/Poly(Î-caprolactone) Blends, 117P
—; See Lee, Y.-J., 1127P
Kurakata, T. See Kudo, H., 1528C
Kurian, M.
—; Dasgupta, A.; Beyer, F. L.; Galvin, M. E.: Investigation of the Effects of Silicate Modification on Polymer-Layered Silicate Nanocomposite Morphology, 4075P
Kuroki, T.
—; Shibuya, A.; Toriida, M.; Tamai, S.: Melt-Processable Thermosetting Polyimide: Synthesis, Characterization, Fusibility, and Property, 2395C
Kuroyanagi, K. See Sakurai, S.-I., 5838C
Kuzuya, M. See Kondo, S.-I., 4161C
Kwak, G. See Sumiya, K.-I., 2774C
Kwak, S.-Y.
—; He, C.; Suzuki, T.; Lee, S.-H.: Effect of Dendritic Architecture on Localized Free Volume of Poly(ether ketone)s as Probed by Positron Annihilation Spectroscopy, 3853C
Kwon, J. See Lee, C., 861P; Lee, L., 3612C, 3621C; Yang, S.-J., 4293P
Kwon, S.-H. See Park, S.-J., 3841P
Kwon, S.-K. See Shin, D.-C., 5636C
Kwon, T. S. See Uozumi, T., 1069C
Kyu, T. See Mehta, R., 2892P

Laabs, F. C. See Lo, C.-T., 2667P
LaCroix-Desmazes, P.
—; Andre, P.; Desimone, J. M.; Ruzette, A.-V.; Boutevin, B.: Macromolecular Surfactants for Supercritical Carbon Dioxide Applications: Synthesis and Characterization of Fluorinated Block Copolymers Prepared by Nitroxide-Mediated Radical Polymerization, 3537C
—; See Ma, Z., 2405C
Ladaviere, C. See Llauro, M.-F., 5439C
Lafuente, A. See Rodríguez, J. G., 6031C
Laguna, M. F.
—; Cerrada, M. L.; Benavente, R.; Pérez, E.: Oxygen Permeability in Blends of a Vinyl Alcohol/Ethylene Copolymer and a Metallocenic Ethylene/1-Octene Copolymer, 3766P
Lagunas-Fuentes, C.
—; Ruiz-Treviño, F. A.: Syntheses and Permselectivity Properties of Polysulfones Based on Bisphenol A and 1, 1 Bi-2 naphthol, 226P
Lahcini, M. See Kalmi, M., 1901C
Lahtinen, M. See Ropponen, J., 5574C
Lai, D. M. Y. See Huang, H. L., 1145P
Lai, S.-M. See Chiu, F.-C., 4139P
Laib, A. See Pfister, A., 624C
Lam, J. W. Y. See Geng, J., 1333P
Lam, K. Y. See Li, H., 1514P
Lam, Y. C.
—; Jiang, L.; Li, L.; Yue, C. Y.; Tam, K. C.; Hu, X.: Interfacial Slip at the Thermotropic Liquid-Crystalline Polymer/Poly (Ethylene Naphthalate) Interface, 302P
Landers, R. See Pfister, A., 624C
Lange, J. See Backman, A., 947P
Langenwalter, J. See Abdelrehim, M., 3062C
Langerame, F. See Pucciariello, R., 3907P
Lapienis, G.
—; Penczek, S.: Reaction of Oligoalcohols with Diepoxides: An Easy, One-Pot Way to Star-Shaped, Multibranched Polymers. II. Poly(Ethylene Oxide) Stars—Synthesis and Analysis by Size Exclusion Chromatography Triple-Detection Method, 2575C
—; Penczek, S.: Reaction of Oligoalcohols with Diepoxides: An Easy, One-Pot Way to Star-Shaped, Multibranched Polymers. II. Poly(ethylene oxide) Stars—Synthesis and Analysis by Size Exclusion Chromatography Triple-Detection Method, 1576C
Larrañaga, M. See Zubeldia, A., 3920P
Larson, A. M. See Savin, D. A., 1155P
Látalová, P. See Toman, L., 6098C
Lau, B. K.
—; Wang, Q.; Sun, W.; Li, L.: Micellization to Gelatin of a Triblock Copolymer in Water: Thermoreversibility and Scaling, 2014P

Lau, S. T. See Guo, S. S., 1099P
Lava, C. See Zlatanić, A., 809P
Lavaud, F.
—; Fontanille, M.; Gnanou, Y.: Dependence of the Kinetics of the Anionic Polymerization of Methyl Methacrylate on the Concentration in Active Centers, 4964C
Lazár, M.
—; Kleinová, A.; Fiedlerová, A.; Janigová, I.; Borsig, E.: Role of Minority Structures and Mechanism of Peroxide Crosslinking of Polyethylene, 675C
Lee, B. H. See Lee, K., 1114P
Lee, C. See Kim, S.-U., 4303P; Yang, S.-J., 4293P
—; Iyer, N. P.; Han, H.: Nanoindentation and Optical Properties of Poly(4,4′-oxydiphenylene *p*-phenylene pyromellitimide) Copolyimide Thin Films According to the *p*-Phenylene Diamine Content, 2202P
—; Iyer, N. P.; Min, K.; Pak, H.; Han, H.: Synthesis and Characterization of Novel Poly(amide-imide)s Containing 1,3-Diamino Mesitylene Moieties, 137C
—; Kwon, J.; Park, S.; Sundar, S.; Min, B.; Han, H.: Nanoindentation Studies of Polyimide Thin Films with Various Internal Linkages in the Diamine Component, 861P
—; Sundar, S.; Kwon, J.; Han, H.: Structure–Property Correlations of Sulfonated Polyimides. I. Effect of Bridging Groups on Membrane Properties, 3612C
—; Sundar, S.; Kwon, J.; Han, H.: Structure–Property Correlations of Sulfonated Polyimides. II. Effect of Substituent Groups on Membrane Properties, 3621C
Lee, C. C.
—; Grayson, S. M.; Fréchet, J. M. J.: Synthesis of Narrow-Polydispersity Degradable Dendronized Aliphatic Polyesters, 3563C
Lee, C.-F.
—; Wen, C.-J.; Lin, C.-L.; Chiu, W.-Y.: Morphology and Temperature Responsiveness–Swelling Realtionship of Poly(*N*-isopropylamide–chitosan) Copolymers and Their Application to Drug Release, 3029C
—; See Wang, P.-C., 5695C
Lee, C.-H. See Ahn, J.-H., 933C; Jang, M.-K., 3423C
Lee, D.-H. See Noh, S. K., 1712C
Lee, D. R. See Bhattarai, N., 2558P
Lee, D. S. See Song, M. J., 772C
Lee, D. W.
—; Seo, E. Y.; Cho, S. I.; Yi, C. S.: Atom Transfer Radical Polymerization of Methyl Methacrylate by Copper(I)-pyridine-2-carboximidate Catalysts, 2747C
Lee, E. J.
—; Kim, N. H.; Dan, K. S.; Kim, B. C.: Rheological Properties of Solutions of General-Purpose Poly(vinyl alcohol) in Dimethyl Sulfoxide, 1451P
Lee, H. B. See Kim, M. S., 5784C
Lee, H.-Y. See Lee, Y.-J., 1127P
Lee, J.-C. See Park, S.-Y., 1868P
Lee, J.-E. See Kim, J.-W., 2551C; Kim, Y.-J., 5627C
Lee, J. H. See Lee, J.-Y., 3189C; Williams, E. P. M., 1P
Lee, J.-R. See Park, S.-J., 2419P
Lee, J. S.
—; Kim, C. H.; Yu, J.-W.; Kim, J. K.; Kim, D. Y.; Song, N. W.; Kim, C. Y.: Competition between the Formation of Excimers and Excitons during the Photoluminescence of Light-Emitting Polymer Blends, 557C
Lee, J.-S. See Ahn, J.-H., 933C; Kim, J.-W., 2551C
Lee, J.-Y.
—; Bang, H.-B.; Park, E.-J.; Rhee, B. K.; Lee, S. M.; Lee, J. H.: Molecular Design, Synthesis, and Nonlinear Optical Properties of Novel T-Type Polyimides with Exceptionally High Thermal Stability of the Second Harmonic Generation, 3189C
Lee, K.
—; Shim, S. E.; Lee, B. H.; Hong, S. U.; Choe, S.: Desorption Behavior of a Surfactant in a Linear Low-Density Polyethylene Blend at Elevated Temperatures, 1114P
Lee, K.-S. See Kim, J.-W., 2202C
Lee, M. See Noh, S. K., 1712C
Lee, M.-L. See Hsiao, S.-H., 1008C
Lee, N. H. S.
—; Chen, Z.-K.; Huang, W.; Xu, Y.-S.; Cao, Y.: Synthesis and Characterization of Naphthyl-Substituted Poly(*p*-phenylenevinylene)s with Few Structural Defects for Polymer Light-Emitting Diodes, 1647C
Lee, R.-S.
—; Yang, J.-M.; Lin, T.-F.: Novel, Biodegradable, Functional Poly(ester-carbonate)s by Copolymerization of *Trans*-4-hydroxy-L-proline with Cyclic Carbonate Bearing a Pendent Carboxylic Group, 2303C
Lee, S. C. See Jeong, Y. G., 177P
Lee, S. G. See Choi, S.-S., 577P
Lee, S.-H. See Kwak, S.-Y., 3853C
Lee, S. J.
—; Jung, J. C.; Lee, S. W.; Ree, M.: Synthesis of Novel Polypyromellitimides with *n*-Alkyloxy Side Chains anad Their Liquid-Crystal Aligning Property, 3130C
—; See Cho, K. S., 2724P, 2730P
Lee, S. M. See Lee, J.-Y., 3189C; Yang, N. C., 1058C
Lee, S. R. See Seul, S. D., 4063C
Lee, S.-S.
—; Kim, J.: Preparation of the Polymer–Clay Nanocomposites in Exfoliated State by Interface Stabilization, 246P
—; Kim, J.: Surface Modification of Clay and Its Effect on the Intercalation Behavior of the Polymer/Clay Nanocomposites, 2367P
Lee, S. W., 3130C
—; Ree, M.: Synthesis and Properties of Photoalignable Aromatic Polyesters Containing Phenylenediacrylate Units in Their Backbones and *n*-Alkyl Moieties in their Side Groups, 1322C
Lee, S.-W. See Hwang, S.-H., 1487P; Ni, J., 629P
Lee, T. H. See Kim, T. Y., 2813P
Lee, T.-H. See Kim, W.-S., 1979P
Lee, T. S. See Na, J., 2444C; Son, W. K., 5P
Lee, T. Y.
—; Kaung, W.; Jönsson, E. S.; Lowery, K.; Guymon, C. A.; Hoyle, C. E.: Synthesis and

Photopolymerization of Novel Multifunctional Vinyl Esters, 4424C
—; See Hoyle, C. E., 5301C
Lee, Y.-D. See Chen, Y.-C., 1789C
Lee, Y.-J.
—; Kuo, S.-W.; Huang, W.-J.; Lee, H.-Y.; Chang, F.-C.: Miscibility, Specific Interactions, and Self-Assembly Behavior of Phenolic/Polyhedral Oligomeric Silsesquioxane Hybrids, 1127P
Lee, Y.-K.
—; Kitamura, S.; Onimura, K.; Tsutsumi, H.; Oishi, T.: Asymmetric Polymerization of *N*-1-Naphthylmaleimide with *(R,R)-N, N′*-Bis(3,5-di-*tert*-butylsalicylidene)-1, 2-cyclohexanediaminatocobalt (II), 6157C
Lefaux, C. J.
—; Zimberlin, J. A.; Dobrynin, A. V.; Mather, P. T.: Polyelectrolyte Spin Assembly: Influence of Ionic Strength on the Growth of Multilayered Thin Films, 3654P
Lefebvre, A. A. See Balsara, N. P., 1793P
Lehtonen, O. See Kalmi, M., 1901C
Lekshmi, M. See Asha, S. K., 5617C
Lemos, F. See Matos, I., 3464C
Lemos, M. A. N. D. A. See Matos, I., 3464C
Lemstra, P. J. See Casteren, I. A., 2137P
Lescanne, M. See Tommaseo, G., 3311P
Leskelä, M. See Kalmi, M., 1901C
Lesser, A. J.
—; Calzia, K. J.: Molecular Parameters Governing the Yield Response of Epoxy-Based Glassy Networks, 2050P
Letts, S. A. See Anthamatten, M., 5999C
Leyva, M. E. See Soares, B. G., 4053P
Li, B. See Kim, T.-J., 4326P; Tang, Y., 6163C
Li, C. See Barner, L., 5067C; Gonzalez, S. O., 6309C; Zhang, L., 1656P
Li, C. H. See Lin, C. H., 3986C
Li, D. S. See Al-Haik, M. S., 1586P
Li, G. See Geng, J., 1333P; Liao, X., 280P
Li, H.
—; Chen, J.; Lam, K. Y.: Multiphysical Modeling and Meshless Simulation of Electric-Sensitive Hydrogels, 1514P
—; Hu, Y.; Zhang, Y.; Ma, D.; Wang, L.; Jing, X.; Wang, F.: Soluble, Saturated-Red-Light-Emitting Poly(*p*-phenylenevinylene) Containing Triphenylamine Units and Cyano Groups, 3947C
—; Wang, C.; Yue, J.; Zhao, X.; Bai, F.: Living Ring-Opening Poymerization of Lactides Catalyzed by Guanidinium Acetate, 3775C
—; See Wang, F., 4809C; Wu, J., 5005C
Li, H.-S. See Liu, J.-G., 1845C
Li, J. See Huang, J., 1173P; Lu, Z., 925C
Li, J. C. M. See Zhang, S. L., 260P
Li, L.
—; Wang, Q.: Synthesis of Polyethylene with Bimodal Molecular Weight Distribution by Supported Iron-Based Catalyst, 5662C
—; See Lam, Y. C., 302P; Lau, B. K., 2014P; Zheng, P., 1849P
Li, L.-B. See Li, Z.-M., 374P, 4095P
Li, Q.-X. See Fang, X.-Z., 2130C
Li, S. See Chuai, C. Z., 898P
Li, T. See Zhang, T., 4765C
Li, W. P. See Guo, S. S., 1099P
Li, X. See Hexemer, A., 411P; Huang, J., 1173P; Mao, B., 5161C; Wamsley, A., 317C
Li, X.-G.
—; Chen, R.-F.; Huang, M.-R.; Zhu, M.-F.; Chen, Q.: Synthesis of a Soluble Pyrrole Copolymer with Phenetidine, 2073C
—; Zhou, H.-J.; Huang, M.-R.: Synthesis and Properties of Processable Conducting Copolymers from *N*-Ethylaniline with Aniline, 6109C
—; Zhou, H.-J.; Huang, M.-R.; Zhu, M.-F.; Chen, Y.-M.: Facile Synthesis and Characterization of the Copolymers and Their Pure Nanoparticles from Aniline with 4-Sulfonic Diphenylamine, 3380C
Li, X. H.
—; Meng, Y. Z.; Wang, S. J.; Rajulu, A. V.; Tjong, S. C.: Completely Biodegradable Composites of Poly(propylene carbonate) and Short, Lignocellulose Fiber *Hildegardia populifolia*, 666P
Li, Y. See Zhang, G., 253P; Zhang, R., 2441P
Li, Y. F. See Yang, S. Y., 4143C
Li, Z.
—; Qin, J.: Synthesis of C_{60}-Containing Polyphosphazenes from a New Reactive Macromolecular Intermediate: Polyphophazene Azides, 194C
—; Qin, J.; Xu, X.: New Approaches for the Synthesis of Hindered C_{60}-Containing Polyphosphazenes via Functionalized Intermediates, 2877C
—; Yang, G.; Xu, C.: Effect of the Crosslink Density on the Morphology and Properties of Reaction-Injection-Molding Poly(urethane urea) Elastomers, 1126C
—; See Liu, J., 216P; Yang, Q., 3721P
Li, Z.-M.
—; Li, L.-B.; Shen, K.-Z.; Yang, M.-B.; Huang, R.: *In-Situ* Microfibrillar PET/iPP Blend via Slit Die Extrusion, Hot Stretching, and Quenching: Influence of Hot Stretch Ratio on Morphology, Crystallization, and Crystal Structure of iPP at a Fixed PET Concentration, 4095P
—; Yang, W.; Li, L.-B.; Xie, B.-H.; Huang, R.; Yang, M.-B.: Morphology and Nonisothermal Crystallization of *in situ* Microfibrillar Poly(ethylene terephthalate)/Polypropylene Blend Fabricated through Slit-Extrusion, Hot-Stretch Quenching, 374P
Liang, W.-J.
—; Kuo, P.-L.: Solid Polymer Electrolytes. VI. Microstructure of Organic-Inorganic Hybrid Networks Composed of 3-Glycidoxypropyltrimethoxysilane and

$LiClO_4$ and Affected by Different Synthetic Routes, 151C
—; Wu, C.-P.; Kuo, P.-L: Solid Polymer Electrolytes X: Preparation and Characterizations of Polyether–Siloxane, Organic–Inorganic, Hybrid Nanocomposites Complexed with Lithium Perchlorate, 1928P
Liang, Z.-X. See Su, Y.-Z., 2329C
Liao, G. X. See Wang, J. Y., 6089C
Liao, H.-T.
—; Wu, C.-S.: Organic–Inorganic Polymeric Nanocomposites Involving Novel Titanium Tetraisopropylate in Polyethylene–Octene Elastomer, 4272P
Liao, L.
—; Ding, L.; Karasz, F. E.; Pang, Y.: Poly[(2-alkoxy-5-methyl-1,3-phenylene vinylene)-*alt*-(phenylene vinylene)] Derivatives with Different Contents of *cis*- and *Trans*-Olefins: The Effect of the Olefin Bond Geometry and Conjugation Length on Luminescence, 303C
—; Pang, Y.; Ding, L.; Karasz, F. E.: Green-Emitting Poly[(1,3-phenylenevinylene)-*alt*-(1,4-phenylenevinylene)]s: Effect of the Substitution Patterns on the Optical Properties, 1820C
—; Pang, Y.; Ding, L.; Karasz, F. E.; Smith, P. R.; Meador, M. A.: Synthesis and Luminescence of Yellow/Orange-Emitting Poly[tris(2,5-dihexyloxy-1,4-phenylenevinylene)-*alt*-(1,3-phenylenevinylene)]s, 5853C
Liao, X.
—; Wang, J.; Li, G.; He, J.: Effect of Supercritical Carbon Dioxide on the Crystallization and Melting Behavior of Linear Bisphenol A Polycarbonate, 280P
Liaw, D.-J.
—; Chang, F.-C.: Highly Organosoluble and Flexible Polyimides with Color Lighntness and Transparencey Based on 2,2-Bis[4,(2-trifluoromethyl-4-aminophenoxy)-3,5-dimethylphenyl]propane, 5766C
Liggat, J. J. See McGonigle, E.-A., 2916P
Lin, C. H.
—; Hsiao, C. N.; Li, C. H.; Wang, C. S.: Low Dielectric Thermoset. IV. Synthesis and Properties of a Dipentene-Containing Cyanate Ester and Its Copolymerization with Bisphenol A Dicyanate Ester, 3986C
Lin, C.-L. See Lee, C.-F., 3029C
Lin, C.-Y. See Kuo, P.-L., 2051C
Lin, D.-J.
—; Chang, Cheng-Liang; Chang. Chi-Lin; Chen, T.-C.; Cheng, L.-P.: Fine Structure of Poly(vinylidene fluoride) Membranes Prepared by Phase Inversion from a Water/*N*-Methyl-2-pyrollidone/Poly(vinylidene fluoride) System, 830P
Lin, E. K. See Jones, R. L., 3063P
Lin, G. See Cao, H., 1053P
Lin, I.-K. See Chen, J.-K., 4063P
Lin, J. S. See Silvestre, C., 3368P
Lin, T.-F. See Lee, R.-S., 2303C
Lin, T. See Huang, J., 1173P
Lin, Y.
—; Stansbury, J. W.: Near-Infared Spectroscopy Investigation of Water Effects on the Cationic Photopolymerization of Vinyl Ether Systems, 1985C
Lin, Y.-W. See Wu, T.-M., 4255P
Ling, L. See Xu, X., 985C
Lio, K.
—; Yamasaki, S.; Tasaki, S.; Kudoh, H.; Matsunaga, M.: Radical Polymerization of Allylbiguanide, 1707C
Liou, G.-S. See Hsiao, S.-H., 3302C; Yang, C.-P, 2416C
Lipponen, S.
—; Seppälä, J.: Functionalization of Polyethylene/Silane Copolymers in Posttreatment Reactions, 1461C
Liska, R.
—; Herzog, D.: New Photocleavable Structures. II. α-Cleavable Photoinitiators Based on Pyridines, 752C
—; Photoinitiators with Functional Groups. VI. Chemically Bound Sensitizers, 2285C
—; See Ullrich, G., 4948C
Litsardakis, G. See Papageorgiou, G. Z., 843P
Litt, M. See Cho, J., 2576P
Liu, B. See Xie, H., 3701P
Liu, C. See Wang, J. Y., 6089C
Liu, H.
—; Uhlherr, A.; Varley, R. J.; Bannister, M. K.: Influence of Substituents on the Kinetics of Epoxy/Aromatic Diamine Resin Systems, 3143C
—; Wilén, C.-E.: Extension of the Chain-End, Free-Volume Theory for Predicting Glass Temperature as a Function of Conversion in Hyperbranched Polymers Obtained through One-Pot Approaches, 1235P
Liu, H.-L. See Wu, P. L., 4421P
Liu, I.-C. See Huang, H.-M., 5802C
Liu, J.
—; Jungnickel, B.-J.: Crystallization and Morphology of Poly(vinylidene fluoride)/Poly(3-hydroxybutyrate) Blends. II. Morphology and Crystallization Kinetics by Time Resolved X-Ray Scattering, 974P
—; Li, Z.; Luo, X.; Ma, D.: Synthesis, Structure, and Properties of Polyimide and Polyurethane-urea-imide Copolymers, 216P
Liu, J.-G.
—; Wang, L.-F.; Yang, H.-X.; Li, H.-S.; Li, Y.-F.; Fan, L.; Yang, S.-Y.: Synthesis and Characterization of New Polybenzimidazopyrrolones Derived from Pyridine-Bridged Aromatic Tetraamines and Dianhydrides, 1845C
—; See Yang, S. Y., 4143C
Liu, J.-H.
—; Hsieh, C.-D.; Wang, H.-Y: Preparation and Characterization of Chiral Polyacrylates End-Capped with Bornyl Groups in the Side Chains, 1075C
Liu, K.-H. See Shieh, Y.-T., 2479P
Liu, L. See Tang, Y., 6163C
—; Yang, W.: Photoinitiated, Inverse Emulsion Polymerization of Acrylamide: Some Mechanistic and Kinetic Aspects, 846C
Liu, R. See Gao, X., 296P

Liu, R. Y. F.
—; Hiltner, A.; Baer, E.: Free Volume and Oxygen Transport in Cold-Drawn Polyesters, 493P
—; See Hibbs, M. R., 1668C
Liu, S.
—; Sen, A.: Living/Controlled Copolymerization of Acrylates with Nonactivated Alkenes, 6175C
Liu, S. L.
—; Chng, M. L.; Chung, T. S.; Goto, K.; Tamai, S.; Pramoda, K. P.; Tong, Y. J.: Gas-Transport Properties of Indan-Containing Polyimides, 2769P
Liu, S.-P.
—; Chan, H. S. O.; Ng, S.-C.: Poly[2,7-(9,9-dihexylfluorene)-alt-pyridine] with Donor-Acceptor Architectures: A New Series of Blue-Light-Emitting Alternating Copolymers, 4792
Liu, T. See Chen, L., 2759P; Pramoda, K. P., 1823P
Liu, W.
—; Mikeš, F.; Guo, Y.; Koike, Y.; Okamoto, Y.: Free-Radical Polymerization of Dioxolane and Dioxane Derivatives: Effect of Fluorine Substituents on the Ring Opening Polymerization, 5180C
—; See Yang, P., 4074C
Liu, X.
—; Zhang, Xiahong; Zhang, Xinghong; Wu, G.; Yang, J.; Pang, L.; Zeng, Z.; Chen, Y.: Photoinduced Controlled/Living Free-Radical Polymerization of 4-Methacryloyl-1,2,2,6,6-pentamethylpiperidenyl, 2659C
—; See Luo, Y. 6248C
Liu, Y.-L.
—; Tsai, S.-H.; Wu, C.-S.; Jeng, R.-J.: Preparation and Characterization of Hyperbranched Polyaspartimides from Bismaleimides and Triamines, 5921C
—; Wang, Y.-H.: Preparation and Characterization of Multifunctional Maleimide Macromonomers and Their Cured Resins, 3178C
—; Yu, J.-M.; Chou, C.-I.: Preparation and Properties of Novel Benzoxazine and Polybenzoxazine with Maleimide Groups, 5954C
—; See Wu, C.-S., 1868C
Liu, Y. See Hu, Y.-C., 4862; Xu, X., 1042P; Yang, X., 4195P
Liu, Z.
—; Chattopadhyay, S.; Shaw, M. T.; Hsiao, B. S.: Anomalous Rheology in a Nanostructured Diblock Copolymer/Hydrocarbon System and Its Kinetic Origin, 1496P
—; See Sun, H., 2124C
Liu, Z.-L.
—; Hu, H.; Zhuo, R.-X.: Konjac Glucomannan-*graft*-Acrylic Acid Hydrogels Containing Azo Crosslinker for Colon-Specific Delivery, 4370C
Li,Y.-F. See Liu, J.-G., 1845C
Lizotte, J. R.
—; Anderson, S. G.; Long, T. E.: Novel Dinitroxide Mediating Ageny for Stable Free-Radical Polymerization, 1547C
Llauro, M.-F.
—; Loiseau, J.; Boisson, F.; Delolme, F.; Ladaviere, C.; Claverie, J.: Unexpected End-Groups of Poly(acrylic Acid) Prepared by RAFT Polymerization, 5439C
Llidó, J. B. See Mikeš, F., 64P
Lo, C.-T.
—; Laabs, F. C.; Narasimhan, B.: Interfacial Adhesion Mechanisms in Incompatible Semicrystalline Polymer Systems, 2667P
Lodge, T. P. See Savin, D. A., 1155P
Lohmeijer, B. G. G.
—; Schubert, L. S.: Expanding the Supramolecular Polymer LEGO System: Nitroxide-Mediated Living Free-Radical Polymerization as a Tool for Mono- and Telechelic Polystyrenes, 4016C
—; See Mayer, G., 4458C
Loiseau, J. See Llauro, M.-F., 5439C
Long, T. E. See Lizotte, J. R., 1547C; Wiles, K. B., 2994C
Lopez, G. P. See Yim, H., 3302P
Lopina, S. T. See Gupta, A. S., 4906C
Lorenz, C. D.
—; Stevens, M. J.; Wool, R. P.: Fracture Behavior of Triglyceride-Based Adhesives, 3333P
Lotti, N. See Finelli, L., 553P
Loubat, C. See Boyer, C., 5146C
Love, B. J. See Esterly, D. M., 91P
Lowe, A. B. See Sumerlin, B. S., 1724C
Lowe, T. L. See Huang, X., 5054C
Löwenhielm, P. See Malkoch, M., 1758C
Lowery, K. See Lee, T. Y., 4424C
Lu, G. See Wang, Y., 2093C
Lu, H. See Cramer, N. B., 1752C; Hu, L., 2567P
Lu, J.
—; Hong, C. K.; Wool, R. P.: Bio-Based Nanocomposites from Functionalized Plant Oils and Layered Silicate, 1441P
—; See Weng, W., 2844P
Lu, R. See Jin, M., 4237C
Lu, W. See Hua, D., 5670C
Lu, X. See Chen, L.2759P; Zheng, W., 1810P
Lu, Y. See Zhang, Y., 4440P
Lu, Z.
—; Cheng, L.; Li, J.; Zhang, K.; Yi, S.; Qin, J.: Synthesis and Structural Characterization of Novel, Fluorinated Poly(phthalazone ether)s Containing Perfluorophenylene Moieties, 925C
—; See Peng, Q., 2985C
Lucht, B. L. See Mao, Y., 5538C
Luciani, A.
—; Plummer, C. J. G.; Nguyen, T.; Garamszegi, L.; Månson, J.-A. E.: Rheological and Physical Properties of Aliphatic Hyperbranched Polyesters, 1218P
Lukáč, I. See Mosnáček, J., 765C
Lukey, C. A. See Gamage, N. J. W., 83C
Luna-Bárcenas, G. See García-Gaitán, B., 4448C; Maldonado-Santoyo, M., 636P
Luo, X. See Liu, J., 216P
Luo, Y.
—; Liu, X.: Reversible Addition–Fragmentation Transfer (RAFT) Copolymerization of Methyl Methacrylate and Styrene in Miniemulsion, 6248C
—; Rong, M. Z.; Zhang, M. Q.; Friedrich, K.: Surface Grafting onto SiC Nanoparticles with Glycidyl

Methacrylate in Emulsion, 3842C
—; Zhou, X.: Nanoencapsulation of a Hydrophobic Compound by a Miniemulsion Polymerization Process, 2145C
Luostarinen, M. See Strandman, S., 4189C
Lüpke, T. See Huy, T. A., 4478P
Luruli, N.
—; Grumel, V.; Brüll, R.; Du Toit, A.; Pasch, H.; Van Reenen, A. J.; Raubenheimer, H. G.: Ethylene/1-Pentene Copolymers Synthesized Using the Metaloxycarbene Complex Catalyst System $[(CO)_5W{=}C(ME)OZr(Cp)_2Cl]$/MAO, 5121C
Luttikhedde, H. See Auer, M., 1350C
Lutz, J.-F.
—; Jahed, N.; Matyjaszewski, K.: Preparation and Characterization of Graft Terpolymers with Controlled Molecular Structure, 1939C
Lyngaae-Jørgensen, J. See Boiko, Y. M., 1861P; Chuai, C. Z., 898P
Lyoo, W. S. See Noh, S. K., 1712C

Ma, D. See Li, H., 3947C; Liu, J., 216P; Sun, H., 2124C
Ma, T. See Hu, J. D., 2897C
Ma, Y.
—; Yang, W.: Nonaqueous Dispersion Polymerization of Styrene in Methanol with the Ionomer Block Copolymer Poly[(4-methylstyrene)-*co*-(4-vinyltriethylbenzyl ammonium bromide)]-*b*-Polyisobutene as a Stabilizer, 2678C
Ma, Z.
—; Lacroix-Desmazes, P.: Synthesis of Hydrophilic/CO_2-Philic Poly(ethylene oxide)-*b*-Poly(1,1,2,2-tetrahydroperfluorodecyl acrylate) Block Copolymers via Controlled/Living Radical Polymerizations and Their Properties in Liquid and Supercritical CO_2, 2405C
Mabry, J. M.
—; Weber, W. P.: Synthesis and Thermal Crosslinking of Benzophenone-Modified Poly(dimethylsiloxane)s, 5514C
Maccone, P. See De Angelis, M. G., 1987P
MacDiarmid, A. G. See Dong, H., 3934P
Macinai, A. See Carlini, C., 2534C
Madbouly, S. A.
—; Wolf, B. A.: Crystallization Kinetics of Poly(ethylene oxide) from Its Melt and from Mixtures with Tetrahydronaphthalene and Oligo(ethylene oxide-*block*-dimethylsiloxane), 820P
Madruga, E. L. See Cuervo-Rodriguez, R., 4168C; Fernández-García, M., 130C
Maeda, K. See Kamikawa, Y., 4580C; Morino, K., 4711C
Maeda, S. See Wu, Y., 2747P, 4107P
Maeda, T.
—; Takeuchi, T.; Furusho, Y.; Takata, T.: Design and Synthesis of Chiral Poly(binaphthyl salen zinc complex) and Application of the Asymmetric Field Based on Its Helical Conformation to a Catalytic Asymmetric Reaction, 4693C
Mahesh, K. P. O.
—; Sivakumar, M., Yamamoto, Y.; Tsujita, Y.; Yoshimizu, H.; Okamoto, S: Structure and Properties of the Mesophase of Syndiotactic Polystyrene. VIII. Solvent Sorption Behavior of Syndiotactic Polystyrene/*p*-Chlorotoluene Mesophase Membranes, 3439P
Mahorowala, A. P. See Hartschuh, R., 1106P
Mai, Y.-W. See Fasce, L. A., 1075P
Maillard, B. See Moine, L., 1216C
Maiti, M.
—; Sadhu, S.; Bhowmick, A. K.: Brominated Poly(isobutylene-co-para-methylstyrene) (BIMS)-Clay Nanocomposites: Synthesis and Characterization, 4489P
Majeste, J.-C. See Boudenne, A., 722P
Majewski, J. See Hamilton, W. A., 3290P; Smith, G. S., 3258P
Makita, S.
—; Kudo, H.; Nishikubo, T.: Synthesis of Alkaline-Developable, Photosensitive Hyperbranched Polyimides through the Reaction of Carboxylic Acid Dianhydrides and Trisamines, 3697C
Makridis, S. S. See Papageorgiou, G. Z., 843P
Maldonado-Santoyo, M.
—; Ortíz-Estrada, C.; Luna-Bárcenas, G.; Sanchez, I. C.; Cesteros, L. C.; Katime, I.; Nuño-Donlucas, S. M.: Miscibility Behavior and Hydrogen Bonding in Blends of Poly(vinyl phenyl ketone hydrogenated) and Poly(2-ethyl-2-oxazoline), 636P
Malkoch, M.
—; Claesson, H.; Löwenhielm, P.; Malmström. E.; Hult, A.: Synthesis and Characterization of 2,2-Bis(methylol)propionic Acid Dendrimers with Different Cores and Terminal Groups, 1758C
Malmström, E. See Hao, X., 5877C; Malkoch, M., 1758C
Malta, V. See Finelli, L., 553P
Malucelli, G. See Mariani, A., 2066C; Sangermano, M., 1415C
Malwitz, M. M.
—; Butler, P. D.; Porcar, L.; Angelette, D. P.; Schmidt, G.: Orientation and Relaxation of Polymer–Clay Solutions Studied by Rheology and Small-Angle Neutron Scattering, 3102P
Mandal, A. B. See Usha, R., 3859P
Mandal, B. M. See Chatterjee, D. P., 4132C, 5030C; Jewrajka, S. K., 2483C
Mandler, D. See Weiss, Z., 1658C
Maniguet, L. See Saunier, J., 2308P
Månson, J.-A. E. See Luciani, A., 1218P
Mantecón, A. See Mas, C., 3782C
Mao, B.
—; Gan, L.-H.; Gan, Y.-Y.; Li, X.; Ravi, P.; Tam. K.-C.: Controlled Polymerizations of 2-(Dialkylamino)ethyl Methacrylates and Their Block Copolymers in Protic Solvents at Ambient Temperature via ATRP, 5161C

Mao, Y.
—; Wang, Y.; Lucht, B. L.: Regiocontrolled Synthesis of Poly(3-alkylthiophene)s by Grignard Metathesis, 5538C
Maofeng, Z. See Guijin, Y., 3224C
Marcé, R. M. See Fontanals, N., 2019C
Marchese, P.
—; Celli, A.; Fiorini, M.: Relationships between the Molecular Architecture, Crystallization Capacity, and Miscibility in Poly(butylene terephthalate)/Polycarbonate Blends: A Comparison with Poly(ethylene terephthalate)/ Polycarbonate Blends, 2821P
Marcilla, R.
—; Blazquez, J. A.; Rodriguez, J.; Pomposo, J. A.; Mecerreyes, D.: Tuning the Solubility of Polymerized Ionic Liquids by Simple Anion-Exchange Reactions, 208C
Marco, C. See Torre, J., 1949P; Dragan, E. S., 2451C
Margel, S. See Boguslavsky, L., 4847C
Mariani, A.
—; Bidali, S.; Fiori, S.; Sangermano, M.; Malucelli, G.; Bongiovanni, R. Priola, A.: UV-Ignited Frontal Polymerization of an Epoxy Resin, 2066C
Marimuthu, R. See Kulkarni, M. V., 2043C
Marin, V.
—; Holder, E.; Hoogenboom, R.; Schubert, U. S.: Mixed Iridium(III) and Ruthenium(II) Polypyridyl Complexes Containing Poly(Î-caprolactone)-Bipyridine Macroligands, 4153C
—; Holder, E.; Schubert, U. S.: Polymeric Ruthenium Bipyridine Complexes: New Potential Materials for Polymer Solar Cells, 374C
—; See Zhang, H., 1876C
Marinha, A. B. A. S. See Marques, M. D. F. V., 3038C
Markowitz, A. R. See McSwain, R. L., 3809P
Marque, S. See Bertin, D., 3504C
Marques, M. D. F. V.
—; Marinha, A. B. A. S.: Zeolite-Supported Metallocene Catalyst for Ethylene/1-Hexene Copolymerization, 3038C
Marques, M. M. See Matos, I., 3464C
Marques, V. See De Fátima, M., 9C
Marshall, W. See Percec, S., 541C
Mart, H.
—; Saçak, M.; Yürük, H.; Şahmetlioğlu, E.; Vilayetoğlu, A. R.: Synthesis and Properties of Novel Schiff Base Oligomers Based on Oligo-4-Hydroxybenzaldehyde, 1120C
Martinelli, A. See De Risi, F. R., 3082C
Martínez, G.
—; Millán, J. L.: New Results on the Influence of the Nature of the Nucleophile in the Stereospecific Modification of Poly(vinyl chloride), 6052C
—; Millán, J. L.: Stereoselective Nucleophilic Substitution of Poly(vinyl chloride) with Potassium 4-Acetamidothiophenolate, 1857C
Martínez-Richa, A. See García-Gaitán, B., 4448C
Mas, C.
—; Mantecón, A.; Serra, A.; Ramis, X.; Salla, J. M.: Inlfuence of Lanthanide Triflate Compounds on Formation of Networks from DGEBA and γ-Butyrolactone, 3782C
Masař, B. See Toman, L., 6098C
Masaki, K.
—; Ohkawara, S.-I.; Hirano, T.; Seno, M.; Sato, T.: Kinetic Study of the Crosslinking Reaction of 1,2-Polybutadiene with Dicumyl Peroxide in the Absence and Presence of Vinyl Acetate, 4437C
Masamoto, J. See Yamasaki, N., 520C
Mashlyakivskiy, L. See Khomko, E., 5354C
Masi, F. See Carlini, C., 2534C
Masso-Moreu, Y. See Almanza, O., 3741P
Masubuchi, T. See Kojio, K., 4448P
Masuda, S. See Mori, T., 2651C
Masuda, T. See Kanki, K., 2100C; Sanda, F., 4641C; Sumiya, K.-I., 2774C
Mather, P. T. See Lefaux, C. J., 3654P
Mathis, C. See Audouin, F., 3456C, 4820C
Mathur, G. N. See Nandan, B., 1548P
Matějka, L. See Meissner, B., 2318P
Matisová-Rychlá, L.
—; Rychlı, J.: Thermal Oxidation of Nonstabilized and Stabilized Polymers and Chemiluminescence, 648C
Matos, I.
—; Zhang, Y.; Lemos, M. A. N. D. A.; Friere, F.; Fonseca, I. F.; Marques, M. M.; Lemos, F.: Kinetic Modeling Studies of Ethylene Polymerization Reactions Using Supported Chromium Catalysts, 3464C
Matsuba, G. See Nishida, K., 1817P
Matsumoto, A. See Doura, M., 2192C; Nagahama, S., 3922C
Matsunaga, M. See Lio, K., 1707C
Matsuoka, T. See Tanimura, S., 1905P
Matyjaszewski, K. See Huang, J., 3285C; Inoue, Y., 496C; Lutz, J.-F., 1939C
Maurin, R. See Bertin, D., 3504C
Mawatari, Y. See Sone, T., 2365C
Mayer, G.
—; Vogel, V.; Lohmeijer, B. G. G.; Gohy, J.-F.; van den Broek, J. A.; Haase, W.; Schubert, U. S.; Schubert, D.: Metallo-Supramolecular Block Copolymer Micelles: Improved Preparation and Characterization, 4458C
Mayer, J. See Szadkowska-Nicze, M., 6125C
Mayershofer, M. G.
—; Wagner, M.; Anders, U.; Nuyken, O.: Influence of Ortho-Substituents on the Synthesis and Properties of Poly(phenylacetylene)s, 4466C
Mays, J. See Pyda, M., 4401P
Mazzocchetti, L. See Angiolini, L., 5372C
McClain, A. R.
—; Hsieh, Y.-L.: Synthesis and Metal Complexation of Dihydroxyphosphino-Functionalized Crosslinked Styrene/Maleic Anyhydride Copolymers, 92C

McCormick, C. L. See Fevola, M. J., 3236C, 3252C; Poe, G. D., 2520C; Sumerlin, B. S., 1724C
McEwen, I. J. See Arrighi, V., 4000P
McGonigle, E.-A.
—; Liggat, J. J.; Pethrick, R. A.; Jenkins, S. D.; Daly, J. H.; Hayward, D.: Permeability of N_2, Ar, He, O_2, and CO_2 through As-Extruded Amorphous and Biaxially Oriented Polyester Films: Dependence on Chain Mobility, 2916P
McGrath, J. E. See Einsla, B. R., 862C; Wiles, K. B., 2994C
McKenna, G. B. See Zheng, Y., 2107P
McLean, R. S. See Sauer, B. B., 1783P
McLeary, J. B.
—; Tonge, M. P.; De Wet Roos, D.; Sanderson, R. D.; Klumperman, B.: Contolled, Radical Reversible Addition–Fragmentation Chain-Transfer Polymerization in High-Surfactant-Concentration Ionic Miniemulsions, 960C
McPherson, A. K. See Díaz, D. D., 4392C
McSwain, R. L.
—; Markowitz, A. R.; Shull, K. R.: Adhesive Bonding of Glassy Polymer Surfaces by an Ultrathin Layer of a Semicrystalline Polymer, 3809P
Meador, M. A. See Liao, L., 5853C
Mecerreyes, D. See Marcilla, R., 208C
Méchin, F. See Dolmaire, N., 473P
Mehrdad, A. See Taghizadeh, M. T., 445P
Mehta, R.
—; Kyu, T.: Dynamics of Spherulitic Growth in Blends of Polypropylene Isomers, 2892P
Meibner, D.
—; Einfeldt, J.: Dielectric Relaxation Analysis of Starch Oligomers and Polymers with Respect to Their Chain Length, 188P
Meier, M. A. R. See Fijten, M. W. M., 5775C
Meijer, E. W. See Pittelkow, M., 3792C
Meijer, H. E. H. See Casteren, I. A., 2137P; Rastogi, R., 2092P
Meissner, B.
—; Matějka, L.: Analysis of the Biaxial Stress–Strain Behavior of Poly(dimethylsiloxane) Networks from the Viewpoint of the Slip–Link Model of Rubber Elasticity, 2318P
Memon, S. See Tabakci, M., 186C
Men, Y. See Na, B., 1831P
Mendez, S. See Yim, H., 3302P
Meng, F.-B. See Hu, J.-S., 3870C
Meng, Y. Z. See Du, X. S., 1972P; Li, X. H., 666P; Wang, L., 1779C
Menna, T. J.
—; Filisko, F. E.: Effect of High Electric Fields on the Isotropic Phase of a Lyotropic Liquid-Crystalline System, 4116P
Merriam, S. C.
—; Phillies, G. D. J.: Fourth-Order Hydrodynamic Contribution to the Polymer Self-Diffusion Coefficient, 1663P
Messman, J. M.
—; Storey, R. F.: Real-Time Monitoring of the Ring-Opening Polymerization of *rac*-Lactide with *In Situ* Attenuated Total Reflectance/Fourier Transform Infrared Spectroscopy with Conduit and Diamond-Composite Sensor Technology, 6238C
Meszáros, O.
—; Schmidt, P.; Pospíšil, J.; Nešpůrek, S.: Phototriggered Atmospheric Degradation of Poly-[mehtyl(phenyl)-silanediyl] in the Presence of Ultraviolet Absorbers, 714C
Metaxas, C. See Crist, B., 2081P
Meynie, L. See Riccardi, C. C., 1351P, 1361P
Mianri, T. See Ouchi, T., 5482C
Michielsen, S. See Yang, S., 47P
Michinobu, T.
—; Sasao, N.; Nishide, H.: Microparticles of Poly(methacrylic acid)–Gadolinium Ion Complex and Their Magnetic Force Microscopic Images, 1912C
Michler, G. H. See Huy, T. A., 4478P
Mikado, T. See Uedono, A., 341P
Mikeš, F.
—; González-Benito, J.; Llidó, J. B.: Curing of Linear and Crosslinked Epoxy Systems: A Fluorescence Study with Dansyl Derivatives, 64P
—; See Liu, W., 5180C; Vıprachtickı, D., 1243P
Mikhailenko, S. D. See Xing, P., 2866C
Miki, H. See Hirano, T., 4404C
Mikroyannidis, J. A.
—; Barberis, V. P.; Ding, L.; Karasz, F. E.: Synthesis, Optical Properties, and Electroluminescence of Conjugated Poly(*p*-phenylenevinylene) Derivatives Containing 1,3,4-Oxadiazole and Pyridine Rings in the Main Chain, 3212C
—; Spiliopoulos, I. K.; Kasimis, T. S.; Kulkarni, A. P.; Jenekhe, S. A.: New Poly(*p*-phenylene vinylene) Derivatives with Two Oxadiazole Rings per Repeat Unit: Synthesis, Photophysical Properties, Electroluminescence, and Metal Ion Recognition, 2112C
—; Spiliopoulos, I. K.: Synthesis and Optical Properties of Novel Blue-Light-Emitting Poly(*p*-phenylene vinylene) Derivatives with Pendant Oxadiazole or Cyano Groups, 1768C
—; See Karastatiris, P., 2214C
Millán, J. L. See Martínez, G., 1857C, 6052C
Millan, J. See Guarrotxena, N., 2337P
Miller, D. C. See Ito, H., 1468C, 1478C, 1506C
Mills, N. J. See Almanza, O., 3741P
Min, B. R. See Kim, J. H., 232P, 621P
Min, B. See Lee, C., 861P
Min, K. See Lee, C., 137C
Minagawa, K. See Mori, T., 2651C
Minari, M. See Uno, T., 4548C
Minato, T.
—; Satoh, M.: Counterion Binding in Na Poly(acrylate) Gel. An ^{23}Na-NMR Study, 4412P

Minegishi, S.
—; Otsuka, T.; Kameyama, A.; Nishikubo, T.: Synthesis of Phosphorus-Containing Vinyl Ether Monomers and Oligomers and Their Photoinitiated Polymerization, 2031C

Mirabella, F. M.
—; Crist, B.: Melting Behavior of Polyethylene/α-Olefin Copolymers: Narrow Composition Distribution Copolymers and Fractions from Ziegler–Natta and Single-Site Catalyst Products, 3416P

Miras, M. C. See Salavagione, H. J., 5587C

Mishra, J. K.
—; Kim, G.-H.; Kim, I.; Chung, I.-J.; Ha, C.-S.: A New Thermoplastic Vulcanizate (TPV)/Organoclay Nanocomposite: Preparation, Characterization, and Properties, 2900P

Missina, R.
—; Holm, C.; Kremer, K.: Polyelectrolyte Adsorption and Multilayering on Charged Colloidal Particles, 3557P

Mitchell, C. A. See Putz, K. W., 2286P

Mitra, S.
—; Ghanbari-Siahkali, A.; Kingshott, P.; Hvilsted, S.; Almdal, K.: Chemical Degradation of an Uncrosslinked Pure Fluororubber in an Alkaline Environment, 6216C

Mitsuda, Y.
—; Fujikawa, T.; Nakasaka, K.; Uno, T.; Kubo, M.; Itoh, T.: Spontaneous Polymerization Mechanism of Electron-Accepting Substituted Quinodimethane with Vinyl Ether and Cyclic Ketene Acetal, 3800C

Miura, J. See Temma, T., 4607C

Miura, Y.
—; Wada, N.; Nishida, Y.; Mori, H.; Kobayashi, K.: Chemoenzymatic Synthesis of Glycoconjugate Polymers Starting from Nonreducing Disaccharides, 4598C

Miya, M. See Takeshita, H., 4199P

Miyagawa, H.
—; Rich, M. J.; Drzal, L. T.: Amine-Cured Epoxy/Clay Nanocomposites. I. Processing and Chemical Characterization, 4384P
—; Rich, M. J.; Drzal, L. T.: Amine-Cured Epoxy/Clay Nanocomposites. II. The Effect of the Nanoclay Aspect Ratio, 4391P

Miyagawa, T. See Ochiai, B., 3812C, 4941C

Miyake, K. See Zetterland, P. B., 2640C

Miyamoto, H. See Uedono, A., 341P

Miyamoto, Y.
—; Fujiki, M.; Nomura, K.: Synthesis of Homopolymers and Multiblock Copolymers by the Living Ring-Opening Metathesis Polymerization of Norbornenes Containing Acetyl-Protected Carbohydrates with Well-Defined Ruthenium and Molybdenum Initiators, 4248C

Miyata, M. See Inoue, K., 4648C

Miyatake, T. See Fujita, M., 1107C

Miyazaki, K. See Inagaki, N., 3727P; Sakurai, K., 2595P

Miyazawa, A.
—; Kase, T.; Shibuya, T.: Polymerization of Isoprene with η^5-C_5H_4(*tert*-Bu)$TiCl_3$/MAO Catalyst, 1841C

Moan, M. See Huitric, J., 714P

Moczek, L. See Szczubialka, K., 3879C

Mohri, S.
—; Rani, D. A.; Yamamoto, Y.; Tsujita, Y.; Yoshimizu, H.: Structure and Properties of the Mesophase of Syndiotactic Polystyrene—III. Selective Sorption of the Mesophase of Syndiotactic Polystyrene, 238P

Moine, L.
—; Deleuze, H.; DeGueil, M.; Maillard, B.: Copper-Mediated Radical Polymerization on a Microcellular Monolith Surface, 1216C

Molina, M. J.
—; Gómez-Antón, M. R.; Piérola, I. F.: Factors Driving the Protonation of Poly(*N*-vinylimidazole) Hydrogels, 2294P

Möller, M. See Trimaille, T., 4379C

Mondragon, I. See Giannotti, M. I., 3953P, 3964P; Zubeldia, A., 3920P

Monge, S.
—; Darcos, V.; Haddleton, D. M.: Effect of DMSO Used as Solvent in Copper Mediated Living Radical Polymerization, 6299C
—; See Darcos, V., 4933C

Moniruzzaman, M.
—; Fernando, G. F.; Talbot, J. D. R.: Synthesis and Characterization of an Azobenzene- and Acrylamide-Based Photoresponsive Copolymer and Gel, 2886C

Moniz-Santos, J. See Cerrada, M. L., 3797P

Monkenbusch, M., 3113P

Montejano, H. A. See Gómez, M. L., 4916C

Montornés, J. M.
—; Reina, J. A.; Ronda, J. C.: High-Molecular-Weight Side-Chain Liquid-Crystalline Polyethers Based on 4′-Cyanobiphenyl-4-oxy Mesogenic Groups, 3002C

Moon, K.-S. See Sun, Y., 3849P

Moore, R. B. See Pan, B., 1953C

Moorefield, C. N. See Hwang, S.-H., 1487P

Moral, F. See Kaya, I., 2717C

Moreira, V. X. See Soares, B. G., 4053P

Mori, H. See Miura, Y., 4598C

Mori, T.
—; Fukuda, Y.; Okamura, H.; Minagawa, K.; Masuda, S.; Tanaka, M.: Thermosensitive Copolymers Having Soluble and Insoluble Monomer Units, Poly(*N*-vinylacetamide-*co*-methylacryalte)s: Effect of Additives on Their Lower Critical Solution Temperatures, 2651C

Morino, K.
—; Asari, T.; Maeda, K.; Yashima, E.: Convenient Synthesis of Fully and Partially Deuterated Stereoregular Poly(phenylacetylene)s Bearing a Carboxy Pendant and Helicity Induction on the Polymers with Chiral Amines and Its Memory, 4711C

Morioka, Y. See Iwamura, T., 6384C

Morisaki, Y.
—; Ishida, T.; Tanaka, H.; Chujo, Y.: Synthesis and Properties of the [2.2]Paracyclophane-Containing Conjugated Polymer with Benzothiadiazole as an Electron Acceptor, 5891C

Morita, A.
—; Kudo, H.; Nishikubo, T.: Synthesis and Chemical Modification of Hyperbranched Polyethers with Terminal Hydroxy Groups by the Anionic Ring-Opening Polymerization of 3-Alkyl-3-hydroxymethyl Oxetanes, 3739C

Morita, H. See Yamamoto, S.-I., 5021C

Moriya, O. See Sugizaki, T., 4212C; Yamamoto, S.-I., 5021C

Mortensen, K.
—; Three-Dimensional Crystallographic Determination of the Body-Centered-Cubic Morphologies of Shear-Aligned Block Copolymer Systems, 3095P

Mosnáček, J.
—; Lukáč, I.; Chromik, ä.; Kostič, I.; Hrdlovič, P.: Network Formation of a Phenyl Vinyl Ketone Copolymer with 4-Vinylbenzil and Its Photodecross-linking in Films, 765C

Moszner, N. See Ullrich, G., 4948C

Motheo, A. J. See Salavagione, H. J., 5587C

Motoi, M. See Kanoh, S., 4570C

Motokucho, S.
—; Sudo, A.; Sanda, F.; Endo, T.: Reaction of Carbon Dioxide with Glycidol: The Synthesis of a Novel Hyperbranched Oligomer with a Carbonate Main Chain with a Hydroxyl Terminal, 2506C

Mudarra, M. See Tamayo, I., 4164P

Muldoon, M. J.
—; Gordon, C. M.: Synthesis of Gel-Type Polymer Beads from Ionic Liquid Monomers, 3865C

Mülhaupt, R. See Pfister, A., 624C

Mulligan, S. R. B. See Smith, A. L., 3893P

Mun, G. A.
—; Khutoryanskiy, V. V.; Nurkeeva, Z. S.; Sergaziyev, A. D.; Fefelova, N. A.; Rosiak, J. M.: Polyelectrolyte Complexes of Linear Copolymers and Hydrogels Based on 2-[(Methacryloyloxy)-ethyl]trimethyl-ammonium Chloride and *N*-Isopropylacrylamide, 1506P
—; Khutoryanskiy, V. V.; Nurkeeva, Z. S.; Urkimbaeva, P. I.; Zhunuspaev, D.: Stabilization of Water/*n*-Hexane Emulsions by Amphiphilic Copolymers Based on Vinyl Ethers and Their Polycomplexes with Poly(acrylic acid), 2625P
—; See Dubolazov, A. V., 1610P; Khutoryanskiy, V. V., 515P

Munari, A. See Finelli, L., 553P

Munirasu. S.
—; Dhamodharan, R.: Very Rapid Copper-Mediated Atom Transfer Radical Polymerization Of Benzyl Methacrylate at Ambient Temperature, 1053C

Muñoz-Guerra, S. See Regaño, C., 1566C

Murakami, S. See Toki, S., 956P

Murakawa, T. See Higashi, F., 4126C

Murata, M. See Hagihara, H., 52C

Musil, V. See Denac, M., 1255P

Mya, K. Y.
—; He, C.; Huang, J.; Xiao, Y.; Dai, J.; Siow, Y.-P: Preparation and Thermomechanical Properties of Epoxy Resins Modified by Octafunctional Cubic Silsesquioxane Epoxides, 3490C
—; See Huang, J., 1173P

Na, B.
—; Wang, Y.; Du, R.; Fu, Q.; Men, Y.: Crystal and Phase Morphology of Dynamic-Packing-Injection-Molded High-Density Polyethylene/Ethylene Vinyl Acetate Blends, 1831P

Na, J.
—; Kim, Y.-S.; Park, W.-H.; Lee, T. S.: Metal-Induced Optical Sensing and Optical Switching in Poly(pyridyl phenylene), 2444C

Na, S. See Zhang, J., 2385P

Naga, N.
—; Simultaneous Wide-Angle X-Ray Diffraction and Differential Scanning Calorimetry Analysis of the Melting and Recrystallization Behavior of Polyethylene and Isotactic Polypropylene Containing Cyclopentane Units in the Main Chain, 1457P

Nagahama, S.
—; Matsumoto, A.: Two-Dimensional Polymer Synthesis through the Topochemical Polymerization of Alkylenediammonium Muconate as a Multifuncitional Monomer, 3922C

Nagai, A.
—; Ishikawa, J.; Kudo, H.; Endo, T.: Synthesis of Optically Active Polyurethanes by Self-Polyaddition of Tyrosine-Based Monomers, 1143C

Nagai, D. See Suzuki, A., 5983C
—; Sudo, A.; Endo, T.: Stereocontrolled Anionic Alternating Copolymerization of Ethylphenylketene with Benzaldehyde by a Bisoxazoline Ligand, 5384C
—; See Ochiai, B., 3812C, 4941C

Nagai, K.
—; Sugawara, A.; Kazama, S.; Freeman, B. D.: Effects of Physical Aging on Solubility, Diffusivity, and Permeability of Propane and *n*-Butane in Poly(4-methyl-2-pentyne), 2407P

Nagara, Y. See Gotoh, Y., 800P

Nagura, M. See Gotoh, Y., 800P; Okumura, W., 79P; Uddin, A. J., 433P

Nagy, M. See Kéki, S., 587C

Nah, J.-W. See Jang, M.-K., 3423C

Naito, A. See Hirashima, Y., 1090P

Najary, Y. See Silverstein, M. S., 1023P

Naka, K.
—; Gelover-Santiago, A.; Chujo, Y.: Synthesis of π-Conjugated Poly(dithiafulvene) by Cycloaddition Polymerization of Aldothioketene from a Bis(1,2,3-thiadiazole) Monomer, 5872C
—; See Umeyama, T., 3023C, 3604C

Nakafuku, C. See Yasuniwa, M., 25P
Nakagawa, O. See Ishizawa, H., 4656C
Nakagawa, T. See Iwamura, T., 6384C
Nakahara, H. See Fujimori, A., 2329P
Nakamae, K. See Shinohara, K.-I., 3930C
Nakamura, K.
—; Wada, M.; Kuga, S.; Okano, T.: Poisson's Ratio of Cellulose I_β and Cellulose II, 1206P
—; See Tanaka, K., 2859C
Nakamura, M. See Yaegashi, T., 999C
Nakamura, T. See Hashimoto, T., 3729C
Nakamura, Y.
—; Norisuye, T.: Scattering Function for Wormlike Chains with Finite Thickness, 1398P
Nakano, K.
—; Fumitaka, K.; Nozaki, K.: Synthesis of a Polyester Macromonomer via the Cobalt-Catalyzed Alternating Copolymerization of Propylene Oxide and Carbon Monoxide, 4666C
Nakano, T. See Gotoh, Y., 800P; Ishizawa, H., 4656C
Nakasaka, K. See Mitsuda, Y., 3800C
Nakazato, A. See Kanki, K., 2100C
Nam, J.-D. See Williams, E. P. M., 1P
Namikoshi, T.
—; Hashimoto, T.; Kodaira, T.: Living Cationic Polymerization of Vinyl Ethers with a Tricyclodecane of Tricyclodecene Unit: Synthesis of New Poly(Vinyl Ether)s with High Glass-transition Temperature, 3649C
—; Hashimoto, T.; Kodaira, T.: Living Cationic Polymerization of Vinyl Ethers with a Urethane Group, 2960C
Nandagopal, M. See Utz, M., 2057P
Nandan, B.
—; Kandpal, L. D.; Mathur, G. N.: Poly(ether ether ketone)/Poly(aryl ether sulfone) Blends: Melt Rheological Behavior, 1548P
Nandi, A. K. See Rahman, M. H., 2215P
Nandi, S. See Kalgaonkar, R. A., 2657P
Nanjundan, S. See Jayakumar, R., 1809C
Narasimhan, B. See Lo, C.-T., 2667P
Narh, K. A. See Zhu, L., 2391P
Narita, T.
—; Novel Fluorinated Polymers by Radical Polyaddition: Inspiration and Progress, 4101C
Narushim, K. See Inagaki, N., 3727P
Nasar, A. S.
—; Shrinivas, V.; Shanmugam, T.; Raghavan, A.: Synthesis and Deblocking of Cardanol- and Anacardate-Blocked Toluene Diisocyanates, 4047C
Nasser-Eddine, M.
—; Reutenauer, S.; Delaite, C.; Hurtrez, G.; Dumas, P.: Synthesis of Polystyrene–Poly(*tert*-butyl methacrylate)–Poly(ethylene oxide) Triarm Star Block Copolymers, 1745C
Natesan, B.
—; Xu, H.; Ince, B. S.; Cebe, P.: Molecular Relaxation of Isotactic Polystyrene: Real-Time Dielectric Spectroscopy and X-ray Scattering Studies, 777P
Nauman, E. B. See Cheng, M. H., 603P
Nayak, B. R. See Huang, X., 5054C
Neckers, D. C. See Yang, J., 3836C
Nedelcheva, A. N.
—; Vladimirov, N. G.; Novalkov, C. P.; Berlinova, I. V.: Associative Block Copolymers Comprising Poly(*N*-isopropylacrylamide) and Poly(ehtylene oxide) End-Functionalized with a Fluorophilic or Hydrophilic Group. Synthesis and Aqueous Solution Properties, 5736C
Negadi, A.
—; Benmouna, M., Vilgis, T. A.: Diffusion Constants of Polymers in Mixed Solvents, 3976P
Nelson, A. K. See Gädda, T. M., 5235C
Németh, Z. See Csetneki, I., 4802C
Nemoto, H. See Uedono, A., 341P
Nešpůrek, S. See Meszároš, O., 714C
Nesvadba, P.
—; Bugnon, L.; Sift, R.: New 7-Membered Diazepanone Alkoxyamines for Nitroxide-Mediated Radical Polymerization, 3332C
Newkome, G. R. See Hwang, S.-H., 1487P
Ng, S.-C. See Liu, S.-P., 4792C
Ng, Y. H.
—; Hong, L.: Energy-Damping Behaviors of Poly(methyl acrylate-*co*-divinylbenzene) Microspheres Coated with a Porous Nickel–Phosphorus Layer, 2710P
Nguyen, J. V.
—; Jones, C. W.: Effect of the Synthetic Method and Support Porosity on the Structure and Performance of Silica-Supported CuBr/Pyridylmethanimine Atom Transfer Radical Polymerization Catalysts. I. Catalyst Preparation and Characterization, 1367C
—; Jones, C. W.: Effect of the Synthetic Method and Support Porosity on the Structure and Performance of Silica-Supported CuBr/Pyridylmethanimine Atom Transfer Radical Polymerization Catalyts. II. Polymerization of Methyl Methacrylate, 1384C
Nguyen, T. See Luciani, A., 1218P; Zhang, R., 2441P
Ni, H.
—; Kawaguchi, H.: Mechanism of Preparing Monodispersed Poly(acrylamide/methacrylic acid) Microapheres in Ethanol. II, 2833C
—; Kawaguchi, H.: Mechanism pf Preparing Monodisperse Poly(acrylamide/methacrylic acid) Microspheres in Ethanol. I, 2823C
Ni, J.
—; Lee, S.-W.; White, J. M.; Belcher, A. M.: Molecular Orientation of a ZnS-Nanocrystal-Modified M13 Virus on a Silicon Substrate, 629P
Ni, S.-C. See Kuo, P.-L., 5504C
Ni, X. See Yu, C., 6209C
Nicolas, R. See Auer, M., 1350C

Niemelä, S. See Strandman, S., 4189C
Niesten, M. C. J. E. See Sauer, B. B., 1783P
Nilsson, C. See Hao, X., 5877C
Ninan, K. N. See Bandyopadhyay, G. G., 1417P
Nishi, H. See Hara, S., 1539P
Nishida, H. See Yasutake, M., 2621C
Nishida, K.
—; Kaji, K.; Kanaya, T.; Matsuba, G.; Konishi, T.: Spinodal Patterns Indicating Unstable Regime of Polymer Crystallization, 1817P
—; Kiriyama, K.; Kanaya, T.; Kaji, K.; Okubo, T.: Theoretical Calculation of the Reduced Viscosity of Aqueous Suspensions of Charged Spherical Particles, 1068P
Nishida, Y. See Miura, Y., 4598C
Nishide, H. See Michinobu, T., 1912C
Nishikubo, T. See Konno, Y., 2543C; Kudo, H., 1528C; Makita, S., 3697C; Minegishi, S., 2031C; Morita, A., 3739C
Nishimura, T. See Sakurai, S.-I., 4621C
Nishioka, N.
—; Takagi, K.; Kinoshita, T.; Kunisada, H.; Yuki, Y.: Tropone-Containing π-Conjugated Polymers: Annulation of Tropone onto Benzene Ring in the Conjugated Polymer, 1208C
Nishiura, T. See Hatada, K., 416C
Nithitanakul, M. See Supaphol, P., 676P
Niu, Y.-P. See Su, Y.-Z., 2329C
Noda, I. See Suzuki, K., 3447P
Noh, S. K.
—; Lee, M.; Kum, D. H.; Kim, K.; Lyoo, W. S.; Lee, D.-H.: Studies of Ethylene–Styrene Copolymerization with Dinuclear Constrained Geometry Complexes with Methyl Substitution at the Five-Membered Ring in Indenyl of $[Ti(\eta^5:\eta^1\text{-}C_9H_5SiMe_2NCMe_3)]_2$ $[CH_2]_n$, 1712C
Nomura, K. See Miyamoto, Y., 4248C
Nomura, R. See Kanki, K., 2100C
Nonaka, Y. See Kojio, K., 4448P
Nonidez, W. K. See Anthamatten, M., 5999C
Nonokawa, R. See Sakurai, S.-I., 5883C
Noorjahan, S. E.
—; Sastry, T. P.: Hydrogels Based on Physiologically Clotted Fibrin–Gelatin Composites, 2241C
Norisuye, T. See Nakamura, Y., 1398P
Nossarev, G. G. See Chen, R., 5488C
Nouval, C.
—; Dubois, P.; Dellacherie, E.; Six, J.-L: Controlled Synthesis of Amphiphilic Biodegradable Polylactide-Grafted Dextran Copolymers, 2577C
Novakov, C. P. See Nedelcheva, A. N., 5736C
Novikov, V. N. See Ding, Y., 994P
Novoa, R. See Katime, I., 2756C
Nowacki, R. See Jin, Y., 3380P
Nowakowska, M. See Szczubialka, K., 3879C
Nowak-Pyda, E. See Pyda, M., 4401P
Nozaki, K.
—; Asymmetric Polymerization Using C1 Resources, 215C
—; See Nakano, K., 4666C
Nuffer, R. See Audouin, F., 3456C, 4820C
Nummelin, S. See Ropponen, J., 5574C
Nunes, S. P. See De A. Prado, L. A. S., 567P
Nuño-Donlucas, S. M. See García-Gaitán, B., 4448C; Maldonado-Santoyo, M., 636P
Nurkeeva, Z. S. See Dubolazov, A. V., 1610P; Khutoryanskiy, V. V., 515P; Mun, G. A., 1506P, 2625P
Nüsslein, K. See Arnt, L., 3860C
Nuyken, O. See Mayershofer, M. G., 4466C
Nyame, V. See Dong, H., 3934P

Obata, M.
—; Yano, S.; Kamino, K.; Yokota, K.; Kakuchi, T.: Asymmetric Radical Cyclization of (2*S*,3*S*)-2,3-Butanediyl, (2*S*,4*S*)-2,4-Pentanediyl, and (2*S*,5*S*)-2,5-Hexanediyl Bis(4-vinylbenzoate)s as a Model Reaction for Asymmetric Cyclocopolymerization, 4671C
Ober, C. K. See Hexemer, A., 411P
Ochi, M. See Harada, M., 758P, 4044P; Okuhira, H., 1137P
Ochiai, B. See Suzuki, A., 5983C
—; Iwamoto, T.; Miyagawa, T.; Nagai, D.; Endo, T.: Direct Incorporation of Gaseous Carbon Dioxide into Solid-State Copolymer Containing Oxirane and Quarternary Ammonium Halide Structure as Self-Catalytic Function, 4941C
—; Iwamoto, T.; Miyagawa, T.; Nagai D.; Endo, T.: Solid-Phase Incorporation of Gaseous Carbon Dioxide into Oxirane-Containing Copolymers, 3812C
O'Connor, C. J. See Suzuki, K., 3447P
Oda, T.
—; Saito, H.: Exclusion Effect of Carbon Dioxide on the Crystallization of Polypropylene, 1565P
—; See Teramoto, G., 2738P
Oh, J. K.
—; Stöeva, V.; Rademacher, J.; Farwaha, R.; Winnik, M. A.: Synthesis, Characterization, and Emulsion Polymerization of Polymerizable Coumarin Derivatives, 3479C
Oh, J. S.
—; Isayev, A. I.; Wagler, T.; Rinaldi, P. L.; Von Meerwall, E.: Molecular Mobility and Structure of Ultrasonically Treated Unfilled Butadiene Rubber, 1875P
Oh, S. G. See Chae, D. W., 790P; Kim, J.-W., 2202C
Ohdaira, T. See Uedono, A., 341P
Ohira, A. See Sakurai, S.-I., 4621C; Saxena, A., 4518C
Ohita, Y. See Ishizu, K., 76C
Ohkawara, S.-I. See Masaki, K., 4437C
Ohkoshi, Y. See Gotoh, Y., 800P; Okumura, W., 79P; Uddin, A. J., 433P
Ohya, Y. See Ouchi, T., 453C, 5482
Oishi, T. See Lee, Y.-K., 6157C; Onimura, K., 4682C
Okabayashi, H.-F. See Suzuki, K., 3447P
Okabe, S.
—; Ando, K.; Hanabusa, K.; Shibayama, M.: Dynamic Light Scattering and Small-Angle Neutron Scattering Studies on Organogels Formed with a Gelator, 1841P

Okada, O.
—; Keskkula, H.; Paul, D. R.: Fracture Toughness of Nylon-6 Blends with Maleated Rubbers, 1739P
Okamoto, K.-I. See Guo, X., 1432C
Okamoto, S. See Mahesh, K. P. O., 3439P
Okamoto, T. See Sakurai, K., 2595P
Okamoto, Y.
—; (–)-Sparteine: The Compound that Most Significantly Influenced My Research, 4480C
—; See Gotoh, Y., 80P; Kubota, T., 4704C; Liu, W., 5180C
Okamura, H.
—; Shin, K.; Tsunooka, M.; Shirai, M.: Photocrosslinking System Using Multifunctional Epoxy Crosslinkers Having Thermally Degradable Properties, 3685C
—; See Mori, T., 2651C
Okano, T. See Nakamura, K., 1206P
Okazaki, M. See Ito, H., 1478C, 1506C
Oku, J.-I. See Suzuki, K., 3447P
Okubo, T. See Nishida, K., 1068P
Okuda, J. See Capacchione, C., 2815C
Okuhira, H.
—; Iwamoto, N.; Ochi, M.; Takeyama, H.: Novel Urethane/Epoxy Resin Hybrid Materials Using a Moisture-Curing System, 1137P
Okumura, W.
—; Ohkoshi, Y.; Gotoh, Y.; Nagura, M.; Urakawa, H.; Kajiwara, K.: Effects of the Drawing Form and Draw Ratio on the Fiber Structure and Mechanical Properties of CO_2-Laser-Heated-Drawn Poly(ethylene terephthalate) Fibers, 79P
Okuyama, K. See Baigude, H., 1400C
Olah, G. A. See Warner, W. N., 237C
Olayo, R. See Dereszewska, A., 3943P
Olbrych, J. See Sangermano, M., 1415C
Olley, R. H. See Weng, J., 3318P
Olvera de la Cruz, M. See Cheng, H., 3642P
Onimura, K. See Lee, Y.-K., 6157C
—; Zhang, Y.; Yagyu, M.; Oishi, T.: Asymmetric Anionic Polymerization of Optically Active *N*-1-Cyclohexylethlymaleimide, 4682C
Onouchi, H. See Kamikawa, Y., 4580C
Oosterbaan, W. D.
—; Kaats-Richters, V. E. M.; Jenneskens, L. W.; Van Walree, C. A.: Charge Transfer Interactions in Polyesters wsith a Donor-(*q*-Bridge)-Acceptor Moiety in the Repeating Unit, 4775C
Opdahl, A.
—; Phillips, R. A.; Somorjai, G. A.: Solvent- and Interface-Induced Surface Segregation in Blends of Isotactic Polypropylene with Poly(ethylene-*co*-propylene) Rubber, 421P
Orfanou, K. See Topouza, D., 6230C
Ortiz, U. See González, V. A., 646P
Ortíz-Estrada, C. See Maldonado-Santoyo, M., 636P
Östmark, E. See Hao, X., 5877C
Otsuka, T. See Minegishi, S., 2031C
Ou, R.
—; Gerhardt, R. A.; Samuels, R. J.: Structure and Electrical Properties of Undoped Oriented Poly(phenylene vinylene) Films, 98P
Ouchi, T.
—; Minari, T.; Ohya, Y.: Synthesis of Poly(L-lactide)-Grafted Pullulan through Coupling Reaction between Amino Group End-Capped Poly(L-lactide) and Carboxymethyl Pullulan and Its Aggreagation Behavior in Water, 5482C
—; Ohya, Y,: Design of Lactide Copolymers as Biomaterials, 453C
Ouchi, Y. See Fujimori, A., 2329P
Ouyang, X. See Guo, B., 1192P
Oyanguren, P. A. See Giannotti, M. I., 3953P, 3964P
Ozaki, H. See Hagihara, H., 52C
Ozyurek, Z. See Erdogan, T., 2313C; Tunca, U., 4228C
Padavan, D. See Puskas, J. E., 3091C
Padia, A. B. See Hall, H. K., Jr., 2845C
Pak, H. See Lee, C., 137C
Pakjamsai, C.
—; Kobayashi, N.; Koyano, M.; Sasaki, S.; Kawakami, Y.: Characterization of the Benzene-Insoluble Fraction of the Hydrolyzate of Phenyltrimethoxysilanes in the Presence of Benzyltrimethylammonium Hydroxide, 4587C
Paluch, M. See Roland, C. M., 4313P
Pan, B.
—; Viswanathan, K.; Hoyle, C. E.; Moore, R. B.: Photoinitiated Grafting of Maleic Anhydride onto Polypropylene, 1953C
—; See Cavitt, T. B., 4009C
Pan, C. See Hua, D., 5670C
Pan, C.-Y. See Hong, C.-Y., 4873; Hu, Y.-C., 4862C
Pan, G.
—; Sudol, E. D.; Dimonie, V. L.; El-Aasser, M. S.: Thermal Self-Initiation of Styrene in the Presence of TEMPO Radicals: Bulk and Miniemulsion, 4921C
Pan, X.-D.
—; Relationship between the Dynamic Softening Transition and Wet Sliding Friction of Elastomer Compounds, 2467C
Pande, S.
—; Tandon, P.; Gupta, V. D.: Phonon Dispersion in Poly(L-tryptophan), 316P
Pandey, R. B. See Diamond, K. L., 1164P
Pandy, K. K.
—; Pitman, A. J.: Examination of the Lignin Content in a Softwood and a Hardwood Decayed by a Brown-Rot Fungus with the Acetyl Bromide Method and Fourier Transform Infrared Spectroscopy, 2340C
Pang, K. See Kotek, R., 4247P
Pang, L. See Liu, X., 2659C
Pang, X. See Tang, Z., 5974C
Pang, Y. See Liao, L., 303C, 1820C, 5853C
Panunzi, B. See Casalboni, M., 3013C
Papageorgiou, G. Z.
—; Karayannidis, G. P.; Bikiaris, D. N.; Stergiou, A.;

Litsardakis, G.; Makridis, S. S.: Wide-Angle X-ray Diffraction and Differential Scanning Calorimetry Study of the Crystallization of Poly(ethylene naphthalate), Poly(butylene naphthalate), and Their Copolymers, 843P
—; See Achilias, D. S., 3775P
Parbhoo, B. See Simpson, T. R. E., 1421C
Park, C. I.
—; Choi, W. M.; Kim, M. H.; Park, O. O.: Thermal and Mechanical Properties of Syndiotactic Polystyrene/Organoclay Nanocomposites with Different Microstructures, 1685P
Park, D.-K. See Jin, S.-H., 2347C
Park, E.-J. See Lee, J.-Y., 3189C
Park, H.-K. See Kim, H.-C., 825C
Park, J. See Ishizu, K., 3644C
Park, J. K. See Song, B. J., 6375C
Park, K. See Kim, C., 2155C
Park, O. O. See Park, C. I., 1685P
Park, S. See Lee, C., 861P
Park, S. H. See Chae, H. G., 1759P
Park, S.-J.
—; Kang, J.-G.; Kwon, S.-H.: Rheological and Mechanical Properties of Epoxy/Polyurethane Blends Initiated by *N*-Benzylpyrazinium Hexafluoroantimonate Salt, 3841P
—; Seo, M.-K.; Lee, J.-R.: Effect of the Substituted Benzene Group on Thermal and Mechanical Properties of Epoxy Resins Initiated by Cationic Latent Catalysts, 2419P
—; See Bhattarai, N., 2558P
Park, S.-Y.
—; Farmer, B. L.; Lee, J.-C.: Effects of the Alkyl Side-Chain Length on the Structures of Poly[oxy(*N*-alkylsulfonylmethyl)ethylene]s, 1868P
Park, W. H. See Na, J., 2444C; Son, W. K., 5P
Park, Y. S. See Ko, Y. G., 2010C, 2430P
Parker, G. A. See Williams, E. P. M., 1P
Partridge, I. K. See Skordos, A. A., 146P
Pascault, J.-P. See Dolmaire, N., 473P; Riccardi, C. C., 1351P, 1361P
Pasch, H. See Luruli, N., 5121C
Pasquale, A. J. See Wiles, K. B., 2994C
Patel, M. V.
—; Patel, S. A.; Ray, A.; Patel, R. M.: Antimicrobial Activity on the Copolymers of 2,4-Dichlorophenyl Methacrylate with Methyl Methacrylate: Synthesis and Characterization, 5227C
Patel, R. M. See Patel, M. V., 5227C
Patel, S. A. See Patel, M. V., 5227C
Patil, N. D. See Ramnani, S. P., 3897C
Paul, D. R. See Okada, O., 1739P
Paul, G. K.
—; Indi, S. S.; Ramakrishnan, S.: Synthesis and Vesicular Polymerization of Novel Counter-Ion Polymerizable/Crosslinkable Surfactants, 5271C
Pautzsch, T.
—; Blankenburg, L.; Klemm, E.: Design and Synthesis of Ru(II-Bipyridyl-Containing) Conjugated Polymers, 722C
—; Klemm, E.: Synthesis and Characterization of *alt*-Bipyridinylene-Phenylene Copolymers Containing Ruthenium(II) Complexes, 2911C
Pavlyuchenko, V. N.
—; Sorochinskaya, O. V.; Primachenko, O. N.; Byrdina, N. A.; Ivanchev, S. S.; Skrifvars, M.: Preparation of Cationic Latices Comprising Hollow Thermostable Particles, 2225C
Paz, Y.
—; Kesselman, E.; Fahoum, L.; Portnaya, I.; Ramon, O.: The Interaction between Poly(*N*-isopropylacrylamide) and Salts in Aqueous Media: The "Salting-Out" Phenomenon As Studied by Attenuated Total Reflection/Fourier Transform Infrared Spectroscopy, 33P
Pedersen, J. S.
—; Schurtenberger, P.: Scattering Functions of Semidilute Solutions of Polymers in a Good Solvent, 3081P
Pedicini, A.
—; Farris, R. J.: Thermally Induced Color Change in Electrospun Fiber Mats, 752P
Peinado, C.
—; Salvador, E. F.; Corrales, T.; Bosch, P.; Catalina, F.: Fluorescent Probes for Monitoring the Pulsed-Laser-Induced Photocuring of Poly(urethane acrylate)-Based Adhesives, 1227C
Pekel, N.
—; Sahiner, N.; Güven, O.: Thermodynamics of Adsorption of Uranyl onto Amidoximated Poly(acrylonitrile)/Poly(*N*-vinyl 2-pyrrolidone) Interpenetrating Polymer Networks, 986P
—; See Dubolazov, A. V., 1610P
Penczek, S.
—; Pretula, J.; Kaluzynski, K.: Simultaneous Introduction of Phosnic and Carboxylic Acid Functions to Hydroxylated Macromolecules, 432C
—; See Lapienis, G., 1576C, 2575C
Peng, J. See Wu, X., 3049C
Peng, Q.
—; Xie, M.; Huang, Y.; Lu, Z.; Xiao, D.: New Series of Highly Phenyl-Substituted Polyfluorene Derivatives for Polymer Light-Emitting Diodes, 2985C
—; See Utz, M., 2057P
Peng, T.
—; Cheng, S.-X.; Zhuo, R.-X.: Synthesis and Characterization of Novel Biodegradable Amphiphilic Graft Polymers Based on Aliphatic Polycarbonate, 1356C
Peng, Y. See Zhang, S., 3527C
Peng, Z. See Du, A., 1715P; Guo, S. S., 1099P
Penlidis, A. See Scorah, M. J., 5647C
Penn, L. S. See Huang, H., 5530C
Peppley, B. See Wan, Y., 1379P
Perahia, D.
—; Jiao, X.; Traiphol, R.: From the Conformation of a Single Molecule to Physical Networks in Highly Interacting Polymers: A

Small-Angle Neutron Study, 3165P
Percec, S.
—; Getty, R.; Marshall, W.; Skidd, G.; French, R.: Synthesis, Structural Analysis, and Self-Assembly of Phenylene Ethynylene Oligomers and Their —F, —CF_3, and —Ch_3 Substituted Derivatives, 541C
Percec, V.
—; Grigoras, C.; Kim, H.-J.: Toward Self-Assembling Dendritic Macromolecules from Conventional Monomers by a Combination of Living Radical Polymerization and Irreversible Terminator Multifunctional Initiator, 505C
—; Popov, A. V.; Ramirez-Castillo, E.; Coelho, J. F. J.; Hinojosa-Falcon, L. A.: Non-transition Metal-Catalyzed Living Radical Polymerization of Vinyl Chloride Initiated with Iodoform in Water at 25 °C, 6267C
—; Popov, A. V.; Ramirez-Castillo, E.; Weichold, O.: Acceleration of the Single Electron Transfer–Degenerative Chain Transfer Mediated Living Radical Polymerization (SET-DTLRP) of Vinyl Chloride in Water in 25 °C, 6364C
Pérez, E. See Cerrada, M. L., 3797P; Laguna, M. F., 3766P
Pérez-González, M. D. P. See García-Gaitán, B., 4448C
Persephonis, P. See Karastatiris, P., 2214C
Pethrick, R. A. See McGonigle, E.-A., 2916P
Petrović, Z. S. See Djonlagić, J., 3987P; Zlatanić, A., 809P
Pfister, A.
—; Landers, R.; Laib, A.; Hübner, U.; Schmelzeisen, R.; Mülhaupt, R.: Biofunctional Rapid Prototyping for Tissue-Engineering Applications: 3D Bioplotting Versus 3D Prinitng, 624C
Pham, T. T. B.
—; Fellows, C. M.; Gilbert, R. G.: Grafting of Dodecyl Methacrylate onto Hydroxylated Polybutadiene by Miniemulsion Polymerization, 3404C
Phiasivongsa, P. See Wamsley, A., 317C
Philips, A.
—; Wang, S.-Q.: Transitional Flow Behavior of Entangled Polyisoprene Solutions, 4132P
Phillies, G. D. J. See Merriam, S. C., 1663P
Phillips, B. See Cavitt, T. B., 4009C
Phillips, R. A. See Opdahl, A., 421P
Phochalam, N. See Tabtiang, A., 965P
Piao, L. See Deng, M., 950C
Piérola, I. F. See Molina, M. J., 2294P
Pieroni, O. I. See Ciolino, A. E., 2920C
Pierzgalski, S. See Kaczmarek, H., 585P
Pillai, C. K. S. See Sandhya, K. Y., 1289P
Pillin, I. See Huitric, J., 714P
Pimbert, S. See Huitric, J., 714P
Pintauer, T. See Huang, J., 3285C
Pinzón, N. M. See Restrepo, A. S., 2950C
Piorkowska, E. See Jin, Y., 3380P
Pispas, S. See Topouza, D., 6230C
Pitman, A. J. See Pandey, K. K., 2340C
Pitsikalis, M.
—; Siakali-Kioulafa, E.; Hadjichristidis, N.: Block Copolymers of Styrene and *n*-Alkyl Methacrylates with Long Alkyl Groups. Micellization Behavior in Selective Solvents, 4177C
—; See Karanikolopoulos, G., 3761C
Pittelkow, M.
—; Christensen, J. B.; Meijer, E. W.: Guest–Host Chemistry with Dendrimers: Stable Polymer Assemblies by Rational Design, 3792C
Plesch, P. H.
—; Michael Polanyi and the Discovery of Co-Catalysis: Discussion of an Autobiographical Letter from Michael Polanyi, FRS to Peter H. Plesch of 17 December 1963, 1537C
Plimpton, S. J. See Sides, S. W., 199P
Plucktaveesak, N. See Sauvage, E., 3571P, 3584P
Plummer, C. J. G. See Luciani, A., 1218P
Podgornik, R.
—; Polyelectrolyte-Mediated Bridging Interactions, 3539P
Podkościelna, B. See Jabłońska-Pikus, T., 2566C
Poe, G. D.
—; McCormick, C. L.: Synthesis, Complex Formation, and Dilute-Solution Associative Behavior of Linear Poly(methacrylic acid)-*graft*-poly(2-ethyl-2-oxazoline), 2520C
Pollet, E. See Gorrasi, G., 1466P
Pomery, P. J. See Gamage, N. J. W., 83C
Pomposo, J. A. See Marcilla, R., 208C
Poncin-Epaillard, F. See Aouinti, M., 2007P
Poompradub, S. See Toki, S., 956P
Poon, B.
—; Rogunova, M.; Chum, S. P.; Hiltner, A.; Baer, E.: Classification of Homogeneous Copolymers of Propylene and 1-Octene Based on Comonomer Content, 4357P
Popov, A. V. See Percec, V., 6267C; Percec, V., 6364C
Popovska-Pavlovska, F.
—; Raka, L.: Diffusion and Partition Coefficients of Small Organic Solvents in Molten Miscible Polymer Blends: Correlations with Thermodynamic Interactions, 267P
Porcar, L. See Malwitz, M. M., 3102P
Portnaya, I. See Paz, Y., 33P
Pospiech, D. See Andreeva, L. N., 12P
Pospíšil, J. See Meszároš, O., 714C
Prado, L. A. S. A. See José, N. M., 4281P
Prakash, G. K. S. See Warner, W. N., 237C
Pramoda, K. P.
—; Liu, T.: Effect of Moisture on the Dynamic Mechanical Relaxation of Polyamide-6/Clay Nanocomposites, 1823P
—; See Liu, S. L., 2769P
Prayongpan, P. See Gudipati, C. S.
Prestwich, G. D. See Kirker, K. R., 4344P
Pretula, J. See Penczek, S., 432C

Previtali, C. M. See Gómez, M. L., 4916C
Price, J. L. See Brown, G. O., 2957P
Priestley, R. D. See Zheng, Y., 2107P
Primachenko, O. N. See Pavlyuchenko, V. N., 2225C
Priola, A. See Mariani, A., 2066C; Sangermano, M., 1415C
Proto, A. See Capacchione, C., 2815C
Pruden, K. G.
—; Beaudoin, S. P.: Model for the Photooxidation of Parylenes, 2666C
Prud'Homme, R. E. See Bébin, P., 1408P
Pucciariello, R.
—; Villani, V.; Belviso, S.; Gorrasi, G.; Tortora, M.; Vittoria, V.: Phase Behavior of Modified Montmorillonite–Poly(ε-caprolactone) Nanocomposites, 1321P
—; Villani, V.; Langerame, F.; Gorrasi, G.; Vittoria, V.: Interfacial Effects in Organophilic Montmorillonite–Poly(ε-caprolactone) Nanocomposites, 3907P
Punna, S. See Díaz, D. D., 4392C
Puskas, J. E.
—; Chen, Y.; Dahman, Y.; Padavan, D.: Polyisobutylene-Based Biomaterials, 3091C
—; See Shaikh, S., 4084C
Putz, K. W.
—; Mitchell, C. A.; Krishnamoorti, R.; Green, P. F.: Elastic Modulus of Single-Walled Carbon Nanotube/Poly(methyl methacrylate) Nanocomposites, 2286P
Pyda, M.
—; Nowak-Pyda, E.; Mays, J.; Wunderlich, B.: Heat Capacity of Poly(butylene terephthalate), 4401P

Qi, G.-R. See Chen, S., 5284C
Qi, W. See Song, N., 4318C
Qian, H. See Arrighi, V., 4000P
Qiao, J. See Xu, X., 1042P
Qiao, X. Y. See Wan, C. Y., 286P
Qiaoling, Y. See Guijin, Y., 3224C
Qin, H.
—; Zhang, Z.; Feng, M.; Gong, F.; Zhang, S.; Yang, M.: The Influence of Interlayer Cations on the Photo-Oxidative Degradation of Polyethylene/Montmorillonite Composites, 3006P
Qin, J. See Li, Z., 194C, 2877C; Lu, Z., 925C
Qing, J. See Zhang, S., 3527C
Qiu, S. See Yang, Q., 3721P
Qiu, X. See Song, N., 4318C
Qu, F.-Q. See Zhang, Z.-Q., 4311C
Qu, F. See Koga, T., 3282P
Qu, L.
—; Shi, G.: Hollow Microstructures of Polypyrrole Doped by Poly(styrene sulfonic acid), 3170C
Quatela, A. See Casalboni, M., 3013C

Rabani, G.
—; Rosair, G. M.; Kraft, A.: Low-Temperature Route to Thermoplastic Polyamide Elastomers, 1449C
Rademacher, J. See Oh, J. K., 3479C; Wu, J., 5005C
Radhakrishnan, G. See Banu, P., 341C
Radhakrishnan, K.
—; Switek, K. A.; Hillmyer, M. A.: Synthesis of Semifluorinated Block Copolymers by Atom Transfer Radical Polymerization, 853C
Radosz, M. See Ding, S., 22C, 3553C, 5794C
Radulescu, A.
—; Schwahn, D.; Monkenbusch, M.; Fetters, L. J.; Richter, D.: Structural Study of the Influence of Partially Crystalline Poly(ethylene butene) Random Copolymers on Paraffin Crystallization in Dilute Solutions, 3113P
Radusch, H.-J. See Domenech, S. C., 1767P
Rafailovich, M. H. See Koga, T., 3282P
Raghavan, A. See Nasar, A. S., 4047C
Raghavan, D. See Yebasssa, D., 1310C
Raghunadh, V.
—; Baskaran, D.; Sivaram, S.: Living Anionic Polymerization of Lauryl Methacrylate and Synthesis of Block Copolymers with Methyl Methacrylate, 875C
Rahman, M. H.
—; Nandi, A. K.: Melting and Crystallization Behavior of Poly(vinylidene fluoride) Produced Isothermally in the Intercrystalline Spaces of Poly(ethylene terephthalate) from Its Blends, 2215P
Rai, R. See Saxena, A., 4518C; Cramer, N. B., 1752C
Rajamannar, T. See Dayanada, K., 5413C
Rajulu, A. V. See Li, X. H., 666P
Raka, L. See Popovska-Pavlovska, F., 267P
Ramakrishnan, S. See Behera, G. Ch., 102C; Paul, G. K., 5271C
Ramasami, T. See Usha, R., 3859P
Ramesh, C. See Ranganathan, T., 2734C
Rameshwaram, J. K. See Jeon, H. S., 1000P
Ramirez-Castillo, E. See Percec, V., 6267C; Percec, V., 6364C
Ramis, X. See Mas, C., 3782C
Ramnani, S. P.
—; Chaudhari, C. V.; Patil, N. D.; Sabharwal, S.: Synthesis and Characterization of Crosslinked Chitosan Formed by γ Irradiation in the Presence of Carbontetrachloride as a Sensitizer, 3897C
Ramon, O. See Paz, Y., 33P
Ramsey, R. A. See Henry, R. M., 404P
Ranganathan, T.
—; Ramesh, C,; Kumar, A.: Thermotropic Liquid-Crystalline Polyesters Containing Biphenyl Mesogens in the Main Chain: The Effect of Connectivity, 2734C
Rani, D. A. See Mohri, S., 238P
Rappl, T. J. See Balsara, N. P., 1793P
Rasmussen, K. Ø.
—; Tunable Nanopatterning by Diblock Copolymers in Small Confinements, 3695P
Rastogi, R.
—; Vellinga, W. P.; Rastogi, S.; Schick, C.; Meijer, H. E. H.: The Three-Phase Structure and Mechanical Properties of Poly(ethylene terephthalate), 2092P
Rastogi, S. See Rastogi, R., 2092P; Rein, D. M., 53P

Ratinac, K. See Brand, T., 5706C
Raubenheimer, H. G. See Luruli, N., 5121C
Ravi, P. See Mao, B., 5161C
Ray, A. See Patel, M. V., 5227C
Reddy, B. S. R. See Arun, A., 3433C
Reddy, M. J. See Chu, P. P., 3866P
Reddy, S. K. See Cramer, N. B., 1752C, 5817C
Ree, M. See Kim, H.-C., 825C; Lee, S. W., 1322C
Regaño, C.
—; Alla, A.; De Ilarduya, A. M.; Muñoz-Guerra, S.: Linear Polyamides from L-Malic Acid and Alkanediamines, 1566C
Rehnberg, N. See Sangermano, M., 1415C
Rein, D. M.
—; Khalfin, R. L.; Cohen, Y.: Analysis of Melting Transitions in Extended-Chain Polymer Crystals, 2238P
—; Shavit, L.; Khalfin, R. L.; Cohen, Y.; Terry, A.; Rastogi, S.: Phase Transitions in Ultraoriented Polyethylene Fibers under Moderate Pressures: A Synchrotron X-ray Study, 53P
Reina, J. A. See Montornés, J. M., 3002C; Ronda, J. C., 326C
Reiter, G. See Vasilev, C., 1312P
Remiro, P. See Zubeldia, A., 3920P
Ren, Y.
—; Zhu, Z.; Huang, J.: Radical Copolymerization of Maleimide with Ethyl α-Ethylacrylate and α-Ethylacrylic Acid via RAFT, 3828C
Repo, T. See Kalmi, M., 1901C
Restrepo, A. S.
—; Pinzón, N. M.; Ju, L.-K.: Synthesis of pH-Sensitive Surfactants by the Terpolymerization of Methacrylic Acid, Methoxy Poly(ethylene glycol) Methacrylate, and Lauryl Methacrylate: Initiator Effect and Reactivity Ratio Study, 2950C
Reutenauer, S. See Nasser-Eddine, M., 1745C
Reybuck, S. E.
—; Waymouth, R. M.: Ethylene/1-Hexene Copolymerization with Tetramethyldisiloxane-Bridged Bis(indenyl) Metallocenes, 3323C
Rhee, B. K. See Lee, J.-Y., 3189C
Ribeiro, M. R. See Cerrada, M. L., 3797P
Riccardi, C. C.
—; Borrajo, J.; Meynie, L.; Fenouillot, F.; Pascault, J.-P.: Thermodynamic Analysis of the Phase Separation during the Polymerization of a Thermoset System into a Thermoplastic Matrix. I. Effect of the Composition on the Cloud-Point Curves, 1351P
—; Borrajo, J.; Meynie, L.; Fenouillot, F.; Pascault, J.-P.: Thermodynamic Analysis of the Phase Separation during the Polymerization of a Thermoset System into a Thermoplastic Matrix. II. Prediction of the Phase Composition and the Volume Fraction of the Dispersed Phase, 1361P
Rich, M. J. See Miyagawa, H., 4384P, 4391P
Richter, D. See Radulescu, A., 3113P
Righetti, M. C.
—; Di Lorenzo, M. L.: Melting Process of Poly(butylene terephthalate) Analyzed by Temperature-Modulated Differential Scanning Calorimetry, 2191P
Rinaldi, P. L. See Oh, J. S., 1875P
Rissanen, K. See Ropponen, J., 5574C; Strandman, S., 4189C
Ritchie, B. See Bai, J., 6143C
Rivaton, A.
—; Cambon, S.; Gardette, J.-L.: Radiochemical Aging of Ethylene-Propylene-Diene Monomer Elastomers. I. Mechanism of Degradation under Inert Atmosphere, 1239C
Robert, G. See Ibanes, C., 2633P, 3876P
Robertson, C. G.
—; García-Franco, C. A.; Srinivas, S.: Extent of Branching from Linear Viscoelasticity of Long-Chain-Branched Polymers, 1671P
—; Roland, C. M.: Local Segmental Relaxation in Bidisperse Polystyrenes, 2604P
Robertson, G. P. See Xing, P., 2866C
Robin, J. J. See Boyer, C., 5146C
Rochas, C. See Ibanes, C., 2633P
Rodríguez, E. See Katime, I., 2756C
Rodríguez, J. G.
—; Lafuente, A.; De Los Ríos, C.: Thermal Analysis of 1,4-Di[*n*'-(quinolyl]buta-1,3-diynes, Structure, and Topo-Oligomerization: Polymerization of 3-Ethynylquinoline with the Triethyl Aluminum/Vanadium 2,4-pentanedionate Catalyst System, 6031C
Rodriguez, J. See Marcilla, R., 208C
Rodríguez-Pérez, M. A. See Almanza, O., 1226P, 3741P
Rogunova, M. See Poon, B., 4357P; Jin, Y., 3380P
Roh, J. H. See Hartschuh, R., 1106P
Rojanapitayakorn, P.
—; Thongyai, S.; Covavisaruch, S.: Phase Separation of Off-Critical Polymer Blends of Poly(styrene-*co*-Maleic Anhydride) and Poly(methyl methacrylate). I. Kinetics of Spinodal Decomposition, 871P
—; Thongyai, S.; Covavisaruch, S.: Phase Separation of Off-Critical Polymer Blends of Poly(styrene-*co*-Maleic Anhydride) and Poly(methyl methacrylate). II. Morphology and Mechanical Properties, 886P
Roland, C. M.
—; Paluch, M.; Casalini, R.: Effects of the Volume and Temperature on the Global and Segmental Dynamics in Poly(propylene glycol) and 1,4-Polyisoprene, 4313P
—; See Robertson, C. G., 2604P
Ronda, J. C.
—; Reina, J. A.; Giamberini, M.: Self-Organized Liquid-Crystalline Polyethers Obtained by Grafting Tapered Mesogenic Groups onto Poly-(epichlorohydrin):

Toward Biomimetic Ion Channels 2, 326C
—; See Montornés, J. M., 3002C
Rondan, N. See Sonnenschein, M. F., 271C
Rong, M. Z. See Luo, Y., 3842C
Roper, T. M.
—; Guymon, C. A.; Jönsson, E. S.; Hoyle, C. E.: Influence of the Alkene Structure on the Mechanism and Kinetics of Thiol–Alkene Photopolymerizations with Real-Time Infrared Spectroscopy, 6283C
Roper, T. See Hoyle, C. E., 5301C
Ropponen, J.
—; Tuuttila, T.; Lahtinen, M.; Nummelin, S.; Rissanen, K.: Thermal and X-ray Powder Diffraction Studies of Aliphatic Polyester Dendrimers, 5574C
Rosa, F.
—; Bordado, J.; Casquilho, M.: Dynamic and Equilibrium Swelling of a Sulfonic Acid Superabsorbent Copolymer in Salt Solutions, 505P
Rosair, G. M. See Rabani, G., 1449C
Rosiak, J. M. See Khutoryanskiy, V. V., 515P; Mun, G. A., 1506P
Roundhill, D. M. See Tabakci, M., 186C
Roviello, A. See Casalboni, M., 3013C
Rowlands, C. C. See Chipara, M., 1960P
Ruan, D.
—; Zhang, L.; Zhang, Z.; Xia, X.: Structure and Properties of Regenerated Cellulose/Tourmaline Nanocrystal Composite Films, 367P
Rubinstein, M. See Dobrynin, A. V., 3513P
Ruckenstein, E. See Hua, F., 2179C, 4756C
Ruegg, D. See Brack, H.-P., 2612P
Ruffmann, B. See De A. Prado, L. A. S., 567P
Ruiz-Treviño, F. A. See Lagunas-Fuentes, C., 226P
Runt, J. See Zhang, S., 3405P
Rusa, C. C.
—; Uyar, T.; Rusa, M.; Hunt, M. A.; Wang, X.; Tonelli, A. E.: An Intimate Polycarbonate/Poly(methyl methacrylate)/Poly(vinyl acetate) Ternary Blend via Coalescence from Their Common Inclusion Compound with γ-Cyclodextrin, 4182P
—; Wei, M.; Shuai, X.; Bullions, T. A.; Wang, X.; Rusa, M.; Uyar, T.; Tonelli, A. E.: Molecular Mixing of Incompatible Polymers Through Formation of and Coalescence from Their Common Crystalline Cyclodextrin Inclusion Compounds, 4207P
—; See Wei, M., 386P
Rusa, M. See Rusa, C. C., 4207P, 4182C
Russo, M. V. See Sone, T., 2365C
Ruzette, A.-V. See LaCroix-Desmazes, P., 3537C
Rychlı, J. See Matisová-Rychlá, L., 648C
Ryu, J.-H. See Kim, J.-W., 2202C, 2551C; Kim, Y.-J., 5627C
Ryu, S.-O. See Ko, S. J., 2254P

Sabharwal, S. See Ramnani, S. P., 3897C
Sablin, S. S. See Al-Haik, M. S., 1586P
Saçak, M. See Mart, H., 1120C
Sadaghiani, K. See Habibi, A., 112C
Sadhu, S. See Maiti, M., 4489P
—; Bhowmick, A. K.: Preparation and Properties of Nanocomposites Based on Acrylonitrile–Butadiene Rubber, Styrene–Butadiene Rubber, and Polybutadiene Rubber, 1573P
Saf, R. See Kunz, M. J., 661C
Sahiner, N. See Pekel, N., 986P
Şahmetlioğlu, E. See Mart, H., 1120C
Saito, H. See Oda, T., 1565P; Teramoto, G., 2738P
Saito, K. See Hirashima, Y., 1090P
Sakai, R. See Tsuji, M., 4563C
Sakthivel, P.
—; Kannan, P.: Novel Thermotropic Liquid Crystalline-cum-Photocrosslinkable Polyvanillylidene Alkyl/arylphosphate Esters, 5215C
Sakurai, K.
—; Kondo, Y.; Miyazaki, K.; Okamoto, T.; Irie, S.; Sasaki, T.: Ultrahigh-Molecular-Weight-Polyethylene-Fiber Surface Treatment by Electron-Beam-Irradiation-Induced Graft Polymerization and Its Effect on Adhesion in a Styrene-Butadiene Rubber Matrix, 2595P
—; See Wu, Y., 2747P, 4107P
Sakurai, S.-I.
—; Kuroyanagi, K.; Nonokawa, R.; Yashima, E.: Atomic Force Microscopy Observation of a Helical Poly(phenylacetylene) Bearing Aza-18-*crown*-6 Ether Pendants Induced by Amino Acids, 5838C
—; Ohira, A.; Suzuki, Y.; Fujito, R.; Nishimura, T.; Kunitake, M.; Yashima, E.: Synthesis and Property of Helical Poly(phenylacetylene)s Bearing Chiral Ruthenium Complexes and Real Space Imaging of Meso- and Nanoscopic Structures by Atomic Force Microscopy, 4621C
Sakurai, T. See Tanaka, K., 2859C
Salatelli, E. See Angiolini, L., 5372C
Salavagione, H. J.
—; Acevedo, D. F.; Miras, M. C.; Motheo, A. J.; Barbero, C. A.: Comparative Study of 2-Amino and 3-Aminobenzoic Acid Copolymerization with Aniline Synthesis and Copolymer Properties, 5587C
Salimi, A.
—; Yousefi, A. A.: Conformational Changes and Phase Transformation Mechanisms in PVDF Solution-Cast Films, 3487P
Salla, J. M. See Mas, C., 3782C
Salvador, E. F. See Peinado, C., 1227C
Samuels, R. J. See Ou, R., 98P
Samuelsson, J.
—; Jonsson, M.; Brinck, T.; Johansson, M.: Thiol-Ene Coupling Reaction of Fatty Acid Monomers, 6346C
Sanchez, I. C. See Maldonado-Santoyo, M., 636P
Sanchez, J. Y. See Saunier, J., 532P, 544P, 2308P
Sanda, F.
—; Teraura, T.; Masuda, T.: Synthesis of Chiral Polyacetylenes Carrying

Amino Acids and Azobenzenes and Transformation of the Higher Order Structure by Photoirradiation, 4641C
—; See Kanki, K., 2100C; Motokucho, S., 2506C; Sumiya, K.-I., 2774C; Suzuki, K., 4276C
Sanderson, R. D. See McLeary, J. B., 960C
Sanderson, R. See Sprong, E., 2502P
Sandhya, K. Y.
—; Pillai, C. K. S.; Kumar, K. S.: New Liquid-Crystalline Poly(ester amide)s: The Role of Nitro Groups in the Phase Behavior, 1289P
Sandreczki, T. C. See Zhang, R., 2441P
Sangermano, M.
—; Bongiovanni, R.; Malucelli, G.; Priola, A.; Olbrych, J.; Harden, A.; Rehnberg, N.: Synthesis and Cationic Photopolymerization of New Silicon-Containing Oxetane Monomers, 1415C
—; See Mariani, A., 2066C
Sanguineti, A. See De Angelis, M. G., 1987P
Sano, H. See Teramoto, G., 2738P
Santi, R. See Carlini, C., 2535C
Santini, C. M. B.
—; Johnson, M. A.; Boedicker, J. Q.; Hatton, T. A.; Hammond, P. T.: Synthesis and Bulk Assembly Behavior of Linear–Dendritic Rod Diblock Copolymers, 2784C
Saragai, S. See Tashiro, K., 4175P
Sarcinelli, F. See Casalboni, M., 3013C
Sari, B. See Gök, A., 3359P
Sarti, G. C. See De Angelis, M. G., 1987P
Sasai, Y. See Kondo, S.-I., 4161C
Sasaki, M. See Kudo, H., 1528C
Sasaki, N. See Haba, O., 2943C
Sasaki, S. See Pakjamsai, C., 4587C; Tashiro, K., 4175P
Sasaki, T. See Sakurai, K., 2595P; Wu, Y., 2747P, 4107P
Sasaki, Y. See Haba, O., 2943C
Sasao, N. See Michinobu, T., 1912C
Sastry, T. P. See Noorjahan, S. E., 2241C
Sathyanarayana, D. N. See Savitha, P., 4300
Satija, S. K. See Esker, A. R., 3248P; Gallagher, P. D., 4126P; Koga, T., 3282P
Satija, S. See Yim, H., 3302P
Sato, E.
—; Zetterlund, P. B.; Yamada, B.: Macromonomer Synthesis Using α-(2-Methyl-2-phenylpropyl)acrylates as Addition–Fragmentation Chain-Transfer Agents Expelling the Cumyl Radical, 6021C
Sato, H. See Hirashima, Y., 1090P
Sato, T.
—; Higashida, N.; Hirano, T.; Seno, M.: Initiator-Fragment Incorporation Radical Copolymerization of Divinylbenzene and *N*-Isopropylacrylamide with Dimethyl 2,2′-Azobisisobutyrate: Formation of Soluble Hyperbranched Polymer Nanoparticle, 1609C
—; See Hirano, T., 4404C, 4895C; Masaki, K., 4437C
Satoh, M. See Minato, T., 4412P
Satoh, T. See Tsuji, M.4563C
Sauer, B. B.
—; McLean, R. S.; Gaymans, R. J.; Niesten, M. C. J. E.: Crystalline Morphologies in Segmented Copolymers with Hard Segments of Uniform Length, 1783P
Saunier, J.
—; Alloin, F.; Sanchez, J. Y.; Barrière, B.: Plasticized Microporous Poly(vinylidene fluoride) Separators for Lithium-Ion Batteries. I. Swelling Behavior of Dense Membranes with Respect to a Liquid Electrolyte—Characterization of the Swelling Equilibrium, 532P
—; Alloin, F.; Sanchez, J. Y.; Barrière, B.: Plasticized Microporous Poly(vinylidene fluoride) Separators for Lithium-Ion Batteries. II. Poly(vinylidene fluoride) Dense Membrane Swelling Behavior in a Liquid Electrolyte—Characterization of the Swelling Kinetics, 544P
—; Alloin, F.; Sanchez, J. Y.; Maniguet, L.: Plasticized Microporous Poly(vinylidene fluoride) Separators for Lithium-Ion Batteries. III. Gel Properties and Irreversible Modifications of Poly(vinylidene fluoride) Membranes under Swelling in Liquid Electrolytes, 2308P
Sauvage, E.
—; Amos, D. A.; Antalek, B.; Schroeder, K. M.; Tan, J. S., Plucktaveesak, N.; Colby, R. H.: Amphiphilic Maleic Acid-Containing Alternating Copolymers—1. Dissociation Behavior and Compositions, 3571P
—; Plucktaveesak, N.; Colby, R. H.; Amos, D. A.; Antalek, B.; Schroeder, K. M.; Tan, J. S.: Amphiphilic Maleic Acid-Containing Alternating Copolymers—2. Dilute Solution Characterization by Light Scattering, Intrinsic Viscosity, and PGSE NMR Spectroscopy, 3584P
Sauvet, G. See Kazmierski, K., 1682C
Savariar, E. N.
—; Thayumanavan, S.: Controlled Polymerization of *N*-Isopropylacrylamide with an Activated Methacrylic Ester, 6340C
Savin, D. A.
—; Larson, A. M.; Lodge, T. P.: Effect of Composition on the Width of the Calorimetric Glass Transition in Polymer–Solvent and Solvent–Solvent Mixtures, 1155P
Savitha, P.
—; Sathyanarayana, D. N.: Synthesis and Characterization of Electrically Conducting Poly(*o*-/*m*-toluidine-*co*-*o*-/*m*-aminoacetophenone) Copolymers, 4300
Sawamoto, M. See Kakuchi, T., 4479C
Saxena, A.
—; Rai, R.; Ohira, A.; Fujiki, M.: Spectroscopic Evidence for Diastereomeric Helical Segments of Polysilane Bearing Enantiopure *(S)*- and *(R)*-3,7-Dimethyloctyl Groups, 4518C
Sbrana, G. See Carlini, C., 2534C
Schadler, L. S. See Ash, B. J., 4371P

Scherer, G. G. See Brack, H.-P., 59C, 2612P
Scherzer, T.
—; Photopolymerization of Acrylates without Photoinitiators with Short-Wavelength UV Radiation: A Study with ReaL-Time Fourier Transform Infared Spectroscopy, 894C
Schick, C. See Rastogi, R., 2092P
Schiraldi, D. A. See Hibbs, M. R., 1668C
Schirrer, R. See Fond, C., 1476P
Schmelzeisen, R. See Pfister, A., 624C
Schmid, G. M. See Jones, R. L., 3063P
Schmidt, B. See Kotek, R., 4247P
Schmidt, G. See Malwitz, M. M., 3102P
Schmidt, P. See Meszároš, O., 714C
Schneider, A.
—; Schuld, N.; Bercea, M.; Wolf, B. A.: On What Terms and Why the Thermodynamic Properties of Polymer Solutions Depend on Chain Length up to the Melt, 1601P
Schrauwen, B. A. G. See Van Dommelen, J. A. W., 2983P
Schreiber, H. P. See Banik, I., 2545P
Schroeder, K. M. See Sauvage, E., 3571P, 3584P
Schubert, D. See Mayer, G.
Schubert, U. S. See Fijten, M. W. M., 5775C; Hofmeier, H., 4028C; Hoogenboom, R., 1830C; Lohmeijer, B. G. G., 4016C; Marin, V., 374C; Mayer, G., 4458C; Yang, S. Y., 4153C; Zhang, H., 1876C, 4882C
Schuld, N. See Schneider, A., 1601P
Schulte, K. See De A. Prado, L. A. S., 567P
Schulte, T.
—; Knoop, C. A.; Studer, A.: Nitroxide-Mediated Living Free-Radical Polymerization of Styrene: A Systematic Study of the Variation of the Alkoxyamine Concentration, 3342C
Schultz, C.-L. See Kricheldorf, H. R., 3751C
Schumann, H. See Sun, J., 6071C
Schurtenberger, P. See Pedersen, J. S., 3081P
Schurz, J.
—; Life—A Complex Polymer System, 471C
Schwahn, D. See Abbas, B., 3179P; Radulescu, A., 3113P
Schwarz, G. See Kricheldorf, H. R., 3751C, 5725C
Schwarz, S. See Dragan, E. S., 2495C, 5244C
Scorah, M. J.
—; Dhib, R.; Penlidis, A.: Free-Radical Polymerization of Methyl Methacrylate with a Tetrafunctional Peroxide Initiator, 5647C
Scranton, A. See Kim, D., 5863C
Scranton, A. B. See Gou, L., 1285C; Sipani, V., 4409C
Seferis, J. C. See Williams, E. P. M., 1P
Séguéla, R. See Ibanes, C., 2633C, 3876P
Seifert, M.
—; Hesse, S.; Kabrelian, V.; Klemm, D.: Controlling the Water Content of Never Dried and Reswollen Bacterial Cellulose by the Addition of Water-Soluble Polymers to the Culture Medium, 463C
Seki, K. See Fujimori, A., 2329P
Seki, Y. See Fujita, M., 1107C
Selb, J. See Kujawa, P., 1640P
Sellarès, J. See Tamayo, I., 4164P
Semsarzadeh, M. A. See Habibi, A., 112C
Sen, A. See Liu, S., 6175C
Seno, M. See Hirano, T., 4404C, 4895C; Masaki, K., 4437C; Sato, T., 1609C
Seo, B.-S. See Chang, J.-H., 3667P
Seo, E. Y. See Lee, D. W., 2747C
Seo, H.-U. See Jin, S.-H., 2347C
Seo, K. S. See Kim, M. S., 5784C
Seo, M.-K. See Park, S.-J., 2419P
Seo, T. See Wu, Y., 2747P, 4107P
Seo, Y. S. See Koga, T., 3282P
Seppälä, J. See Lipponen, S., 1461C
Sergaziyev, A. D. See Khutoryanskiy, V. V., 515P; Mun, G. A., 1506P
Serra, A. See Castell, P., 3631C; Mas, C., 3782C
Seth, T. See Kulkarni, M. V., 2043C
Seul, S. D.
—; Lee, S. R.; Kim, Y. H.: Poly(methyl methacrylate) Encapsulation of Calcium Carbonate Particles, 4063C
Shaikh, S.
—; Puskas, J. E.; Kaszas, G.: A New High-Throughput Approach to Measure Copolymerization Reactivity Ratios Using Real-Time FTIR Monitoring, 4084C
Shan, Y. See Sun, J., 6071C
Shang, C. T. S. See Krishnan, P. S. G., 4036C
Shanmugam, T. See Nasar, A. S., 4047C
Shao, J. See Yang, X., 4195P
Sharma, S. C. See Henry, R. M., 404P
Sharp, J. S. See Fakhraai, Z., 4503P
Sharpless, K. B. See Díaz, D. D., 4392C
Shavit, L. See Rein, D. M., 53P
Shaw, M. T. See Liu, Z., 1496P; Xu, T., 1725P
Shen, C.-H. See Wu, S.-H., 3954C, 6061C
Shen, D. See Zhang, Y., 4440P
Shen, J. See Xie, H., 3701P
Shen, K. See Zhang, J., 2385P
Shen, K.-Z. See Li, Z.-M., 4095P
Shen, S. See Xu, G., 2649P
Shen, Y. See Ding, S., 22C, 3553C, 5794C
Shen, Z. See Yu, C., 6209C
Shi, G. See Qu, L., 3170C; Wu, X., 3049C
Shi, L.
—; Boduch-Lee, K. A.; Henssler, J. T.; Beckman, E. J.; Chapman, T. M.: Synthesis and Characterization of Alkylated *N*-vinylformamide Monomers and Their Polymers, 4994C
Shi, M. See Zheng, Z., 463P
Shi, W. See Xu, G., 2649P
Shi, X. See Wang, L., 6259C
Shibasaki, Y. See Tsuchiya, K., 2235C; Watanabe, Y., 144C
Shibata, N. See Baigude, H., 1400C
Shibayama, M. See Okabe, S., 1841P
Shibuya, A. See Kuroki, T., 2395C
Shibuya, T. See Miyazawa, A., 1841C
Shieh, J.-Y.
—; Yang, S.-P.; Wu, M.-F.; Wang, C.-S.: Synthesis and Characterization of Novel Low-Dielectric Cyanate Esters, 2589C

Shieh, Y.-T
—; Liu, K.-H.: Conformational Changes of Poly(ethylene oxide) in Poly(ethylene oxide)/Poly(methyl methacrylate) Blends by Supercritical Carbon Dioxide, 2479P
Shim, S. E.
—; Yang, S.; Choe, S.: Mechanism of the Formation of Stable Microspheres by Precipitation Copolymerization of Styrene and Divinylbenzene, 3967C
—; Yang, S.; Choi, H. H.; Choe, S.: Fully Crosslinked Poly(styrene-*co*-divinylbenzene) Microspheres by Precipitation Polymerization and Their Superior Thermal Properties, 835C
—; See Lee, K., 1114P
Shimada, S.
—; Takahasi, Y.; Sugino, Y.; Hara, S. Yamamoto, K.: Autonomic Healing of a Pinhole in Polyethylene and Photografted Polyethylene-*g*-Poly(hexyl methacrylate) Films, 1705P
—; See Hara, S., 1539P
Shimizu, K. See Huang, C.-I., 2995P
Shimokuri, T.
—; Kaneko, T.; Akashi, M.: Specific Thermosensitive Volume Change of Biopolymer Gels Derived from Propylated Poly(γ-glutamate)s, 4492C
Shimoyama, N. See Harada, M., 758P
Shin, D.-C.
—; Kim, Y.-H.; You, H.; Jin, J. G.; Kwon, S.-K.: Intramolecular Energy Transferable (2,2-Diphenylvinyl)phenyl Substituted Poly(*p*-phenylenevinylene) Derivative with Efficient Photoluminescence and Electroluminescence, 5636C
Shin, I. D. See Wei, M., 1369P
Shin, K. See Okamura, H., 3685C
Shin, Y.-D. See Ahn, J.-H., 933C
Shinohara, K.-I.
—; Kitami, T.; Nakamae, K.: Direct Measurement of Structural Diversity in Single Molecules of a Chiral Helical π-Conjugated Polymer, 3930C
—; See Aoki, T., 4502C
Shiomi, T. See Takeshita, H., 4199P; Yaegashi, T., 999C
Shiono, T. See Ban, H. T., 2698C; Hagihara, H., 52C, 5600C
Shipp, D. A.
—; Yu, X.: Kinetic Analysis of Styrene Atom Transfer Radical Polymerization: Extraction of Radical-Radical Termination Rate Coefficients, 5548C
—; See Zhao, H., 916C
Shirai, M. See Okamura, H., 3685C; Suyama, K., 2612C
Shirazi, H. M. See Smith, A. L., 3893P
Shrinivas, V. See Nasar, A. S., 4047C
Shter, G. E. See Silverstein, M. S., 1023P
Shu, C.-F. See Chen, C.-H., 3314C
Shuai, X. See Rusa, C. C., 4207P
Shull, K. R.
—; Creton, C.: Deformation Behavior of Thin, Compliant Layers Under Tensile Loading Conditions, 4023P
—; See McSwain, R. L., 3809P
Shustak, G. See Weiss, Z., 1658C
Siakali-Kioulafa, E. See Pitsikalis, M., 4177C
Sibrian-Vazquez, M.
—; Spivak, D. A.: Characterization of Molecularly Imprinted Polymers Employing Crosslinkers with Nonsymmetric Polymerizable Groups, 3668C
Sics, I. See Toki, S., 956P
Siddappa, K. See Singh, T. J., 1299P
Sides, S. W.
—; Grest, G. S.; Stevens, M. J.; Plimpton, S. J.: Effect of End-Tethered Polymers on Surface Adhesion of Glassy Polymers, 199P
Siegel, R. W. See Ash, B. J., 4371P
Sift, R. See Nesvadba, P., 3332C
Sikora, A. See Toman, L., 6098C
Silverstein, M. S.
—; Najary, Y.; Grader, G. S.; Shter, G. E.: Complex Formation and Degradation in Poly(Acrylonitrile-*co*-Vinyl Acetate) Containing Copper Nitrate, 1023P
Silvestre, C.
—; Cimmino, S.; Lin, J. S.: Structure, Morphology, and Crystallization Process of Isotactic Polypropylene/Hydrogenated Hydrocarbon Resin Blends, 3368P
Simanek, E. E. See Gonzalez, S. O., 6309C
Simão, R. A. See Soares, B. G., 4053P
Simionescu, B. C. See Iojoiu, C., 689C
Simpson, T.R.E.
—; Tabatabaian, Z.; Jeynes, C.; Parbhoo, B.; Keddie, J. L.: Influence of Interfaces on the Rates of Crosslinking in Poly(dimethyl siloxane) Coatings, 1421C
Sindhu, S.
—; Valiyaveettil, S.: Design and Synthesis of Optically Transparent Calcium-Incorporated Polymer Complexes, 4459P
Singh, T. J.
—; Ganeshsanjeev; Siddappa, K.; Bhat, S. V.: Large Enhancement of the Ionic Conductivity in an Electron-Beam-Irradiated [Poly(ethylene glycol)]$_x$LiClO$_4$ Solid Polymer Electrolyte, 1299P
Siow, Y.-P. See Mya, K. Y., 3490C
Sipani, V.
—; Kirsch, A.; Scranton, A. B.: Dark Cure Studies of Cationic Photopolymerizations of Epoxides: Characterization of Kinetic Rate Constants at High Conversions, 4409C
Sirigu, A. See Casalboni, M., 3013C
Sivakumar, M. See Mahesh, K. P. O., 3439P
Sivaniah, E. See Hexemer, A., 411P
Sivaram, S. See Raghunadh, V., 875C
Six, J.-L. See Nouvel, C., 2577C
Skidd, G. See Percec, S., 541C
Skidmore, C. B. See Smith, G. S., 3258P
Skordos, A. A.
—; Partridge, I. K.: Determination of the Degree of Cure under Dynamic and Isothermal Curing Conditions

with Electrical Impedance Spectroscopy, 146P
Skrifvars, M. See Pavlyuchenko, V. N., 2225C
Slaski, M. See Brack, H.-P., 59C, 2612P
Slavov, S. See Guo, Q., 2833P
Slomkowski, S. See Basinska, T., 615C
Smid, J.
—; The Discovery of Two Kinds of Ion Pairs, 3655C
Šmit, I. See Denac, M., 1255P
Smith, A. L.
—; Mulligan, S. R. B.; Shirazi, H. M.: Determining the Effects of Vapor Sorption in Polymers with the Quartz Crystal Microbalance/Heat Conduction Calorimeter, 3893P
Smith, Dennis W., Jr. See Jin, J., 5292C
Smith, G. S.
—; Skidmore, C. B.; Howe, P. M.; Majewski, J.: Diffusion, Evaporation, and Surface Enrichment of a Plasticizing Additive in an Annealed Polymer Thin Film, 3258P
—; See Hamilton, W. A., 3290P
Smith, P. R. See Liao, L., 5853C
Soares, B. G.
—; Leyva, M. E.; Moreira, V. X.; Barcia, F. L.; Khastgir, D.; Simão, R. A.: Morphology and Dielectric Properties of an Epoxy Network Modified by End-Functionalized Liquid Polybutadiene, 4053P
Soares, J. B. P. See Beigzadeh, D., 3055C
Soares, V. L. P. See Bucknall, C. B., 2168P
Sokolov, A. P. See Ding, Y., 994P, 3505P; Hartschuh, R., 1106P
Sokolov, J. C. See Koga, T., 3282P
Soldi, V. See Domenech, S. C., 1767P
Soles, C. L.
—; Douglas, J. F., Wu, W.-L.: Dynamics of Thin Polymer Films: Recent Insights from Incoherent Neutron Scattering, 3218P
—; See Hartschuh, R., 1106P
Soloukhin, V. A. See Boersma, A., 1628P
Somayaji, V. See Bai, J., 6143C
Sommazzi, A. See Carlini, C., 2534C
Somorjai, G. A. See Opdahl, A., 421P
Son, W. K.
—; Youk, J. H.; Lee, T. S.; Park, W. H.: Electrospinning of Ultrafine Cellulose Acetate Fibers: Studies of a New Solvent System and Deacetylation of Ultrafine Cellulose Acetate Fibers, 5P
Sone, T.
—; D'Amato, R.; Mawatari, Y.; Tabata, M.; Furlani, A.; Russo, M. V.: Copolymers of Phenylacetylene and *Para*-nitrophenylacetylene with Nonlinear Optical Properties: Further Insight on the Conformational Structure, 2365C
Song, B. J.
—; Park, J. K.; Kim, H. K.: Novel Photocurable Multifunctional Acrylate Monomers Containing Perfluorinated Aromatic Units and Their Copolymers for Photonic Applications, 6375C
Song, L. See Wang, Q., 38C
Song, M. J.
—; Lee, D. S.; Ahn, J. H.; Kim, D. J.; Kim, S. C.: Thermosensitive Sol-Gel Transition Behaviors of Poly(ethylene oxide)/Aliphatic Polyester/Poly(ethylene oxide) Aqueous Solutions, 772C
Song, N.
—; Qi, W.; Qiu, X.; Gao, L.; Ding, M.: Synthesis and Chirooptical Properties of Optically Active Poly(ester imide)s Based on Axially Asymmetric 1,1′-Binaphthyls, 4318C
Song, N. W. See Lee, J. S., 557C
Song, Y.
—; Zheng, Q.; Yi, X.-S.: Reversible Nonlinear Conduction in High-Density Polyethylene/Acetylene Carbon Black Composites at Various Ambient Temperatures, 1212P
Song, Z. See Xu, X., 1042P
Sonnenschein, M. F.
—; Rondan, N,; Wendt, B. L.; Cox, J. M.: Synthesis of Transparent Thermoplastic Polyurethane Elastomers, 271C
Soo, P. L.
—; Eisenberg, A.: Preparation of Block Copolymer Vesicles in Solution, 923P
Sorochinskaya, O. V. See Pavlyuchenko, V. N., 2225C
Souzy, R.
—; Ameduri, B.; Boutevin, B.: Synthesis of Functional Polymers–Vinylidene Fluoride Based Fluorinated Copolymers and Terpolymers Bearing Bromoaromatic Side-Group, 5077C
Spěváček, J. See Toman, L., 6098C
Spiess, H. W.
—; Advanced Solid-State Nuclear Magnetic Resonance for Polymer Science, 5031C
Spiliopoulos, I. K. See Karastatiris, P., 2214C; Mikroyannidis, J. A., 1768C, 2112C
Spivak, D. A. See Sibrian-Vazquez, M., 3668C
Sprong, E.
—; De Wet-Roos, D.; Tonge, M.; Sanderson, R.: Solution and Latex Properties of Model Alkali-Soluble Rheology Modifiers, Synthesized via the Reversible Addition–Fragmentation Chain Transfer Process, and the Effects of the Ethylene Oxide Chain Length on the Rheological Properties, 2502P
Srinivas, S. See Robertson, C. G., 1671P
Srivastava, A. K. See Tripathi S., 2060C
Stamm, M. See Tommaseo, G., 3311P
Stankova, M. See Kostov, G., 1693C
Stansbury, J. W. See Lin, Y., 1985C
Start, P. R. See Yebasssa, D., 1310C
Stebani, U. See Becquart, F., 1618C
Steffen, W. See Tommaseo, G., 3311P
Stenzel, M. H. See Barner, L., 5067C; Charton, N., 5170C; Hao, X., 5877C; Szablan, Z., 2432C
Stergiou, A. See Papageorgiou, G. Z., 843P
Stevens, M. J. See Lorenz, C. D., 3333P; Sides, S. W., 199P
Stewart, M. D. See Jones, R. L., 3063P

Stobl, G. See Al-Hussein, M., 2074P
Stöeva, V. See Oh, J. K., 3479C
Stoffer, J. O. See Zhang, D., 4230P
Storey, R. F. See Messman, J. M., 6238C; Taylor, S. J., 5942C
Strandman, S.
—; Luostarinen, M.; Niemelä, S.; Rissanen, K.; Tenhu, H.: Resorcinarene-Based ATRP Initiators for Star Polymers, 4189C
Stubbe, B. G. See Amsden, B. G., 3397P
Studer, A. See Schulte, T., 3342C
Su, X.-M. See Zhang, Z.-Q., 4311C
Su, Y.-Y. See Yang, C.-P., 222C
Su, Y.-Z.
—; Niu, Y.-P.; Xiao, Y.-Z.; Xiao, M.; Liang, Z.-X.; Gong, K.-C.: Novel Conducting Polymer Poly[bis(phenylamino)disulfide]: Synthesis, Characterization, and Properties, 2329C
Sudo, A. See Motokucho, S., 2506C; Nagai, D., 5384C; Tanaka, M., 4417C, 5026C
Sudol, E. D. See Pan, G., 4921C
Sugawara, A. See Nagai, K., 2407P
Sugihara, S.
—; Kanaoka, S,; Aoshima, S.: Stimuli-Responsive ABC Triblock Copolymers by Sequential Living Cationic Copolymerization: Multistage Self-Assemblies through Micellization to Open Association, 2601C
Sugimoto, H.
—; Inoue, S.: Copolymerization of Carbon Dioxide and Epoxide, 5561
Sugimoto, Y. See Yasuniwa, M., 25P
Sugino, Y. See Shimada, S., 1705P
Sugishita, K. See Higashi, F., 44C
Sugita, A.
—; Tasaka, S.: Electric-Field-Induced Chain Orientation in Poly(L-lactic acid), 4433P
Sugita, T. See Endo, K., 2904C
Sugita, Y. See Suzuki, K., 4276C
Sugiyama, J. See Hagihara, H., 5600C
Sugizaki, T.
—; Kashio, M.; Kimura, A.; Yamamoto, S.-I.; Moriya, O.: Graft Polymerization of Polysilsesquioxane Containing Chloromethylphenyl Groups by Atom Transfer Radical Polymerization, 4212C
Suh, D. H. See Yang, N. C., 1058C
Suh, K.-D. See Kim, J.-W., 2202C, 2551C; Kim, Y.-J., 5627C
Suh, K. S. See Kim, T. Y., 2813P
Sumerlin, B. S.
—; Lowe, A. B.; Thomas, D. B.; Convertine, A. J.; Donovan, M. S.; McCormick, C. L: Aqueous Solution Properties of pH-Responsive AB Diblock Acrylamido–Styrenic Copolymers Synthesized via Aqueous Reversible Addition–Fragmentation Chain Transfer, 1724C
Sumi, Y. See Higashi, F., 2321C
Sumiya, K.-I.
—; Kwak, G.; Sanda, F.; Masuda, T.: Synthesis and Properties of Blue Light-Emitting, Silicon-Containing, Regio- and Stereoregular Conjugated Polymers, 2774C
Sun, H.
—; Liu, Z.; Hu, Y.; Wang, L.; Ma, D.; Jing, X.; Wang, F.: Crosslinkable Poly(*p*-phenylenevinylene) Derivative, 2124C
Sun, J. See Tang, Z., 5974C
—; Shan, Y.; Xu, Y.; Cui, Y.; Schumann, H.; Hummert, M.: Novel Cyclohexyl-Substituted Salicylaldiminato-Nickel(II) Complex as a Catalyst for Ethylene Homopolymerization and Copolymerization, 6071C
Sun, R. See Zong, L., 2871P
Sun, W.-H. See Zhang, T., 4765C
Sun, W. See Lau, B. K., 2014P
Sun, X. See Yang, X., 4195P
Sun, Y.
—; Zhang, Z.; Moon, K.-S.; Wong, C. P.: Glass Transition and Relaxation Behavior of Epoxy Nanocomposites, 3849P
—; See Braun, M., 3818C; Yang, P., 4074C
Sundar, S. See Kim, S.-U., 4303P; Lee, C., 861P; Lee, L., 3612C, 3621C; Yang, S.-J., 4293P
Sung, K. H. See Chae, K. H., 975C
Supaphol, P.
—; Apiwanthanakorn, N.: Nonisothermal Cold-Crystallization Kinetics of Poly(Trimethylene Terephthalate), 4151P
—; Dangseeyun, N.; Thanomkiat, P.; Nithitanakul, M.: Thermal, Crystallization, Mechanical, and Rheological Characteristics of Poly(trimethylene terephthalate)/Poly(ethylene terephthalate) Blends, 676P
Suyama, K.
—; Iriyama, H.; Tsunooka, M.; Shirai, M.: Crosslinking of Oligomers Bearing Carbamoyloxyimino Groups with Their Photochemical and Thermal Reactions, 2612C
Suzuki, A.
—; Nagai, D.; Ochiai, B.; Endo, T.: Facile Synthesis and Crosslinking Reaction of Trifunctional Five-Membered Cyclic Carbonate and Dithiocarbonate, 5983C
—; See Hirashima, Y., 1090P; Ye, J., 3677P
Suzuki, K.
—; Horii, H.; Sugita, Y.; Sanda, F.; Endo, T.: Role of Cyclic Dithiocarbonate as a Promoter in the Reaction of Epoxide and Imine in the Presence of Water, 4276C
—; Oku, J.-I.; Izawa, K.; Okabayashi, H.-F.; Noda, I.; O'Connor, C. J.: Two-Dimensional Correlation Gel Permeation Chromatography Study of Aggregate–Aggregate Interactions during Acid-Catalyzed Polymerization of Triethoxysilyl-Terminated Polystyrene, 3447P
—; See Kato, S.-I., 2631C
Suzuki, M. See Tsuchiya, K., 2235C
Suzuki, R. See Uedono, A., 341P
Suzuki, T. See Kwak, S.-Y., 3853C
Suzuki, Y.
—; Hiraoko, S.; Yokoyama, A.; Yokozawa, T.: Solvent Effect on Chain-Growth Polycondensation for Aromatic Polyethers, 1198C
—; See Sakurai, S.-I., 4621C
Swei, G. S. See Chau, K. W., 3013P

Switek, K. A. See Radhakrishnan, K., 853C
Szablan, Z.
—; Toy, A. A.; Davis, T. P.; Hao, X.; Stenzel, M. H.; Barner-Kowollik, C.: Reversible Addition Fragmentation Chain Transfer Polymerization of Sterically Hindered Monomers: Toward Well-Defined Rod/Coil Architectures, 2432C
Szadkowska-Nicze, M.
—; Mayer, J.: Ionic and Excited Species in Irradiated Poly(dimethylsiloxane) Doped with Pyrene, 6125C
Szczubialka, K.
—; Moczek, L.; Blaszkiewicz, S.; Nowakowska, M.: Photocrosslinkable Smart Terpolymers Responding to pH, Temperature, and Ionic Strength, 3879C
Szilágyi, A. See Csetneki, I., 4802C

Tabakci, M.
—; Memon, S.; Yilmaz, M.; Roundhill, D. M.: Oligomeric Calix[4]arene-thiacrown Ether for Toxic Heavy Metals, 186C
Tabata, M. See Sone, T., 2365C
Tabatabaian, Z. See Simpson, T. R. E., 1421C
Tabtiang, A.
—; Phochalam, N.; Venables, R.: Effects of the Copolymer Microstructure on the Morphology of Polyethylene–Poly(ethylene-*co*-α-olefin) Blends, 965P
Taghizadeh, M. T.
—; Mehrdad, A.: Ultrasonic Degradation of Solutions of Poly(vinyl acetate) in Dioxan; The Effects of the Temperature and Polymer Concentration, 445P
Taha, M. See Becquart, F., 1618C
Takagi, K. See Kato, S.-I., 2631C; Nishioka, N., 1208C
Takahagi, T. See Kawa, M., 2680P
Takahara, A. See Kajiyama, T., 639C
Takahashi, M. See Itsuno, S., 4556C
Takahashi, Y.
—; Kumano, T.: Neutron Crystal Structure Analysis of Polyethylene-d_4: The Application of a Neutron Imaging Plate, 3836P
—; See Shimada, S., 1705P
Takakura, T. See Higashi, F., 2321C
Takata, T. See Maeda, T., 4693C
Takeishi, M. See Temma, T., 4607C
Takemura, A. See Kanoh, S., 4570C
Takenaka, K. See Takeshita, H., 4199P; Yaegashi, T., 999C
Takeshita, H.
—; Ishii, N.; Araki, C.; Miya, M.; Takenaka, K.; Shiomi, T.: Crystallization and Structure Formation of Block Copolymers Containing a Glassy Amorphous Component, 4199P
—; See Yaegashi, T., 999C
Takeuchi, K. See Hagihara, H., 52C, 5600C; Uozumi, T., 1069C
Takeuchi, T. See Maeda, T., 4693C
Takeyama, H. See Okuhira, H., 1137P
Talbot, J. D. R.
—; The Kinetics of the Epoxy Amine Cure Reaction from a Solvation Perspective, 3579C
—; See Moniruzzaman, M., 2886C
Talu, M. See Gök, A., 3359P
Tam, K. C. See Lam, Y. C., 302P
Tam, K.-C. See Mao, B., 5161C
Tamai, S. See Kuroki, T., 2395C; Liu, S. L., 2769P
Tamanishi, H. See Hirashima, Y., 1090P
Tamaoki, N. See Akiyama, H., 5200C
Tamayo, I.
—; Belana, J.; Diego, J. A.; Cañadas, J. C.; Mudarra, M.; Sellarès, J.: Space Charge Studies of Crosslinked Polyethylene Midvoltage Cable Insulation by Thermally Stimulated Depolarization Current, Infrared/Fourier Transform Infrared, and Scanning Electron Microscopy, 4164P
Tambe, S. S. See Kalgaonkar, R. A., 2657P
Tan, J. S. See Sauvage, E., 3571P, 3584P
Tanahashi, S. See Hashimoto, T., 3729C
Tanaka, F. See Furuya, T., 733P
Tanaka, H. See Morisaki, Y., 5891C
Tanaka, K.
—; Nakamura, K.; Yoshioka, N.; Kameyama, A.; Igarashi, T.; Sakurai, T.: Abilities of 1-(9-Anthrylmethyloxy)-2-pyridone and Related Compounds to Initiate Radical and Cationic Photopolymerizations, 2859C
—; See Guo, X., 1432C; Kajiyama, T., 639C
Tanaka, M.
—; Sudo, A.; Endo, T.: Samarium Enolate on Crosslinked Polystyrene Beads. III. Anionic Initiator for Well-Defined Synthesis of Poly(hydroxyethyl methacrylate) on Solid Support, 4417C
—; Sudo, A.; Endo, T.: Solid-Supported Synthesis of Well-Defined Polymethacrylate with Samarium(III) Enolate Immobilized on Polystyrene Beads through an Acetal-Type Linker, 5026C
—; See Mori, T., 2651C; Uozumi, T., 1069C
Tandon, P. See Pande, S., 316P
Tang, B. Z. See Geng, J., 1333P
Tang, H. See Ding, S., 5794C
Tang, T. See Wei, L., 941C
Tang, X. See Zheng, Z., 463P
Tang, Y.
—; Hu, Y.; Li, B.; Liu, L.; Wang, Z.; Chen, Z.; Fan, W.: Polypropylene/Montmorillonite Nanocomposites and Intumescent, Flame-Retardant Montmorillonite Synergism in Polypropylene Nanocomposites, 6163C
Tang, Z.
—; Chen, X.; Yang, Y.; Pang, X.; Sun, J.; Zhang, X.; Jing, X.: Stereoselective Polymerization of *rac*-Lactide with a Bulky Aluminum/Schiff Base Complex, 5974C
Tanimura, S.
—; Matsuoka, T.: Proton Transfer in Nafion Membrane by Quantum Chemistry Calculation, 1905P
Tannenbaum, R. See Al-Haik, M. S., 1586P
Tasaka, S. See Sugita, A., 4433P
Tasaki, S. See Lio, K., 1707C
Tashiro, K.
—; Sasaki, S.; Saragai, S.: Time-Resolved Wide-Angle X-Ray Scattering Measurements

during the Isothermal Crystallization and Ferroelectric Phase-Transition Processes of a Vinylidene Fluoride/Trifluoroethylene Copolymer, 4175P
Taylor, S. J.
—; Storey, R. F.: Tetrafunctional Initiators for Cationic Polymerization of Olefins, 5942C
Temma, T.
—; Kobayashi, M.; Agata, Y.; Yamane, T.; Miura, J.; Takeishi, M.: Syntheses of Helical Polymers through the Combination of Axially Dissymmetric Segments, 4607C
Teng, C.
—; Yang, K.; Ji, P.; Yu, M.: Synthesis and Characterization of Poly(L-lactic acid)-Poly(ε-caprolactone) Multiblock Copolymers by Melt Polycondensation, 5045C
—; Yang, K.; Ji, P.; Yu, M.: Synthesis and characterization of poly(L-lactic acid)-poly(ε-caprolactone) multiblock copolymers by melt polycondensation, 5845C
Teng, G. M. See Wan, C. Y., 286P
Tenhu, H. See Strandman, S., 4189C
Teraguchi, M. See Aoki, T., 4502C
Teramoto, G.
—; Oda, T.; Saito, H.; Sano, H.; Fujita, Y.: Morphology Control of Polypropylene by Crystallization under Carbon Dioxide, 2738P
Teraura, T. See Sanda, F., 4641C
Terrill, N. J. See Arrighi, V., 4000P
Terry, A. See Rein, D. M., 53P
Terui, Y.
—; Ando, S.: Coefficients of Molecular Packing and Intrinsic Birefringence of Aromatic Polyimides Estimated Using Refractive Indices and Molecular Polarizabilities, 2354P
Tervoort, T. A.
—; Govaert, L. E.: Craze-Initiation Kinetics in Polystyrene, 2066P
—; See Govaert, L. E., 2041P
Tew, G. N. See Arnt, L., 3860C
Thames, S. F. See Diamond, K. L., 1164P
Thanomkiat, P. See Supaphol, P., 676P
Thayumanavan, S. See Savariar, E. N., 6340C
Theis, A. See Charton, N., 5170C
Thomas, A. G. See Busfield, J. J. C., 2161P; Fuller, K. N. G., 2181P
Thomas, D. B. See Sumerlin, B. S., 1724C
Thomas, R.
—; Abraham, J.; Thomas, Selvin; Thomas, Sabu: Influence of Carboxyl-Terminated (Butadiene-*co*-acrylonitrile) Loading on the Mechanical and Thermal Properties of Cured Epoxy Blends, 2531P
Thomas, S. See Bandyopadhyay, G. G., 1417P
Thomas, Sabu See Thomas, R., 2531P
Thomas, Selvin See Thomas, R., 2531P
Thongyai, S. See Rojanapitayakorn, P., 871P, 886P
Tichy, S. E. See Gonzalez, S. O., 6309C
Timmins, G. S. See Alam, T. M., 5929C
Tinani, M. See Bianchi, R. F., 1033P
Tirrell, D. A.
—; Otto Vogl from '74 to 75, 389C
Tjong, S. C.
—; Bao, S. P.: Preparation and Nonisothermal Crystallization Behavior of Polyamide 6/Montmorillonite Nanocomposites, 2878P
—; See Li, X. H., 666P
Tobita, H.
—; Heterochain Model for Simultaneous Long-Chain Branching and Crosslinking. I. Matrix Formula for the Weight-Average Molecular Weights, 2780P
—; Heterochain Model for Simultaneous Long-Chain Branching and Crosslinking. II. Application to Free-Radical Polymerization, 2791P
—; Heterochain Model for Simultaneous Long-Chain Branching and Crosslinking. III. Multicomponent Polymerization, 2801P
Tobita, M. See Harada, M., 758P
Todaka, T. See Ihara, E., 31C
Toh, C. L. See Zheng, W., 1810P
Tohnai, N. See Inoue, K., 4648C
Toki, S.
—; Sics, I.; Hsiao, B. S.; Murakami, S.; Tosaka, M.; Poompradub, S.; Kohjiya, S.; Ikeda, Y.: Structural Developments in Synthetic Rubbers during Uniaxial Deformation by *In Situ* Synchrotron X-Ray Diffraction, 956P
Tolle, T. B. See Chen, C., 3981P
Toman, L.
—; Janata, M.; Spěváček, J.; Vlček, P.; Látalová, P.; Masař, B.; Sikora, A.: Sequential Synthesis of Multiblock Copolymers by Atom Transfer Radical and Cationic Polymerization, 6098C
Tommaseo, G.
—; Lescanne, M.; Steffen, W.; Fytas, G.; Stamm, M.: Elastic Excitations in Polycarbonate Membranes, 3311P
Tonelli, A. See Kotek, R., 4247P
Tonelli, A. E. See Rusa, C. C., 4182P, 4207P; Wei, M., 386P, 1369P
Tonelli, C. See Khomko, E., 5354C
Tong, Y. J. See Liu, S. L., 2769P
Tonge, M. P. See McLeary, J. B., 960C
Tonge, M. See Sprong, E., 2502P
Toomey, R. G. See Hamilton, W. A., 3290P
Topouza, D.
—; Orfanou, K.; Pispas, S.: Thermosensitive Noncovalently Bonded Block Copolymerlike Micelles from Interpolymer Complexes, 6230C
Topping, C. M. See Jin, J., 5292C
Tordo, P. See Bertin, D., 3504C
Torkelson, J. M. See Jones, B. A., 3470P
Torre, J.
—; Cortázar, M.; Gómez, M.; Ellis, G.; Marco, C.: Melting Behavior in Blends of Isotactic Polypropylene and a Liquid Crystalline Polymer, 1949P
Tortora, M. See Gorrasi, G., 1466P; Pucciariello, R., 1321P
Tosaka, M. See Toki, S., 956P

Toy, A. A. See Szablan, Z., 2432C
Traiphol, R. See Perahia, D., 3165P
Trimaille, T.
—; Möller, M.; Gurny, R.: Synthesis and Ring-Opening Polymerization of New Mo noalkyl-Substituted Lactides, 4379C
Trinque, B. C. See Jones, R. L., 3063P
Tripathi, S.
—; Srivastava, A. K.: Polymerization of Methyl Acrylate with Triphenylbismuthonium 1,2,3,4-Tetraphenylcyclopentadienylide as a New Radical Initiator, 2060C
Trollsås, M.
—; Atthoff, B.; Claesson, H.; Hedrick, J. L.: Dendritic Homopolymers and Block Copolymers: Tuning the Morphology and Properties, 1174C
Tronc, F.
—; Winnik, M. A.; Kaul, B. L.; Graciet, J.-C.: Polycarbonate Particles and Dye-Labeled Particles by Miniemulsion Polymerization, 1999C
Tsai, C.-C. See Chen, Y.-C., 1789C
Tsai, C.-Y. See Yang, C.-P, 2416C
Tsai, H.-C. See Huang, H.-M., 5802C
Tsai, J. See Chu, P. P., 3866P
Tsai, S.-H. See Liu, Y.-L., 5921C
Tsai, S.-J. See Hsu, S. L.-C., 5990C
Tsiang, R. C.-C. See Huang, H.-M., 5802C; Wu, S.-H., 3954C, 6061C
Tsubakihara, S. See Yasuniwa, M., 25P
Tsubonouchi, S. See Higashi, F., 5687C
Tsuchihara, K. See Hagihara, H., 52C, 5600C
Tsuchiya, K.
—; Shibasaki, Y.; Suzuki, M.; Ueda, M.: Three-Component, Negative-Type, Alkaline-Developable, Thermally Stable, and Photosensitive Polymer Based on Poly(2,6-dihydroxy-1,5-naphthalene), a Crosslinker, and a Photoacid Generator, 2235C
Tsuji, A. See Itsuno, S., 4556C
Tsuji, M.
—; Aoki, T.; Sakai, R.; Satoh, T.; Kaga, H.; Kakuchi, T.: Enantiomer-Selective Radical Cyclopolymerization of *rac*-2,4-Pentanediyl Dimethacrylate Using a Ruthenium-Mediated Chiral Atom Transfer Radical Polymerization Initiating System, 4563C
—; See Ishizawa, H., 4656C
Tsujita, Y. See Mahesh, K. P. O., 3439P; Mohri, S., 238P
Tsunogae, Y. See Ban, H. T., 2698C
Tsunooka, M. See Okamura, H., 3685C; Suyama, K., 2612C
Tsutsumi, H. See Lee, Y.-K., 6157C
Tsvetkov, N. V. See Andreeva, L. N., 12P
Tu, K. See Yu, C., 6209C
Tuchida, N. See Inagaki, N., 3727P
Tunca, U.
—; Ozyurek, Z.; Erdogan, T.; Hizal, G.: Novel Miktofunctional Initiator for the Preparation of an ABC-Type Miktoarm Star Polymer via a Combination of Controlled Polymerization Techniques, 4228C
—; See Bicak, N., 1362C; Erdogan, T., 2313C
Turner, S. R.
—; Development of Amorphous Copolyesters Based on 1,4-Cyclohexanedimethanol, 5847C
Tuuttila, T. See Ropponen, J., 5574C

Uddin, A. J.
—; Ohkoshi, Y.; Gotoh, Y.; Nagura, M.; Endo, R.; Hara, T.: Melt Spinning and Laser-Heated Drawing of a New SemiAromatic Polyamide, PA9-T Fiber, 433P
Ueda, M. See Tsuchiya, K., 2235C; Watanabe, Y., 144C
Uedono, A.
—; Ohdaira, T.; Suzuki, R.; Mikado, T.; Fukui, S.; Kimura, S.; Miyamoto, H.; Nemoto, H.: Characterization of Photoresists for ArF-Excimer Laser Lithography Using Monoenergetic Positron Beams, 341P
Uematsu, T.
—; Watanabe, A.; Yamaguchi, Y.: Self-Organization of Striped Pattern of Refractive Indices in Photopolymer Film, 3351P
Uhlherr, A. See Liu, H., 3143C
Ullrich, G.
—; Herzog, D.; Liska, R.; Burtscher, P.; Moszner, N.: Photoinitiators with Functional Groups. VII. Covalently Bonded Camphorquinone—Amines, 4948C
Uludağ, H. See Bai, J., 6143C
Umehara, A. See Hashimoto, T., 2766C
Umeyama, T.
—; Naka, K.; Chujo, Y.: Radical Copolymerization of Cyclic Diarsine with Vinyl Monomers, 3023C
—; Naka, K.; Chujo, Y.: Synthesis of Poly(vinylene arsine)s through the Ring-Collapsed Radical Alternating Copolymerization of an Organoarsenic Homocycle with Aliphatic Acetylenes and Their Properties, 3604C
Uno, T.
—; Minari, M.; Kubo, M.; Itoh, T.: Asymmetric Anionic Polymerization of 2,6-Dimethyl-7-phenyl-1,4-benzoquinone Methide, 4548C
—; See Mitsuda, Y., 3800C
Uozumi, T.
—; Kwon, T. S.; Takeuchi, K.; Hayashi, T.; Tanaka, M.: Thermal Behavior of Poly(bisphenol A carbonate) in the Presence of Phosphorus Compounds, 1069C
Urakawa, H. See Okumura, W., 79P
Urakawa, O. See Hirose, Y., 4084P
Urban, B. See Wei, M., 1369P
Urkimbaeva, P. I. See Mun, G. A., 2625P
Urushisaki, M. See Hashimoto, T., 2766C
Uryu, T. See Baigude, H., 1400C
Usha, R.
—; Dhathathreyan, A.; Mandal, A. B.; Ramasami, T.: Behavior of Collagen Films in Presence of Structure Modifiers at Solid–Liquid Interface, 3859P
Ute, K. See Hatada, K., 416C

Utracki, L. A.
—; Statistical Thermodynamics Evaluation of Polymer–Polymer Miscibility, 2909P
Utrata, A. See Czaja, K., 2512C
Utz, M.
—; Peng, Q.; Nandagopal, M.: Athermal Simulation of Plastic Deformation in Amorphous Solids at Constant Pressure, 2057P
Uyar, T. See Rusa, C. C., 4182P, 4207P

Vakhtangishvili, L. See Kricheldorf, H. R., 5725C
Valiyaveettil, S. See Sindhu, S., 4459P
Vallés, E. M. See Ciolino, A. E., 2920C
Vana, P. See Buback, M., 4266C
Van Breemen, L. C. A. See Van Dommelen, J. A. W., 2983P
Van Casteren, I. A.
—; Van Trier, R. A. M., Goossens, J. G. P.; Meijer, H. E. H.; Lemstra, P. J.: The Influence of Hydrogen Bonding on the Preparation and Mechanical Properties of PS-Diblock Copolymer Blends, 2137P
van den Broek, J. A. See Mayer, G., 4458C
van der Heijden, P.
—; Bouzenad, F.; Diat, O.: Birefringence Study of Drawn Nafion Films, 2857P
Van Dommelen, J. A. W.
—; Schrauwen, B. A. G.; Van Breemen, L. C. A.; Govaert, L. E.: Micromechanical Modeling of the Tensile Behavior of Oriented Polyethylene, 2983P
Van Es, S. See Amaral, M. D., 3936C
Vangeyte, P.
—; Jérôme, R.: Amphiphilic Block Copolymers of High-Molecular-Weight Poly(ethylene oxide) and Either Î-Caprolactone or γ-Methyl-Î-caprolactone: Synthesis and Characterization, 1132C
Van Reenen, A. T. See Luruli, N., 5121C
Van Trier, R. A. M. See Casteren, I. A., 2137P
Van Walree, C. A. See Oosterbaan, W. D., 4775C
Varley, R. J. See Liu, H., 3143C
Vasheghani-Farahani, E. See Habibi, A., 112C
Vasilev, C.
—; Heinzelmann, H.; Reiter, G.: Controlled Melting of Individual, Nano-Meter-Sized, Polymer Crystals Confined in a Block Copolymer Mesostructure, 1312P
Vecellio, G. See Galli, P., 396C
Vellinga, W. P. See Rastogi, R., 2092P
Venables, R. See Tabtiang, A., 965P
Venkatasubramanian, N. See Dang, T. D., 6134C
Venkatesh, R.
—; Vergouwen, F.; Klumperman, B.: Copolymerization of Allyl Butyl Ether and Acrylates via Controlled Radical Polymerization, 3271C
Vergouwen, F. See Venkatesh, R., 3271C
Vesterinen, A. See Auer, M., 1350C
Vetter, S. See De A. Prado, L. A. S., 567P
Vijayakumaran, K. See Dayanada, K., 5413C
Vilayetoğlu, A. R. See Mart, H., 1120C
Vilgis, T. A. See Negadi, A., 3976P
Villani, V. See Pucciariello, R., 1321P, 3907P
Villar, M. A. See Ciolino, A. E., 2462C, 2920C
Viswanath, A. K. See Kulkarni, M. V., 2043C
Viswanathan, K. See Cavitt, T. B., 4009C; Pan, B., 1953C
Viswanathan, S.
—; Dadmun, M. D.: Miscible Blends Containing a Liquid Crystalline Polymer via Optimized Hydrogen Bonding: Correlation to Theory, 1010P
Vittoria, V. See Gorrasi, G., 1466P; Pucciariello, R., 1321P, 3907P
Vladimirov, N. G. See Nedelcheva, A. N., 5736C
Vlassopoulos, D.
—; Colloidal Star Polymers: Models for Studying Dynamically Arrested States in Soft Matter, 2931P
Vlček, P. See Toman, L., 6098C
Voge, G.
—; Fosser, K.; Waldow, D.; Briber, R.; Halasa, A.: Effect of Random and Block Copolymer Additives on a Homopolymer Blend Studied by Small-Angle Neutron Scattering, 3191P
Vogel, V. See Mayer, G., 4458C
Vogl, O.
—; My Life with Polymer Science, 795C
Voit, B. See Abdelrehim, M., 3062C
Von Meerwall, E. See Oh, J. S., 1875P
Vuano, B. M. See Ciolino, A. E., 2920C
Vıprachtickı, D.
—; Cimrová, V.; Yang, Y.; Mikeš, F.: Ionomers Based on Copolymers of Alkyl Methacrylates with 2-Methacryloylamino-3-naphthalene Carboxylic Acid: Association in Solutions Studied by Steady-State and Time-Resolved Fluorescence, 1243P

Wada, M. See Nakamura, K., 1206P
Wada, N. See Miura, Y., 4598C
Wagler, T. See Oh, J. S., 1875P
Wagner, M. See Mayershofer, M. G., 4466C
Wahab, M. A.
—; Kim, I.; Ha, C.-S.: Microstructure and Properties of 3,3′,4,4′-Biphenyltetracarboxylic Dianhydridxe (BPDA)-*p*-Phenylene Diamine (PDA) Polyimide/Poly(vinylsilsesquioxane) Hybrid Nanocomposite Films, 5189C
Waldow, D. See Voge, G., 3191P
Wamsley, A.
—; Jasti, B.; Phiasivongsa, P.; Li, X.: Synthesis of Random Terpolymers and Determination of Reactivity Ratios of *N*-Carboxyanhydrides of Leucine, β-Benzyl Aspartate, and Valine, 317C
Wan, C. Y.
—; Zhang, Y,; Zhang, Y. X.; Qiao, X. Y.; Teng, G. M.: Morphology and Fracture Behavior of Toughening-Modified Poly(vinyl chloride)/Organophilic Montmorillonite Composites, 286P
Wan, Y.
—; Creber, K. A. M.; Peppley, B.; Bui, V. T.: Ionic Conductivity and Tensile Properties of

Hydroxyethyl and Hydroxypropyl Chitosan Membranes, 1379P

Wang, C. See Jin, L., 6081C; Li, H., 3775C

Wang, C.-C. See Hu, Y.-H., 4976C

Wang, C. E. See Yang, Q., 3721P

Wang, C. S. See Lin, C. H., 3986C

Wang, C.-S. See Shieh, J.-Y., 2589C

Wang, D. Y. See Hu, J. D., 2897C

Wang, F.

—; Li, H.; Zhang, Z. B.; Hu, C. P.; Wu, S. S.: Synthesis and Surface Properties of Fluorinated Block Copolymers Containing Sulfonic Groups, 4809C

—; See Einsla, B. R., 862C; Guo, C., 4830C; Li, H., 3947C; Sun, H., 2124C

Wang, H.

—; Brown, H. R. : Ultraviolet Grafting of Methacrylic Acid and Acrylic Acid on High-Density Polyethylene in Different Solvents and the Wettability of Grafted High-Density Polyethylene. I. Grafting, 253C

—; Brown, H. R.: UV Grafting of Methacrylic Acid and Acrylic Acid on High-Density Polyethylene in Different Solvents and the Wettability of Grafted High-Density Polyethylene. II. Wettability 263

—; Time-Resolved Small-Angle Neutron Scattering Study of Polyethylene Crystallization from Solution, 3133P

Wang, H.-Y. See Liu, J.-H., 1075C

Wang, J.

—; Kuang, X.; Yan, S.: Structure and Formation Mechanism of Melt-Drawn Highly Oriented Polymer Fibers, 2703P

—; See Liao, X., 280P

Wang, J.-J. See Wang, X.-J., 2245P

Wang, J. Y.

—; Liao, G. X.; Liu, C.; Jian, X. G.: Poly(ether imide)s Derived from Phthalazinone-Containing Dianhydrides, 6089C

Wang, K. See Xu, Y.-K., 2490P

Wang, K.-L.

—; Jikei, M.; Kakimoto, M.-A.: Synthesis of Soluble Branched Polyimides Derived from an ABB' Monomer, 3200C

Wang, L.

—; Meng, Y. Z.; Wang, S. J.; Hay, A. S.: Synthesis and Sulfonation of Poly(arylene ether)s Containing Tetraphenyl Methane Moieties, 1779C

—; Shi, X.; Jia, P.; Yang, Y.: Preparation of Calixarene-Containing Polymer with Proton Transport Ability, 6259C

—; See Li, H., 3947C; Sun, H., 2124C; Wang, Q., 38C; Wang, X.-J., 2245P

Wang, L.-F. See Liu, J.-G., 1845C

Wang, P. See Weng, W., 2844P

Wang, P.-C.

—; Chiu, W.Y.; Lee, C.-F.; Young, T.-H.: Synthesis of Iron Oxide/Poly(methyl methacrylate) Composite Latex Particles: Nucleation Mechanism and Morphology, 5695C

Wang, Q.

—; Yang, H.; Fan, Z.; Xu, H.: Performance of Various Activators in Ethylene Polymerization Based on an Iron(II) Catalyst System, 1093C

—; Zhou, Z.; Song, L.; Xu, H.; Wang, L.: Nanoscopic Confinement Effects on Ethylene Polymerization by Intercalated Silicate with Metallocene Catalyst, 38C

—; See Lau, B. K., 2014P; Li, L., 5662C

Wang, R. See Chung, T.-S., 354P

Wang, S.

—; Yang, D.: Effect of the γ-Form Crystal on the Thermal Fractionation of Poly(propylene-*co*-ethylene), 4320P

Wang, S. J. See Li, X. H., 666P; Wang, L., 1779C

Wang, S.-P. See Hu, Y.-H., 4976C

Wang, S.-Q. See Philips, A., 4132P

Wang, T.-L. See Huang, F.-J., 290C

Wang, X. See Rusa, C. C., 4182P, 4207P; Wei, M., 386P; Xiao, Y., 60P; Yang, X., 4195P

Wang, X.-H. See Zhang, Q.-H., 3750P

Wang, X.-J.

—; Wang, L.; Wang, J.-J.: Electrochemical Behavior of High-Molecular-Weight Poly(ferrocenylsilane) Films in Aqueous Electrolyte Solutions, 2245P

Wang, X.-L.

—; Yang, K.-K.; Wang, Y.-Z.; Zhou, Z.-X.; Jin, Y.-D.: Synthesis and Nuclear Magentic Resonance Analysis of Starch-*g*-Poly(1,4-dioxan-2-one) Copolymers, 3417C

Wang, Y.

—; Hsieh, Y.-L.: Enzyme Immobilization to Ultra-Fine Cellulose Fibers via Amphiphilic Polyethylene Glycol Spacers, 4289C

—; Lu, G.; Huang, J.: Copolymerization of the Macromonomer Poly(ethylene oxide) with Styryl End Group and Styrene in the Presence of Poly(Î-caprolactone) with 2,2,6,6-Tetramethylpiperidinyl-1-oxy End Group by Controlled Radical Mechanism, 2093C

—; See Cho, J., 2576P; Hu, J.-S., 3870C; Mao, Y., 5538C; Na, B., 1831P

Wang, Y.-H. See Liu, Y.-L., 3178C

Wang, Y.-Z. See Wang, X.-L., 3417C

Wang, Z. See Tang, Y., 6163C; Fang, X.-Z., 2130C

Warner, W. N.

—; Hu, J.; Prakash, G. K. S.; Olah, G. A.; Hogen-Esch, T. E.: Mechanism of the Anionic Polymerization of Methyl Methacrylate Initiated by Tetramethylammonium-Triphenylmethide in Tetrahydrofuran, 237C

Watanabe, A. See Uematsu, T., 3351P

Watanabe, K. See Hashimoto, T., 3373C

Watanabe, M.

—; Hirai, T.: Polypyrrole Film with Striped Pattern, 2460P

—; Hirai, T.: Space Charge Distribution in Bending-

Electrostrictive Polyurethane Films Doped with Salts, 523P
Watanabe, Y.
—; Shibasaki, Y.; Ando, S.; Ueda, M.: Synthesis of Semiaromatic Polyimides from Aromatic Diamines Containing Adamantyl Units and Alicyclic Dianhydrides, 144C
Wataru, I. See Iraqi, A., 6041C
Waymouth, R. M. See Reybuck, S. E., 3323C
Weber, W. P. See Gädda, T. M., 5235C; Mabry, J. M., 5514C
Weck, M. See Carlise, J, R., 2973C
Wee, A. T. S. See Huang, H. L., 1145P
Wei, K.-H. See Dinakaran, K., 4883C
Wei, L.
—; Tang, T.; Huang, B.: Synthesis and Characterization of Polyethylene/Clay-Silica Nanocomposites: A Montmorillonite/Silica-Hybrid-Supported Catalyst and *in situ* Polymerization, 941C
Wei, M. See Rusa, C. C., 4207P
—; Bullions, T. A.; Rusa, C. C.; Wang, X.; Tonelli, A. E.: Unique Morphological and Thermal Behaviors of Reorganized Poly(ethylene terephthalates), 386P
—; Shin, I. D.; Urban, B.; Tonelli, A. E.: Partial Miscibility in a Nylon-6/Nylon-66 Blend Coalesced from Their Common α-Cyclodextrin Inclusion Complex, 1369P
Wei, Y. See Yang, Q., 3721P
Weichold, O. See Percec, V., 6364C
Weinkauf, D. See Jeon, H., 2522P
Weiss, R. A. See Wu, Q., 3628P; Xu, T., 1725P
Weiss, R. G. See Brown, G. O., 2957P
Weiss, Z.
—; Mandler, D.; Shustak, G.; Domb, A. J.: Pyrrole Derivatives for Electrochemical Coating of Metallic Medical Devices, 1658C
Wen, C.-J. See Lee, C.-F., 3029C
Wen, T.-C. See Kuo, P.-L., 2051C
Wendt, B. L. See Sonnenschein, M. F., 271C
Weng, J.
—; Olley, R. H.; Bassett, D. C.; Jääskeläinen, P.: Crystallization of Propylene–Ethylene Random Copolymers, 3318P
Weng, W.
—; Chen, G.; Wu, D.; Chen, X.; Lu, J.; Wang, P.: Fabrication and Characterization of Nylon 6/Foliated Graphite Electrically Conducting Nanocomposite, 2844P
—; See Chen, G., 155P
White, J. M. See Ni, J., 629P
Wilén, C.-E. See Auer, M., 1350C; Liu, H., 1235P
Wiles, K. B.
—; Bhanu, V. A.; Pasquale, A. J.; Long, T. E.; McGrath, J. E.: Monomer Reactivity Ratios for Acrylonitrile–Methyl Acrylate Free-Radical Copolymerization, 2994C
Willem, R. See Angiolini, L., 5372C
Williams, E. P. M.
—; Seferis, J. C.; Wittman, C. L.; Parker, G. A.; Lee, J. H.; Nam, J.-D.: Dielectric Nanocapacitance Effect of Thermoset Polymeric Matrix Nanocomposites, 1P
Willner, L. See Abbas, B., 3179P
Willson, C. G. See Jones, R. L., 3063P
Willumeit, R. See De A. Prado, L. A. S., 567P
Wilusz, E. See Fekete, Z. A., 1343P; Hoffmann, E. A., 551C
Winnik, M. A. See Oh, J. K., 3479C; Tronc, F., 1999C; Wu, J., 5005C
Winter, D.
—; Eisenbach, C. D. : Synthesis and Characterization of Novel Aryl-Ethynylene Polymers of Tuned Rigidity/Flexibility, 1919C
Wittich, H. See De A. Prado, L. A. S., 567P
Wittman, C. L. See Williams, E. P. M., 1P
Wolf, B. A. See Madbouly, S. A., 820P; Schneider, A., 1601P
Won, J. See Kang, S. W., 3344P; Kim, J. H., 232P, 621P, 2263P
Wong, C. P. See Sun, Y., 3849P
Wong, S.-C. See Chen, L., 2759P; Fasce, L. A., 1075P
Woo, E. M. See Wu, P.-L., 1265P, 4421P; Yang, C.-P., 3116C
Woo, J. W. See Ko, Y. G., 2430P
Wood, J. W. See Ko, Y. G., 2010C
Wool, R. P. See Chang, J., 1441P; Lorenz, C. D., 3333P
Wooley, K. L. See Gudipati, C. S.
Wu, C.
—; Akiyama, S.: Crystallization of a Vitrified Hindered Phenol within Chlorinated Polyethylene and Its Effects on Dynamic Mechanical Properties, 209P
—; See Chen, G., 155P
Wu, C.-P. See Liang, W.-J., 1928P
Wu, C.-S. See Liao, H.-T., 4272P; Liu, Y.-L., 5921C
—; Liu, Y.-L.: Preparation and Properties of Epoxy/Amine Hybrid Resins from *In Situ* Polymerization, 1868C
Wu, D. See Chen, G., 155P; Weng, W., 2844P
Wu, G.
—; Zheng, Q.: Estimation of the Agglomeration Structure for Conductive Particles and Fiber-Filled High-Density Polyethylene through Dynamic Rheological Measurements, 1199P
—; See Liu, X., 2659C
Wu, J.
—; Li, H.; Winnik, M. A.; Farwaha, R.; Rademacher, J.: Poly(vinyl acetate-*co*-dibutyl maleate) Latex Films in the Presence of Grafted and Post-Added Poly(vinyl alcohol), 5005C
Wu, J. J.
—; Buckley, C. P.: Plastic Deformation of Glassy Polystyrene: A Unified Model of Yield and the Role of Chain Length, 2027P
Wu, K.-L. See Yang, C.-P., 5424C
Wu, L. See Xiong, M., 3682P
Wu, M.-F. See Shieh, J.-Y., 2589C
Wu, P. L.
—; Woo, E. M.; Liu, H.-L.: Ring-Banded Spherulites in Poly(pentamethylene terephthalate): A Model of Waving and Spiraling Lamellae, 4421P
Wu, P.-L.
—; Woo, E. M.: Crystallization Regime Behavior of Poly(pentamethylene terephthalate), 1265P

Wu, Q.
—; Weiss, R. A.: Synthesis and Characterization of Poly(styrene-*co*-vinyl phosphonate) Ionomers, 3628P
Wu, S.-H.
—; Chen, J.-H.; Shen, C.-H.; Hsu, C.-C.; Tsiang, R. C.-C.: Conjugated and Partially Conjugated 2,5-Diphenylthiophene-Containing Light-Emitting Copolymers in Polymeric Light-Emitting Diode (PLED) Device Fabrications, 6061C
—; Shen, C.-H.; Chen, J.-H.; Hsu, C.-C.; Tsiang, R. C.-C.: Synthesis and Characterization of New Light-Emitting Copolymers in Polymeric-Light-Emitting-Diode Device Fabrications, 3954C
Wu, S. S. See Wang, F., 4809C
Wu, T.-M.
—; Lin, Y.-W.: Crystallization Behavior and Morphology of Poly(ethylene-*co*-trimethylene terephthalate)s, 4255P
Wu, T.-Y.
—; Chen, Y.: Poly(phenylene vinylene)-Based Copolymers Containing 3,7-Phenothiazylene and 2,6-Pyridylene Chromophores: Fluorescence Sensors for Acids, Metal Ions, and Oxidation, 1272C
Wu, W. L. See Hartschuh, R., 1106P; Jones, R. L., 3063P; Soles, C. L., 3218P
Wu, X. See Zhou, J., 5911C
—; Shi, G.; Chen, F.; Han, S.; Peng, J.: High-Quality Poly[2-methoxy-5-(2′-ethylhexyloxy)-*p*-phenylenevinylene] Synthesized by a Solid-Liquid Two-Phase Reaction: Characterizations and Electroluminescence Properties, 3049C
Wu, Y.
—; Seo, T.; Maeda, S.; Dong, Y.; Sasaki, T.; Irie, S.; Sakurai, K.: Spectroscopic Studies of the Conformational Properties of Naphthoyl Chitosan in Dilute Solutions, 2747P
—; Seo, T.; Maeda, S.; Sasaki, T.; Irie, S.; Sakurai, K.: Preparation of Benzoylchitosans and Their Chiroptical Properties in Dilute Solutions, 4107P
Wulkow, M.
—; Busch, M.; Davis, T. P.; Barner-Kowollik, C.: Implementing the Reversible Addition–Fragmentation Chain Transfer Proces in PREDICI, 1441C
Wunderlich, B. See Pyda, M., 4401P
—; Evidence for Coupling and Decoupling of Parts of Macromolecules by Temperature-Modulated Calorimetry, 1275P
Wyatt, J. See Jeon, H., 2522P

Xia, X. See Ruan, D., 367P
Xiang, M. See Hexemer, A., 411P
Xiao, D. See Peng, Q., 2985C
Xiao, M. See Du, X. S., 1972P; Su, Y.-Z., 2329C
Xiao, Y.
—; Zhu, X.; Chen, L.; He, P.; Yan, D.; Wang, X.: *In situ* Fourier Transform Infrared Spectroscopic Study of the Conformational Changes of Nylon-10,12 during Its Brill Transition, 60P
—; See Huang, J., 1173P; Mya, K. Y., 3490C; Xiaoying, S. 2356C
Xiao, Y.-Z. See Su, Y.-Z., 2329C
Xiaoying, S.
—; Synthesis and Characterization of a Multiarm Star Polymer, 2356C
Xie, B.-H. See Li, Z.-M., 374P
Xie, H.
—; Liu, B.; Yuan, Z.; Shen, J.; Cheng, R.: Cure Kinetics of Carbon Nanotube/Tetrafunctional Epoxy Nanocomposites by Isothermal Differential Scanning Calorimetry, 3701P
Xie, N. See Peng, Q., 2985C
Xie, Z. M. See Hu, J. D., 2897C
Xin, Z. See Xu, X., 1042P
Xing, P.
—; Robertson, G. P.; Guiver, M. D.; Mikhailenko, S. D.; Kaliaguine, S.: Sulfonated Poly(aryl ether ketone)s Containing Naphthalene Moieties Obtained by Direct Copolymerization as Novel Polymers for Proton Exchange Membranes, 2866C
Xinling, W. See Xiaoying, S., 2356C
Xiong, C. See Zhang, S., 3527C
Xiong, M.
—; Zhou, S.; You, B.; Gu, G.; Wu, L.: Effect of Preparation of Titania Sol on the Structure and Properties of Acrylic Resin/Titania Hybrid Materials, 3682P
Xu, C. See Li, Z., 1126C
Xu, G.
—; Shi, W.; Shen, S.: Curing Kinetics of Epoxy Resins with Hyperbranched Polyesters as Toughening Agents, 2649P
Xu, H. See Natesan, B., 777P; Wang, Q., 38C, 1093C
Xu, T.
—; Shaw, M. T.; Weiss, R. A.: Rheo-Optical Studies of the Effect of Shear Flow on the Structure of Elastomer Blends, 1725P
Xu, T. H. See Jin, M., 4237C
Xu, X.
—; Huang, J.: Synthesis and Characterization of Well-Defined Poly(2-hydroxyethyl methacrylate-*co*-styrene)-graft-poly(Î-caprolactone) by Sequential Controlled Polymerization, 5523C
—; Ling, L.; Ding, X.; Burgess, J. O.: Synthesis and Characterization of a Novel, Fluoride-Releasing Dimethacrylate Monomer and Its Dental Composite, 985C
—; Qiao, J.; Yin, J.; Gao, Y.; Zhang, X.; Ding, Y.; Liu, Y.; Xin, Z.; Gao, J.; Huang, F.; Song, Z.: Preparation of Fully Cross-Linked CNBR/PP-g-GMA and CNBR/PP/PP-g-GMA Thermoplastic Elastomers and Their Morphology, Structure and Properties, 1042P
—; See Li, Z., 2877C
Xu, Y. See Sun, J., 6071C
Xu, Y.-K.
—; Zhan, M.-S.; Wang, K.: Structure and Properties of Polyimide Films during a Far-Infrared-Induced Imidization Process, 2490P
Xu, Y.-S. See Lee, N. H. S., 1647C

Yade, T. See Ishizawa, H., 4656C
Yaegashi, T.
—; Yodoya, S.; Nakamura, M.; Takeshita, H.; Takenaka, K.; Shiomi, T.: Polymerization of 1,3-Dienes with Functional Groups. III. Free-Radical Polymerization of *N,N*-Diethyl-2-methylene-3-butenamide, 999C
Yagci, Y. See Degirmenci, M., 534C, 3365C
Yagi, M. See Aoki, T., 4502C
Yagyu, M. See Onimura, K., 4682C
Yamada, B. See Sato, E., 6021C; Harada, T., 597C; Zetterland, P. B., 2640C
Yamaguchi, K. See Busfield, J. J. C., 2161P
Yamaguchi, T. See Ishizawa, H., 4656C
Yamaguchi, Y. See Uematsu, T., 3351P
Yamamoto, C. See Kubota, T., 4704C
Yamamoto, K. See Hara, S., 1539P; Shimada, S., 1705P
Yamamoto, S.-I.
—; Hayashi, S.; Morita, H.; Moriya, O.: Aldol Addition of Dimethylsilyl Enolate with Alkali Metal Salt Catalyst on Solid Poly(*N,N*-dimethylacrylamide), 5021C
—; See Sugizaki, T., 4212C
Yamamoto, T. See Fang, Q., 2686C
Yamamoto, Y. See Mahesh, K. P. O., 3439P; Mohri, S., 238P
Yamane, T. See Temma, T., 4607C
Yamasaki, N.
—; Masamoto, J.: Novel Reaction between Cyclic Formal and Ethylene Oxide, 520C
Yamasaki, S. See Lio, K., 1707C
Yan, D. See Cui, X., 4017P; Xiao, Y., 60P; Zhang, G., 253P
Yan, H.-Q. See Chen, S., 5284C
Yan, S. See Zhang, Y., 4440P; Wang, J., 2703P
Yanagase, A.
—; Ito, M.: Silicone-Based Impact Modifiers for Poly(vinyl chloride), Engineering Resins, and Blends, 1112C
Yang, C.-P.
—; Chen, Y.-P.; Woo, E. M.: Fluorinated Polyamides and Poly(amide imide)s Based on 1,4-Bis(4-amino-2-trifluromethylphenoxy)benzene, Aromatic Dicarboxylic Acids, and Various Monotrimellitimides and Bistrimellitimides: Syntheses and Properties, 3119C
—; Hsiao, F.-Z.: Synthesis and Properties of Fluorinated Polyimides Based on 1,4-Bis(4-amino-2-trifluoromethylphenoxy)-2,5-di-*tert*-butylbenzene and Various Aromatic Dianhydrides, 2272C
—; Hsiao, S.-H.; Tsai, C.-Y.; Liou, G.-S.: Novel, Organosoluble, Light-Colored Fluorinated Polyimides Based on 2,2′-Bis(4-amino-2-trifluoromethylphenoxy)biphenyl or 2,2′-Bis(4-amino-2-trifluoromethylphenoxy)-1,1′-binaphthyl, 2416C
—; Su, Y.-Y.: Synthesis and Properties of Organosoluble Polyimides Based on 4,4′-Bis(4-amino-2-trifluoromethylphenoxy)-benzophenone, 222C
—; Su, Y.-Y.; Wu, K.-L.: Synthesis and Properties of New Aromatic Polyimides Based on 2,5-Bis(4-amino-2-trifluoromethylphenoxy)-*tert*-buytlbenzene and Various Aromatic Dianhydrides, 5424C
—; See Hsiao, S.-H., 2377C
Yang, D. See Wang, S., 4320P
Yang, F.
—; Contact Stiffness of Initially Stressed Neo-Hookean Solids, 2513P
Yang, G. See Li, Z., 1126C
Yang, H. See Wang, Q., 1093C
Yang, H.-X. See Liu, J.-G., 1845C
Yang, J.
—; Neckers, D. C.: Cobaltic Accelerator for the Methylene Blue Photoinitiator System in Aqueous Acrylate Solution, 3836C
—; See Ding, S., 22C; Liu, X., 2659C
Yang, J.-M See Lee, R.-S., 2303C
Yang, K. See Teng, C., 5045C, 5845C
Yang, K.-K. See Wang, X.-L., 3417C
Yang, M. See Feng, M, 3428P; Qin, H., 3006P
Yang, M.-B. See Li, Z.-M., 374P, 4095P
Yang, N. C.
—; Lee, S. M.; Yoo, Y. M.; Kim, J. K.; Suh, D. H.: New Blue Electroluminescent *n*-Type Polyfluorene Copolymers with a 1,3,4-Oxadiazole Unit in the Main Chain, 1058C
Yang, P.
—; Sun, Y.; Deng, J.; Liu, W.; Zhang, L.; Yang, W.: Synthesis and Inhibition Performance of a Polymer-Supported Inhibitor, 4074C
Yang, Q.
—; Li, Z.; Hong, Y.; Zhao, Y.; Qiu, S.; Wang, C. E.; Wei, Y.: Influence of Solvents on the Formation of Ultrathin Uniform Poly(vinyl pyrrolidone) Nanofibers with Electrospinning, 3721P
Yang, Q. X. See Jin, M., 4237C
Yang, S.
—; Michielsen, S.: Analysis of the 1030-cm^{-1} Band of Poly(ethylene Terephthalate) Fibers Using Polarized Raman Microscopy, 47P
—; See Shim, S. E., 835C, 3967C
Yang, S.-J. See Kim, S.-U., 4303P
—; Lee, C.; Jang, W.; Kwon, J.; Sundar, S.; Han, H.: Synthesis and Characterization of Poly(epoxy-imide) Crosslinked Networks, 4293P
Yang, S.-P. See Shieh, J.-Y., 2589C
Yang, S. Y.
—; Ge, Z. Y.; Yin, D. X.; Liu, J. G.; Li, Y. F.; Fan, L.: Synthesis and Characterization of Novel Fluorinated Polyimides Derived from 4,4′-[2,2,2-Trifluoro-1-(3-trifluoromethylphenyl)ethylidene]diphthalic Anhydride and Aromatic Diamines, 4143C
—; See Liu, J.-G., 1845C
Yang, W. See Huang, S.-L., 3476P; Jiang, W., 733C; Li, Z.-M., 374P; Liu, L., 846C; Ma, Y., 2678C; Yang, P., 4074C
Yang, X.
—; Sun, X.; Shao, J.; Liu, Y.; Wang, X.: Ionic Conductivity of Multiarm Star Polymer/$LiClO_4$, 4195P
—; See Zhang, T., 4765C

Yang, Y. See Tang, Z., 5974C; Wang, L., 6259C; Viprachticki, D., 1243P
Yang, Z.
—; Cong, H.; Cao, W.: Narrowly Dispersed Micrometer-Sized Composite Spheres Based on Diazonium–Polystyrene, 4284C
Yang, Z.-H. See Fang, X.-Z., 2130C
Yano, S. See Obata, M., 4671C
Yashima, E. See Kamikawa, Y., 4580C; Morino, K., 4711C; Sakurai, S.-I., 4621C, 5838C
Yasuda, H. K. See Yu, Q. S., 1042C
Yasuniwa, M.
—; Tsubakihara, S.; Sugimoto, Y.; Nakafuku, C.: Thermal Analysis of the Double-Melting Behavior of Poly(L-lactic acid), 25P
Yasutake, M.
—; Andou, Y.; Hiki, S.; Nishida, H.; Endo, T.: Physically Controlled, Free-Radical Polymerization of Vaporized Fluoromonomer on Solid Surfaces, 2621C
Ye, J.
—; Hasegawa, T.; Suzuki, A.: Microthermal Analysis of the Melting Behavior in Zone-Drawn Isotactic Polypropylene Fibers, 3677P
Ye, J. P. See Hu, J. D., 2897C
Ye, Z. See Alobaidi, F., 4327C
Yebassa, D.
—; Balakrishnan, S.; Feresenbet, E.; Raghavan, D.; Start, P. R.; Hudson, S. S.: Chemically Functionalized Clay Vinyl Ester Nanocomposites: Effect of Processing Parameters, 1310C
Yi, C. S. See Lee, D. W., 2747C
Yi, S. See Lu, Z., 925C
Yi, X.-S. See Song, Y., 1212P
Yilmaz, M. See Tabakci, M., 186C
Yim, H.
—; Kent, M. S.; Satija, S.; Mendez, S.; Balamurugan, S. S.; Balamurugan, S.; Lopez, G. P.: Study of the Conformational Change of Poly(*N*-isopropyl-acrylamide)-Grafted Chains in Water with Neutron Reflection: Molecular Weight Dependence at High Grafting Density, 3302P
Yin, D. X. See Yang, S. Y., 4143C
Yin, J. See Chen, H., 1735C; Xu, X., 1042P
Yip, L. J. W. See Guijin, Y., 3224C
Yodoya, S. See Yaegashi, T., 999C
Yokota, K. See Obata, M., 4671C
Yokote, S. See Higashi, F., 4126C
Yokoyama, A. See Suzuki, Y., 1198C
Yokozawa, T. See Suzuki, Y., 1198C
Yoo, J.-H.
—; Cho, I.; Kim, S. Y.: Sequence-Controlled Ethylene/Vinyl Cinnamate Copolymers: Synthesis and Application to the Photoalignment of Liquid Crystals, 5401C
Yoo, K. S. See Hwang, S.-H., 1487P
Yoo, Y. M. See Yang, N. C., 1058C
Yoon, S. G. See Kim, S. J., 914P
Yoshi, Y. See Habaue, S., 4528C
Yoshida, I. V. P. See José, N. M., 4281P
Yoshimizu, H. See Mahesh, K. P. O., 3439P; Mohri, S., 238P
Yoshioka, N. See Tanaka, K., 2859C
You, B. See Xiong, M., 3682P
You, H. See Shin, D.-C., 5636C
You, Y.-Z. See Hong, C.-Y., 4873C
Youk, J. H. See Son, W. K., 5P
Young, R. J. See Cervenka, A. J., 2122P
Young, T.-H. See Wang, P.-C., 5695C
Yousefi, A. A. See Salimi, A., 3487P
Yu, C.
—; Zhang, L.; Ni, X.; Shen, Z.; Tu, K.: Ring-Opening Polymerization of L-Lactide by Rare-Earth Tris(4-*tert*-butylphenolate) Single-Component Initiators, 6209C
Yu, D.-G.
—; An, J. H.: Preparation and Characterization of Acrylic-Based Black Particles of Poly(methyl methacrylate-*co*-ethylene glycol dimethacrylate) by Dispersion Polymerization for Electrophoretic Displays, 5608C
Yu, D. See Jiang, W., 1433P
Yu, J.-M. See Liu, Y.-L., 5954C
Yu, J. See Zeng, Z., 2253C
Yu, J.-W. See Lee, J. S., 557C
Yu, M. See Teng, C., 5045C, 5845C
Yu, Q. S.
—; Huang, C.; Yasuda, H. K.: Glow Characterization in Direct Current Plasma Polymerization of Trimethylsilane, 1042C
Yu, X. See Shipp, D. A., 5548C
Yu, Y. See Gao, X., 296P
Yuan, Z. See Xie, H., 3701P
Yue, C. Y. See Lam, Y. C., 302P
Yue, J. See Li, H., 3775C
Yuki, Y. See Kato, S.-I., 2631C; Nishioka, N., 1208C
Yunhang, L. See Xiaoying, S., 2356C
Yuping, D. See Guijin, Y., 3224C
Yurekli, K.
—; Krishnamoorti, R.: Thermodynamic Interactions in Blends of Poly(4-*tert*-butyl styrene) and Polyisoprene by Small-Angle Neutron Scattering, 3204P
Yurkshtovich, T. L. See Zimnitsky, D. S., 4785C
Yürük, H. See Mart, H., 1120C

Zarras, P.
—; Polycationic Salts. VI. Synthesis and *in vitro* Studies of 2-Ionene Oligomer Derivatives of Styrene as Bile Acid Sequestering Agents, 701C
Zeng, X. See Jiang, W., 733C
Zeng, Z.
—; Yu, J.; Guo, Z. -X.: Preparation of Epoxy-Functionalized Polystyrene/Silica Core–Shell Composite Nanoparticles, 2253C
—; See Liu, X., 2659C
Zetterlund, P. B. See Sato, E., 6021C
—; Miyake, K.; Goto, K.; Yamada, B.: Addition-Fragmentation Chain Transfer: Molecular Weight Distributions and Retardation in the System Methyl Methacrylate/Methyl α-(Bromomethyl)Acrylate, 2640C
—; See Harada, T., 597C
Zhan, M.-S. See Xu, Y.-K., 2490P
Zhang, A.-M.
—; He, Q.-J.; Guo, L.-H.: A Study on Crystalline Residual Stress of the iPP Surface Layer in Al/iPP/Al under the

Influence of Microwave Irradiation, 3759P

Zhang, B.-Y. See Hu, J.-S., 3870C, 5262C

Zhang, D.
—; Crivello, J. V.; Stoffer, J. O.: Polymerizations of Epoxides With Microwave Energy, 4230P
—; See Jin, G., 1018C

Zhang, G.
—; Li, Y.; Yan, D.: Polymorphism in Nylon-11/Montmorillonite Nanocomposite, 253P

Zhang, H.
—; Marin, V.; Fijten, M. W. M.; Schubert, U. S.: High-Throughput Experimentation in Atom Transfer Radical Polymerization: A General Approach Toward a Directed Design and Understanding of Optimal Catalytic Systems, 1876C
—; Schubert, U. S.: Iron Halide Mediated Atom Transfer Radical Polymerization of Methyl Methacrylate with *N*-Alkyl-2-pyridylmethanimine as the Ligand, 4882C

Zhang, J. See Zhang, Y., 4440P
—; Alkaline-Solution-Induced Crystallization in Poly(butylene terephthalate), 1938P
—; Shen, K.; Na, S.; Fu, Q.: Vibration-Induced Change of Crystal Structure in Isotactic Polypropylene and Its Improved Mechanical Properties, 2385P
—; See Zhang, R., 2441P; Zheng, X., 1619P

Zhang, J.-T.
—; Huang, S.-W.; Cheng, S.-X.; Zhuo, R.-X.: Preparation and Properties of Poly(*N*-isopropylacrylamide)/Poly(*N*-isopropylacrylamide) Interpenetraing Polymer Networks for Drug Delivery, 1249C

Zhang, K. See Chu, J., 1963C; Jiang, J., 5811C; Lu, Z., 925C

Zhang, L. See Yu, C., 6209C; Zhou, J., 5911C
—; Li, C.; Huang, R.: Toughness Mechanism in Polypropylene Composites: Polypropylene Toughened with Elastomer and Calcium Carbonate, 1656P
—; See Ruan, D., 367P; Yang, P., 4074C; Zhou, J., 347P

Zhang, M. Q. See Luo, Y., 3842C

Zhang, Q.-H.
—; Wang, X.-H.; Chen, D.-J.; Jing, X.-B.: Electrically Conductive, Melt-Processed Ternary Blends of Polyaniline/Dodecylbenzene Sulfonic Acid, Ethylene/Vinyl Acetate, and Low-Density Polyethylene, 3750P

Zhang, R.
—; Gu, X.; Chen, H.; Zhang, J.; Li, Y.; Nguyen, T.; Sandreczki, T. C.; Jean, Y. C.: Study of the Photodegradation of Epoxy Polymers with Slow Positron Annihilation Spectroscopy, 2441P
—; See Zhu, Y., 5714C

Zhang, S.
—; Qing, J.; Xiong, C.; Peng, Y.: Synthesis of End-Functionalized AB Copolymers. II. Synthesis and Characterization of Carboxyl-Terminated Poly(ethylene glycol)–Poly(amino acid) Block Copolymers, 3526C
—; Runt, J.: Segmental and Secondary Dynamics in Hydrogen-Bonded Poly-(4-vinylphenol)/Poly(methyl methacrylate) Blends, 3405P
—; See Feng, M, 3428P; Qin, H., 3006P

Zhang, S. L.
—; Li, J. C. M.: Anisotropic Elastic Moduli and Poisson's Ratios of a Poly(ethylene terephthalate) Film, 260P

Zhang, T.
—; Guo, D.; Jie, S.; Sun, W.-H.; Li, T.; Yang, X.: Influence of Electronic Effect on Catalytic Activity of Salicylaldiminato Nickel(II) Complexes, 4765C

Zhang, W. See Zlatanić, A., 809P

Zhang, X. See Tang, Z., 5974C; Deng, M., 950C; Xu, X., 1042P

Zhang, Xiahong. See Liu, X., 2659C

Zhang, Xinghong. See Liu, X., 2659C

Zhang, Y.
—; Lu, Y.; Duan, Y.; Zhang, J.; Yan, S.; Shen, D.: Reflection–Absorption Infrared Spectroscopy Investigation of the Crystallization Kinetics of Poly(ethylene terephthalate) Ultrathin Films, 4440P
—; See Li, H., 3947C; Matos, I., 3463C; Onimura, K., 4682C; Wan, C. Y., 286P

Zhang, Y. X. See Wan, C. Y., 286P

Zhang, Yinxi See Du, A., 1715P; Huang, J., 1181P

Zhang, Yong See Du, A., 1715P; Huang, J., 1181P

Zhang, Z. See Qin, H., 3006P; Ruan, D., 367P; Sun, Y., 3849P

Zhang, Z. B. See Wang, F., 4809C

Zhang, Z. J. See Hu, J. D., 2897C

Zhang, Z.-Q.
—; Su, X.-M.; He, H.-P.; Qu, F.-Q.: Synthesis, Characterization, and Degradation of Poly(anhydride-*co*-amide)s and Their Blends with Polyactide, 4311C

Zhao, C. See Feng, M, 3428P

Zhao, H.
—; Argoti, S. D.; Farrell, B. P.; Shipp, D. A.: Polymer–Silicate Nanocomposites Produced by *in situ* Atom Transfer Radical Polymerization, 916C

Zhao, J.
—; Jiang, S.; Ji, X.; An, L.; Jiang, B.: Control of Self-Organized Low-Dimensional Morphology in Poly(styrene-b-4vinylpyridine)/Polystyrene Blend Thin Films, 3496P

Zhao, X. See Li, H., 375C; Zheng, P., 1849P

Zhao, X.-Z. See Guo, S. S., 1099P

Zhao, Y. See Aubertin, F., 3445C; Yang, Q., 3721P

Zhao, Y. Y. See Jin, M., 4237C

Zhaohui, Y. See Guijin, Y., 3224C

Zheng, P.
—; Li, L.; Hu, X.; Zhao, X.: Sol–Gel Transition of Methylcellulose in Phosphate Buffer Saline Solutions, 1849P

Zheng, Q. See Song, Y., 1212P; Wu, G., 1199P

Zheng, S. See Hu, L., 2567P

Zheng, T. H. See Zheng, W., 1810P

Zheng, W.
—; Lu, X.; Toh, C. L.; Zheng, T. H.; He, C.: Effects of Clay

on Polymorphism of Polypropylene in Polypropylene/Clay Nanocomposites, 1810P

Zheng, X.
—; Zhang, J.; He, J.: Mutual Influence of the Morphology and Capillary Rheological Properties in Nylon/Glass-Fiber/Liquid-Crystalline-Polymer Blends, 1619P

Zheng, Y.
—; Priestley, R. D.; McKenna, G. B.: Physical Aging of an Epoxy Subsequent to Relative Humidity Jumps Through the Glass Concentration, 2107P

Zheng, Z.
—; Tang, X.; Shi, M.; Zhou, G.: Surface Modification of Ultrahigh-Molecular-Weight Polyethylene Fibers, 463P

Zheng, Z. M. See Hu, J. D., 2897C

Zhou, D. See Zhu, J., 2558C

Zhou, E. See Geng, J., 1333P

Zhou, G. See Zheng, Z., 463P

Zhou, H.-J. See Li, X.-G., 3380C, 6109C

Zhou, H. See Jiang, J., 5811C

Zhou, J.
—; Zhang, L.; Cai, J.: Behavior of Cellulose in NaOH/Urea Aqueous Solution Characterized by Light Scattering and Viscometry, 347P
—; Zhang, L.; Deng, Q.; Wu, X.: Synthesis and Characterization of Cellulose Derivatives Prepared in NaOH/Urea Aqueous Solutions, 5911C

Zhou, S. See Xiong, M., 3682P; Zong, L.

Zhou, X. See Luo, Y., 2145C

Zhou, Z. See Wang, Q., 38C

Zhou, Z.-X. See Wang, X.-L., 3417C

Zhu, J.
—; Zhou, D.; Zhu, X.; Chen, G.: Reversible Addition–Fragmentation Chain Transfer Polymerization of Glycidyl Methacrylate with 2-Cyanoprop-2-yl 1-Dithionapthalate as a Chain-Transfer Agent, 2558C

Zhu, L.
—; Narh, K. A.: Numerical Simulation of the Tensile Modulus of Nanoclay-Filled Polymer Composites, 2391P

Zhu, M.-F. See Li, X.-G., 2073C, 3380C

Zhu, S. See Alobaidi, F., 4327C; Feng, W., 2931C

Zhu, X.
—; Jian, X.: Soluble Aromatic Poly(ether amide)s Containing Aryl-, Alkyl-, and Chloro-Substituted Phthalazinone Segments, 2026C
—; See Xiao, Y., 60P; Zhu, J., 2558C

Zhu, Y.
—; Zhang, R.; Jiang, W.: Grafting of Maleic Anhydride onto Linear Polyethylene: A Monte Carlo Study, 5714C

Zhu, Z. See Ren, Y., 3828C

Zhunuspaev, D. See Mun, G. A., 2625P

Zhuo, R.-X. See Liu, Z.-L., 4370C; Peng, T., 1356C; Zhang, J.-T., 1249C

Ziglio, C. M. See Galland, G. B., 2171C

Zimberlin, J. A. See Lefaux, C. J., 3654P

Zimnitsky, D. S.
—; Yurkshtovich, T. L.; Bychkovsky, P. M.: Synthesis and Characterization of Oxidized Cellulose, 4785C

Zlatanić, A.
—; Lava, C.; Zhang, W.; Petrović, Z. S.: Effect of Structure on Properties of Polyols and Polyurethanes Based on Different Vegetable Oils, 809P

Zonca, M. R., Jr. See Crivello, J. V., 1630C

Zong, L.
—; Zhou, S.; Sun, R.; Kempel, L. C.; Hawley, M. C.: Dielectric Analysis of a Crosslinking Epoxy Resin at a High Microwave Frequency, 2871P

Zrinyi, M. See Csetneki, I., 4802C

Zsuga, M. See Kéki, S., 587C

Zubeldia, A.
—; Larrañaga, M.; Remiro, P.; Mondragon, I.: Fracture Toughening of Epoxy Matrices with Blends of Resins of Different Molecular Weights and Other Modifiers, 3920P

JOURNAL OF
POLYMER SCIENCE

Combined Subject Index to Volume 42

This index covers the Polymer Chemistry and Polymer Physics Editions of the *Journal of Polymer Science,* Vol. 42, 2004. The Edition in which an item appears is indicated by a C or P, respectively, following the page number.

AB Approach, 2734C
A–B–A Triblock copolymers, 4723C
ABB' Monomer, 3200C
4-[(α,β,β-Trifluorovinyl)oxy] bromo benzene (TFVOBB), 5077C
ABC triblock copolymers, 2601C
Absorption spectra, 4656C
Acetobacter xylinum, 463C
Acetyl group, 3157C
Acid-base forces, 2545P
Acid–base properties, 2294P
Acrylamide, 846C, 2483C, 2823C, 4916C
Acrylates, 894C, 3836C
Acrylic acid/*n*-alkyl methacrylate hydrogels, 2756C
Acrylic resin, 3682P
Acrylonitrile, 2994C
Activation energy, 5P, 2060C, 2419P, 3157C, 3822P, 4151P, 5999C
Activation of amino groups, 4126C
Activator, 1093C
Active diester, 1528C
Active methylene compounds, 5407C
Actuator, 2886C
Adamantane, 144C, 3360C
Addition–fragmentation chain transfer, 2640C
Addition polymerization, 1143C, 2534C, 3800C, 4353C
Addition rate, 5244C
Additives, 296P, 714C, 1114P, 3113P, 3191P, 3258P, 3490C, 4126C
Adhesion, 421P, 463P, 2595P, 3809P, 3822P, 4023P
Adhesion dynamics, 3013P
Adhesives, 1227C, 3333P, 4392C
Adhesive strength, 3676C
Adiabatic calorimetry, 4964C
ADMET, 1335C
Adsorption, 986P, 2010C, 2430P, 5627C
Adsorption capacity of uranyl chlorocomplexes, 2451C
AFM, 1783P
Ageing, 702P, 1239C, 1628P
Aggregate–aggregate interactions, 3447P
Aggregates, 2321C, 5482C
Aggregation constant, 4964C
Aggregation state, 4548C
Air oxygen, 2717C
Air separation, 6109C
Aldehyde polymers, 795C
Alicyclic compound, 3649C
Aliphatic polyesters, 5574C
Alkaline-developable photosensitive materials, 3697C
Alkaline developer, 2235C
Alkaline environment, 6216C
Alkali-soluble thickness, 2502P
Alkoxyamines, 3342C, 3504C
Alkyl chain length, 2756C
Alkyl-substituted lactides, 4379C
Alkynes, 4392C
All hydrocarbon polymer, 1335C
Alloys, 1137P
Allylbiguanide, 1707C
Alternating copolymerization, 215C, 3644C, 5561C
Alternating copolymers, 2845C
Alumina, 9C
Aluminosilicate, 819C
Aluminoxane, 2698C
Ambient temperature, 5161C
Ambient temperature polymerization, 1053C
Amidoxime group, 986P
Amino acids, 4641C
12-Aminolauric acid, 819C
Aminophylline, 2756C
Aminotelechelics, 587C
Amorphous, 925C, 1831P, 2347C, 5745C
Amorphous phase, 687P
Amphipathic structure, 4492C
Amphiphiles, 168P, 923P, 3860C, 4994C, 5271C, 6193C
Amphiphilic block copolymer, 76C
Amphiphilic copolymers, 2625P
Amphiphilic diacetylene, 2329P
Amphiphilic networks, 2192C
Amphiphilic polymers, 1640P
Amphoteric polymers, 3513P
Amplified spontaneous emission (ASE), 2214C
Amylose trisphenylcarbamate, 4480C
Anacardic acid, 4047C
Analytical ultracentrifugation, 4458C
Anhydride, 1618C, 1758C
Aniline, 6109C
Aniline and sulfonic diphenylamine copolymer, 3380C
Anionic polymerization, 31C, 237C, 514C, 689C, 1576C, 1745C, 3655C, 3739C, 4177C, 4417C, 4480C, 4535C, 4548C, 4570C, 4656C, 4682C, 4964C, 5026C, 5235C, 5384C, 5407C, 5488C, 5561C, 5802C
Anionic particles recharging, 2225C
Anions, 237C, 2430P
Anisotropic molecular interaction, 1322C
Anisotropic yielding, 2041P
Anisotropy, 260P, 2348P
Anisotropy decay, 1243P
Annealing, 209P, 4164P
Anomalous small-angle X-ray scattering, 567P
Anthracene, 2155C, 5488C
Antibacterial, 3818C
Antimicrobial activity, 5227C

Aqueous solution, 3836C
Aramids, 3302C
Arginine–glycine–aspartic acid (RGD), 6143C
Aromatic ketone, 4556C
Aromatic nucleophilic substitution, 1198C
Aromatic polyamides, 1293C, 3302C, 4056C, 4607C
Aromatic polyamines, 4607C
Aromatic polyethers, 5725C
Artificial polyvalent ligand, 5754C
Assemblies, 168P
Association, 733P, 1100C, 2321C, 2567P, 2725C, 3470P
Association in solutions, 1243P
Asymmetric hydrogenation, 4556C
Asymmetric induction, 4648C
Asymmetric oxidative coupling polymerization, 4528C
Asymmetric polymerization, 215C, 4480C
Asymmetric radical reaction, 4671C
Atactic, 1451P
Atomic force microscopy (AFM), 253C, 421P, 585P, 646P, 687P, 1312P, 2228P, 3189C, 3496P, 3727P, 3920P, 3930C, 4421P, 4621C, 5471C, 5838C
Atom transfer radical polymerization (ATRP), 22C, 351C, 496C, 608C, 853C, 916C, 1216C, 1362C, 1367C, 1384C, 1682C, 1745C, 1876C, 1939C, 1963C, 2263C, 2313C, 2483C, 2747C, 2931C, 3271C, 3553C, 3887C, 4132C, 4189C, 4212C, 4228C, 4237C, 4563C, 4809C, 4882C, 4933C, 5548C, 5754C, 5794C, 5811C, 6098C, 6299C, 6340C
Atrazine, 6309C
Atropisomer, 4607C
ATRP, 902C, 1053C, 5161C, 5964C
Attenuated total reflectance (ATR), 6216C, 6238C
Attraction, 3642P
Automated MALDI TOFMS spotting, 5775C
Automated synthesis, 1830C
Average molecular weight, 2780P, 2791P, 2801P
Avrami analysis, 820P
Axial asymmetry, 4318C
Axial dissymmetry, 566C
Axially dissymmetric compounds, 4607C
Azides, 194C, 4392C
Azimuthal angle, 3836P
Azobenzene, 2886C, 4237C
Azobenzene stimuliphores, 566C
Azo polymers, 566C, 1075C, 1682C, 3445C, 4641C, 5463C

Back electron transfer, 5863C
Bacterial cellulose, 463C
BADCY, 3986C
Barrier, 1668C, 3766P, 4247P
Bathochromic shift, 825C
Bead–Spring model, 3505P
Bending electrostriction, 523P
Benzaldehyde, 5384C
Benzocyclobutene, 1934C
Benzo[*g*]isoquinoline, 5745C
Benzo[*g*]phthalazine, 5745C
Benzophenone, 1953C, 2943C
Benzophenone-diether-diamine, 222C
2,2′,3,3′-Benzophenonetetracarboxylic dianhydride (2,2,'3,3′-BTDA), 2130C
Benzoxazine, 279C, 5954C
Benzoylchitosan, 4107P
Benzyl methacrylate, 1053C, 2192C
Biadamantane, 144C
Bidisperse blends, 2604P
Bifunctional initiator, 902C
Bifunctional monomers, 6384C
Bile acids, 701C
Bimodal molecular weight distribution, 1671P, 5662C
BIMS, 4489P
Binaphthol, 226P, 4528C
1,1′-Binaphthyl, 4318C
Binaphthyl ketone, 5413C
Binary mixtures, 3027P
Binol ester, 902C
Biocides, 3818C
Biocompatibility, 1934C, 3091C, 4459P, 5389C
Biodegradable, 666P, 950C, 1356C, 1886C, 2558P, 2577C, 2833P, 2971P, 3417C, 3563C, 4370C, 4723C, 4785C, 5054C, 5482C
Biodegradable polymers, 1321P, 3775C
Bioengineering, 629P
Biological activity, 3157C
Biological applications of polymers, 367P, 624C, 1934C
Biomaterials, 463C, 487C, 624C, 1514P, 3091C, 4598C, 4906C, 6011C
Biomimetic, 326C, 2931C, 3860C
Biomimetic layer, 2931C
Bioplotting, 3D, 624C
Biopolymers, 487C, 629P, 1934C, 2340C, 3818C, 4492C, 6209C
Biosynthesis, 487C
Biphenyl mesogens, 2734C
Bipyridine, 2973C
Bipyridine derivatives, 1876C
Bipyridine macroligand, 4153C
Birefringence, 137C, 861P, 1915P, 2202P, 4303P
1,4-Bis(4-amino-2-trifluoromethylphenoxy)-2,5-di-*tert*-butyl-benazene, 2272C
2,5-Bis(4-amino-2-trifluoromethylphenoxy)-*tert*-butylbenzene polyimides, 5424C
1,4-Bis(4-amino-2-trifluromethylphenoxy)benzene, 3116C
Bisazo polyurethanes, 5463C
Bis[3,5-dinitro-*N*(2,6-diisopropylphenyl)]nickel(II), 2432C
Bis[3,5-dinitro-*N*(phenyl)]nickel(II), 2534C
Bis(epoxide), 2543C
Bis(ether anhydride), 1008C
2,2-Bis(hydroxymethyl)propionic acid (bis-MPA), 5574C
2,2-Bis(methylol)propionic acid (bis-MPA), 1758C
Bis(oxetane), 1528C
Bisphenol, 1779C, 2566C, 3473C
Bis(salicylaldiminate)nickel(II) complexes, 2534C
Bis(terpyridinyl) complexes, 1487P
Blend composition, 3496P
Blending, 117P, 2971P
Blending surfaces, 3496P
Blends, 267P, 268P, 302P, 395P, 871P, 886P, 965P, 1010P, 1053P, 1075P, 1114P, 1127P, 1155P, 1255P, 1351P, 1417P, 1532P, 1548P, 1671P, 1725P, 1767P, 1793P, 1949P, 2215P, 2567P, 2892P, 2995P, 3027P, 3191P, 3204P, 3405P, 3428P, 3667P, 4000P, 4132P, 5964C
Blends of P[1,6-bis(P-carboxyphenoxy)] hexane-*N*,*N*′-bis(L-alanine-sebacoylamide with polylactide [P(CPH-BSAM)/PLA], 4311C
Blend ultrathin film, 3496P
Block copolymers, 162C, 341C, 411P, 453C, 496C, 534C, 689C, 853C, 898P, 923P, 933C, 960C, 1132C, 1312P, 1547C, 1724C, 1745C, 2179C, 2263C, 2432C, 2621C, 2678C, 2698C, 2821P, 3095P, 3191P, 3352C, 3496P, 3527C, 3537C, 3695P, 3853C, 4132C, 4177C, 4199P, 4207P, 4458C, 4466P, 4862C, 4873C, 4976C, 5045C, 5736C, 6098C, 6175C, 6248C
Blocked isocyanate, 4047C

Blue-emitting alternating polymers, 4792C
Blue-light-emitting polymers, 1768C
Bombardment, 2957P
Bound rubber, 577P
Branched, 505C, 2506C, 2780P, 2791P, 2801P, 3200 C
Branched polyethers, 245C
Branched polyethylene, 2815C
Branched polymers, 453C
Bridging interactions, 3539P
Brillouin light scattering, 3311P
Brillouin scattering, 1106P
Brill transition, 60P
Brittle-ductile transition, 1433P
Brownian coalescence, 603P
Brown rot, 2340C
Bulk modulus, 3741P
Bulky substituents, 3373C
1,3-Butadiene derivative, 999C
1,3-Butadiene polymerization, 1164C
Butadiene–styrene, 2698C
Butyl acrylate, 130C, 3479C
Butyl methacrylate, 3479C

C_{60}, 194C, 2877C
$CaCO_{3P}$, 1656P
Caffeine release, 3029C
Cage hydrocarbons, 6134C
Calcium carbonate, 4063C
Calculations, 1068P, 1905P, 4337P
Calixarene, 186C
Calixarene-based polymer, 6259C
Calorimetry, 2014P, 3013C, 3631C, 3893P, 4401P, 5253C, 5999C
Caly, 246P
Camphorquinone, 4948C
Carbamate, 2960C
Carbanion salts, 3655C
Carbazole, 333P, 3302C
Carbazole moiety, 825C
Carbocationic polymerization, 4084C
Carbohydrate, 4248C
Carbonate, 1618C, 3812C
Carbon black, 752P, 1212P
Carbon dioxide, 215C, 1565P, 2738P, 3812C, 5284C, 5561C, 5983C
Carbon dioxide fixation, 4941C
Carbon disulfide, 5983C
Carbon monoxide, 215C, 4666C
Carbon nanotubes, 2286P, 3701P, 5802C
Carbontetrachloride, 3897C
Carboximidates, 2747C
Carboxylate azo anionomers, 5463C
Carboxyl-poly(ethylene glycol)–poly(γ-benzyl-L-glutamate), 3527C
Carboxyl-terminated (butadiene-*co*-acrylonitrile) CTBN, 2531P
Carboxymethylcellulose, 463C
Carboxymethyl pullulan, 5482C
Carboxy nitrile rubber, 1042P
Cardanol, 4047C
Catalysis, 1367C, 1599C, 1618C, 1876C, 2329C, 3865C, 4693C, 6041C
Catalysts, 52C, 102C, 1018C, 1093C, 1384C, 1421C, 2698C, 3447P, 4882C, 5021C, 5284C, 6071C
Catalyst supporting, 22C
Catalytic hydrogenation, 2920C
Cathode glow, 1042C
Cationic colloid, 2225C
Cationic latent thermal catalysts, 2419P
Cationic photopolymerization, 1415C, 4409C
Cationic polyelectrolytes, 515P
Cationic polymerization, 245C, 520C, 1630C, 1707C, 1830C, 1985C, 2031C, 2162C, 2166C, 2845C, 2859C, 2943C, 2960C, 3230C, 3360C, 3373C, 3649C, 3729C, 3782C, 4230P, 4570C, 5113C, 5235C, 5942C, 6098C
Cavitation, 1476P, 2168P
Cellulose, 347P, 487C, 1206P, 2340C, 3818C, 4289C
Cellulose acetate, 5P
Cellulose trisphenylcarbamate, 4480C
CF_3-containing, 5424C
CF_3-polyimide-organ soluble, 222C
Chain conformation, 3487P
Chain extension, 2215P
Chain-growth polycondensation, 1198C
Chain-length dependence, 1601P
Chain mobility, 2916P
Chain order, 5031C
Chain scission, 534C, 3822P
Chain transfer constant, 2640C
Chain-transfer reaction, 2960C, 4895C
Channels, 4648C
Characterization, 3417C
Charge control additive, 5608C
Charged spherical particle, 1068P
Charge equilibration, 4765C
Charge inversion, 3642P
Charge migration, 2813P
Charge renormalization, 3616P
Charge transfer, 2845C, 3828C, 4775C
Charge transport, 2245P
Chelating fibers, 2010C, 2430P
Chelating polymers, 92C
Chemical bonding, 4466P
Chemical composition, 3571P
Chemical degradation, 6216C
Chemically modified, 5514C
Chemical recycling, 2766C, 4941C
Chemiluminescence, 648C
Chemoenzymatic synthesis, 4598C
Chiral, 215C, 902C, 1075C, 1143C, 4318C, 4480C, 4502C, 4518C, 4528C, 4548C, 4556C, 4563C, 4580C, 4621C, 4671C, 4682C, 4693C, 4711C, 5838C
Chiral helix, 3930C
Chirality, 4107P
Chiral monomer, 4556C
Chiral properties, 2566C
Chiral recognition, 4704C
Chitin, 3423C
Chitosan, 914P, 2747P, 3029C, 3897C
[2-(Chloromethylphenyl)ethyl]-trimethoxysilane, 4212C
Chloromethylphenyl groups, 4212C
Chlorotrifluorethylene (CTFE), 5077C
Cholesteric phase, 3870C
Chord length, 3070P
Chromatography, 416C, 2566C
Chromium catalysts, 3464C
Chromophores, 3013C
Cinnamate, 5401C
Circular dichroism, 566C, 4518C, 4621C, 4711C
Cis-polyisoprene, 1841C
Cis–transisomerization, 2365C
Clay, 916C, 941C, 1441P, 1573P, 1810P, 1823P, 2367P, 3102P, 3428P, 3981P, 4489P, 6163C
Clay mineral, 819C
Click chemistry, 4392C
^{13}C NMR, 3571P, 2474C, 4895C
Coarsening, 1970C
Coatings, 894C, 1415C, 1628P, 1658C, 2441P, 2612C, 3682P, 3822P, 5301C, 5999C, 6283C, 6346C
Coaxial fibers, 3934P
Cobalt complex, 3836C
Cocatalysis, 1537C
Cocatalyst, 3055C
Cohesion, 3822P
Cohesive energy, 2909P
Coil–globule transition, 3713P
Coil-like macromolecules, 1919C
Cold plasma, 3727P
Collagen film, 3859P
Colloidal dispersions, 2495C
Colloidal stability, 2705C
Colloids, 1999C, 2551C, 2625P, 2931P, 3165P, 3967C, 4284C, 6230C

Color change, 752P, 2329P
Combinatorial approach, 4084C
Combinatorial material research, 5775C
Compatibility, 2545P
Compatibilization, 246P, 452P, 898P, 1417P, 3191P, 4075P, 4182P, 4207P
Compatibilizers, 4139P
Complexes, 2680P
Complex viscosity, 1548P
Composite latex particles, 5695C
Composites, 146P, 367P, 463C, 567P, 666P, 722P, 985C, 1255P, 1789C, 2122P, 2253C, 2467P, 3359P, 3822P, 3849P, 4063C, 4326P, 4459P, 4802C, 4847C
Composition analysis, 5617C
Composition dependence, 1601P
Composition dependence of the interaction parameter, 1351P
Compositions of dicarboxylic acids, 2321C
Computer modeling, 1557C, 3333P, 4391P
Concentration fluctuation, 4084P
Condensing agent, 4126C
Conducting composites, 1212P
Conducting polyaniline, 2043C
Conducting polymers, 155P, 1199P, 1767P, 1972P, 2179C, 2329C, 2460P, 2844P, 3082C, 3359P, 3380C, 3612C, 3621C, 3934P, 4300P, 4756C, 5587C
Conducting polymers of organodisulfide, 2329C
Conductivity, 2043C, 2051C, 3750P, 3866P
Confined crystallization, 3380P
Confinement, 3290P
Conformation, 4017P, 4518C
Conformational analysis, 12P, 60P, 2576P, 2747P, 3302P, 4107P, 4518C
Conformational properties, 4189C
Conformational transitions, 5031C
Conjugated polyfluorene derivatives, 4792C
Conjugated polymers, 303C, 557C, 714C, 1058C, 1208C, 1820C, 2124C, 2214C, 2444C, 2631C, 2774C, 2897C, 2911C, 3212C, 3359P, 3936C, 3954C, 4466C, 4580C, 4838C, 5538C, 5853C, 5872C, 5891C, 6041C, 6061C, 6109C
Conjugation, 5670C, 6143C
Constant, 3676C
Constitutive model, 2027P
Constrained geometry catalyst, 1712C, 3055C
Contact mechanics, 3809P
Contact stiffness, 2513P
Controlled/living free-radical polymerization, 2659C
Controlled/living polymerization, 2931C
Controlled polymerization, 2960C, 3649C
Controlled radical polymerization, 76C, 3922C, 4921C
Conversion, 4409C
Coordination polymer, 2973C
Coordination polymerization, 2100C
CO_{2P}/CH_{4P} separation, 354P
CO_{2P}-laser-heated drawing, 79P
Copolyester, 3473C
Copolyethers, 5900C
Copolymerization, 1C, 44C, 52C, 130C, 177P, 597C, 843P, 999C, 1100C, 1293C, 1350C, 1557C, 1999C, 2019C, 2073C, 2225C, 2365C, 2451C, 2506C, 2512C, 2558P, 2621C, 2725C, 3023C, 3038C, 3271C, 3293C, 3323C, 3365C, 3433C, 3479C, 3604C, 3761C, 3812C, 3828C, 3967C, 4300C, 4327C, 4357P, 4666C, 4671C, 4994C, 5045C, 5113C, 5284C, 5384C, 5561C, 5600C, 5687C, 5847C, 5964C, 6071C, 6109C, 6175C, 6248C, 6340C, 6384C
Copolymerization kinetics, 1468C, 1478C, 1506C, 4424C
Copolymerization reactivity ratios, 4084C
Copolymers, 216P, 226P, 965P, 1174C, 1275P, 2303P, 2462C, 3029C, 3235P, 3416P, 3668C, 4000P, 5121C, 5227C, 5339C, 5617C
Copper, 4392C, 4933C
Copper complex, 6299C
Copper nitrate, 1023P
Core-shell microspheres, 5067C
Core-shell polymers, 1112C, 2710P, 5706C, 6081C
Core-shell structure, 4284C
Corona, 463P
Correlation, 3642P
Corresponding states, 2909P
Counterion condensation, 3616P
Coupling, 1275P
Covalently anchored initiator monolayer, 5413C
Crazing, 2066P
Crazing cavitation, 2137P
Creep, 1628P
Critical micelle concentration, 765C
Critical molecular weight, 2724P
Critical point, 129P
Crosslinked micelles, 1724C
Crosslinked networks, 2270P
Crosslinked polyethylene (XLPE), 4164P
Crosslinked poly(vinyl alcohol), 621P
Crosslinking, 59C, 64P, 83C, 151C, 279C, 758P, 766P, 835C, 975C, 1126C, 1421C, 1875P, 1928P, 1979P, 1999C, 2124C, 2168P, 2192C, 2451C, 2567P, 2586P, 2612C, 2710P, 2780P, 2791P, 2801P, 2871P, 3143C, 3333P, 3433C, 3631C, 3668C, 3720C, 3729C, 3782C, 3879C, 3897C, 3967C, 4028C, 4044P, 4281P, 4293P, 4344P, 4437C, 4556C, 4704C, 5271C, 5401C, 5514C, 5983C, 6143C, 6193C, 6375C
Crosslinking density, 2419P
Crosslinking mechanism, 675C
CRYSTAF, 5121C
Crystal engineering, 3922C
Crystalline form, 3428P
Crystalline transition, 4017P
Crystallinity, 861P, 4401P, 5784C
Crystallization, 177P, 209P, 280P, 374P, 553P, 646P, 656P, 714P, 830P, 843P, 956P, 974P, 1181P, 1265P, 1275P, 1312P, 1565P, 1685P, 1694P, 1810P, 1915P, 1938P, 2007P, 2129P, 2181P, 2215P, 2667P, 2698C, 2738P, 2821P, 2995P, 3133P, 3368P, 3677P, 3775P, 3797P, 4095P, 4175P, 4199P, 4440P
Crystallization behavior, 939P
Crystallization kinetics, 117P, 820P, 974P, 2892P
Crystal modification, 296P
Crystal structures, 541C, 553P, 1189C, 1206P, 1312P, 1938P, 2385P, 2576P, 3095P, 3423C, 3836P, 4017P, 4095P, 4353C
Cubic oligosilsesquioxane, 4587C
Cured epoxy blends, 2531P
Cure kinetics, 2419P, 3701P
Curing, 1227C
Curing behavior, 1192P
Curing of polymers, 64P, 146P, 1586P, 2066C, 2225C, 2612C, 2649P, 3143C, 3579C, 3685C, 5999C
Cyanate esters, 2589C, 3986C
Cyano, 1768C
Cyano groups, 3936C
2-Cyanoprop-2-yl 1-dithionaphthalate (CPDN), 2558C
Cyclic diarsine, 3023C
Cyclic oligomers, 2130C
Cyclic polymers, 2604P, 5725C
Cyclic voltametry, 2245P

Cyclization, 3373C
Cyclized polymer, 3373C
Cycloaddition, 4392C
Cycloalkane, 3649C
Cycloalkene, 3649C
Cyclodextrins, 188P, 1173P, 4182P, 4207P
Cyclohexene oxide functional poly(ε-caprolactone), 3365C
1,5-Cyclooctadiene, 1154C, 2705C
Cyclooligoarsine, 3604C
Cyclopentane unit, 1457P
Cyclopolymerization, 3373C, 4101C, 4563C, 4671C, 6384C
Cylinders, 3598P

Damage zone, 1075P
Dc glow discharge, 1042C
Deacetylation, 5P
Deactivator, 4882C
DEAEMA, 5161C
Deblocking temperature, 4047C
Decomposition, 765C
Decoupling, 1275P
Decrosslinking, 3685C
Deep quenching, 871P
Defect Gibbs free energy, 177P
Deformation, 956P, 1656P, 2759P
Deformation mechanisms, 2633P, 3876P, 4478P
Degenerative chain transfer, 6267C, 6364C
Degradable polymers, 2766C
Degradation, 648C, 1023P, 1566C, 1628P, 2168P, 2303C, 2340C, 2441P, 2558P, 2612P, 2666C, 3685C, 3727P, 3954C, 4311C, 4344P, 4466C, 4711C, 6143C
Degree of polymerization (DP), 188P, 2871P, 3447P, 4168C
Dehydrogenating transformation, 2686C
Delay time, 871P
Dendrimers, 505C, 1218P, 1235P, 1293C, 1487P, 1758C, 2155C, 2254P, 2680P, 2784C, 3110C, 3563C, 3792C, 5031C, 5574C, 5877C
Dendritic, 1735C
Dendritic polymers, 1174C
Dendritic rod polymers, 2784C
Dendronized polymers, 3563C
Dendrons, 4580C
Density, 1126C, 4313P
Density functional theory (DFT) calculations, 76C, 1557C
Deoxycholic acid, 4648C
Desalination membranes, 795C
Dextran, 5054C
3,5-Diacetoxybenzoic acid, 3751C
1,2-Diamine, 4556C
2,4-Diaminotriphenylamine, 3302C
Dianhydrides, 341C, 6089C
Diastereoselectivity, 5384C
Diazepanone alkoxyamines, 3332C
Diazonium-substituted polystyrene, 4284C
Diblock copolymers, 168P, 432C, 1960P, 1970C, 2405C, 3179P, 3975C, 4084P, 5784C
Diblock copolymer solutions, 1496P
Diblocks, 3290P
α,α-Dichlorotoluene, 1963C
Dichroism, 1915P
Dicumyl peroxide, 4437C
Dielectric, 3676C
Dielectric constants, 1P, 137C, 2377P, 2589C, 3934P, 3986C, 4293P, 5189C
Dielectric properties, 523P, 1255C, 1789C, 2416C, 2589C, 2871P, 3849P, 3943P, 4053P, 4303P
Dielectric relaxation, 188P, 702P, 1099P, 4313P
Dielectric spectroscopy, 2916P, 3405P
Diels-Alder polymers, 2155C
Diels-Alder reaction, 1934C
Diene monomers, 4648C
Diethylzinc, 950C
Differential scanning calorimetry (DSC), 25P, 146P, 280P, 290C, 621P, 722P, 1099P, 1265P, 1415C, 1457P, 1759P, 1849P, 1919C, 2066C, 2191P, 2649P, 2738P, 3189C, 3318P, 3416P, 3701P, 3775P, 4230P, 4311C, 4320P, 4371P, 4401P, 4421P, 4448C, 4948C, 5372C, 5574C, 6031C
Differential thermogravimetry (DTG), 6216C
Diffraction grating, 613P
Diffusion, 83C, 267P, 354P, 473P, 493P, 613P, 947P, 1053P, 1466P, 1618C, 1663P, 1668C, 1875P, 1905P, 1987P, 2122P, 2520C, 2666C, 2756C, 3218P, 3248P, 3267P, 3311P, 3766P, 4164P, 4247P, 5005C, 5530C
Diffusion constants, 3976P
Diffusion-induced coalescence, 603P
Diffusivity, 2407P
2,6-Difluoropyridine, 5725C
1,4-Dihydroxynaphthalene, 2377C
Dihydroxyphosphino, 92C
Diisocyanates, 341C
Dimethacrylate monomer, 985C
2-(Dimethylamino)ethyl methacrylate (DMAEMA), 6081C
5-Dimethylamino-naphthalene-1-suldonamide (DNS) fluorophore, 64P
Dimethyl sulfoxide, 1451P
Di-*n*-butyl itaconate, 4895C
Dip coating, 3676C
Dipentene, 3986C
Diphenol, 4906C
2,6-diphenylpyridine, 2214C
Dipyridylamine, 4838C
Direct copolymerization, 862C
Direct observation, 3930C
Dispersion, 4337P, 4384P
Dispersion forces, 2545P
Dispersion medium, 5608C
Dispersion polymerization, 1154C, 2678C, 5608C, 5827C
Dispersions, 2705C, 3708C, 4337P
Dissipation factor, 2589C, 3986C
Dissociation glow, 1042C
Dissolved oxygen concentration, 1285C
Dithiafulvene, 5872C
Dithiocarbamate, 5670C
Divergent synthesis, 505C
Divinylbenzene, 1609C
Divinyl ether, 3373C, 3729C
Divinyl ether monomers, 2031C
DMAEMA, 5161C
DMSO, 6299C
Dodecyl acrylate, 5170C
Dodecyl methacrylate, 3404C
Domain interface, 2813P
Donor–acceptor interaction, 4656C
Double bonds, 444C, 675C
Double-quantum NMR spectroscopy, 5031C
3D printing, 624C
Draining effect, 4225P
Drawing, 2857P
Drug delivery systems, 317C, 1934C, 2756C, 3397P, 3563C, 4370C, 4785C, 5054C
Drug release, 2756C
Drug stability, 2202C
DSC, 177P, 2878P
Dyes/pigments, 1999C, 3836C, 4916C
Dynamic asymmetry, 3148P
Dynamic crystallization, 790P, 939P
Dynamic cure, 1181P
Dynamic glass–rubber transition, 2467P
Dynamic heterogeneity, 4084P
Dynamic light scattering, 2495C, 3311P, 5244C
Dynamic mechanical analysis, 2900P
Dynamic mechanical relaxation, 2657P
Dynamic properties, 1417P

Dynamics, 3235P
Dynamic swelling, 5054C
Dynamic vulcanization, 1417P

Effective association, 2202C
Effective charge, 3616P
Effect of connectivity, 2734C
Elastic moduli, 260P
Elastomers, 271C, 523P, 1239C, 1449C, 1573P, 1656P, 1725P, 1767P, 1783P, 1987P, 2161P, 2318P, 2460P, 2467P, 2766C, 3082C, 3809P, 4448P, 5262C
Electrical impedance, 146P
Electrical properties, 4143C
Electrical resistivity, 2161P
Electric field, 1333P, 1514P, 4116P
Electrochemistry, 883C, 1272C, 1658C, 2245P, 3170C, 3314C, 5900C
Electroluminescence, 1647C, 2112C, 3212C, 3954C
Electrolyte, 4195P
Electrolyte membrane, 3612C, 3621C
Electron-active substituents, 541C
Electron-beam (EB) irradiation, 2595P
Electron beam irradiation, 1299P
Electron donor, 5872C
Electron microscopy, 2690P, 2703P, 3318P
Electrophoresis, 3616P
Electrophoretic mobility, 5608C
Electropolymerization, 1658C
Electrospinning, 5P, 752P, 3721P, 3934P, 6331C
Electrospray ionization (ESI), 4266C
Elimination, 2943C
Ellipsometry, 541C, 1033P
Emission, 5488C
Emission spectra, 4656C
Emulsion and inverse emulsion polymerization, 4300C
Emulsion polymerization, 960C, 1025C, 1112C, 1912C, 1999C, 2145C, 2253C, 3404C, 3479C, 3936C, 4202C, 5005C, 5253C
Emulsions, 2625P
Enantiomer-selective polymerization, 4480C, 4563C
Enantioselective permeation, 4502C
Encapsulants, 4293P
Encapsulation, 689C, 2145C, 4063C
End capping, 1735C
End-functionalized, 3527C
End-functionalized poly(ethylene oxide), 5530C
End group, 597C, 6021C
End-group functionality, 4016C
End-group modifications, 1735C
End modification, 3200C
End-tethered polymers, 199P
Energy chains, 1537C
Energy model, 302P
Energy-storage materials, 2329C
Energy transfer, 557C
Entanglements, 302P, 2318P
Enzymes, 479C, 4289C
Epoxidation, 444C
Epoxides, 2162C, 2166C, 3685C, 4230P, 4666C, 5284C, 5561C
Epoxide monomers, 1630C
Epoxy, 1137P, 2107P, 3981P, 4293P
Epoxy–amine reactions, 3579C
Epoxy compound, 2031C
Epoxy mixtures, 3920P
Epoxy-modified polystyrene, 1351P, 1361P
Epoxy polymers, 2441P
Epoxy resins, 1181P, 1192P, 2066C, 2419P, 2833P, 2871P, 3631C, 3782C, 3841P, 4053P, 5471
ε-Caprolactone, 1976C, 5523C
ε-Caprolactum, 819C
Equation of state, 2909P
ESCA/XPS, 83C, 551C, 1145P, 2942P, 3727P
ESR, 2365C, 4161C
ESR/EPR, 1539P, 1960P, 5929C
Esterification, 44C, 2321C, 2725C
1-(Ethoxy carbonyl) prop-1-yl dithiobenzoate, 4862C
α-Ethylacrylic acid, 3828C
Ethyl α-ethylacrylate, 3828C
Ethylene, 52C, 2462C, 5121C
Ethylene copolymerization, 4327C
Ethylene-5,7-dimethylocta-1,6-diene copolymers, 3797P
Ethylene/1-hexene copolymers, 2512C
Ethyleneimine, 5504C
Ethylene methacrylate, 3157C
Ethylene polymerization, 38C, 3055C
Ethylene–propylene–diene monomer (EPDM), 1239C
Ethylene–propylene–1-hexene terpolymers, 2474C
Ethylene–propylene rubber (EPR), 1239C
Ethylene/styrene copolymerization, 1712C
Ethylene trimerization, 4327C
Ethylene/vinyl acetate (EVA), 3750P
Ethylphenylketene, 5384C
$EtInd_2ZrCl_2$/methylaluminoxane catalyst system, 2462C
Excellent thermal stability, 3697C
Exchange reaction, 3996C
Excimers, 557C, 2985C
Exciton coupling, 566C
Excitons, 557C
Exfoliated, 3981P
Exfoliated graphite, 1972P
Exfoliation, 246P, 1000P
Expanding monomer, 5113C
Extent of neutralization, 3571P
Extreme pressure additive, 5504C
Extrusion, 2983P
Extrusion polymerization, 4830C

Facilitated transport, 232P, 621P, 2263P, 4326P
^{19}F and ^{1}H-NMR spectroscopy, 5077C
Far-infrared radiation (FIR), 2490P
Fatty acids, 6346C
Ferroelectric phase transition, 4175P
Ferrofluid, 5827C
Fiber mat, 752P
Fibers, 47P, 53P, 79P, 395P, 2122P, 2238P, 3721P, 3876P, 4289C, 6331C
Fibrin–gelatin composite (PFG), 2241C
Fibrin–gelatin composite/2-hydroxyethyl methacrylate (PFG-HEMA), 2241C
Fibrin–gelatin composite/2-hydroxypropyl methacrylate (PFG-HPMA), 2241C
Fickian diffusion, 1114P
Fictive temperature, 2027P
Filler-polymer interaction, 577P
Films, 137C, 354P, 1075C, 1312P, 1845C, 2354P, 4466P, 5463C
Finite deformation, 2513P
Five-membered dithiocarbonate, 4276C
Flame retardance, 279C, 1868C
Flame-retardant thermosets, 3516C
Flexibility, 1919C
Flory–Huggins interaction parameter, 1601P
Flory's parameter Φ, 4225P
Fluorene derivatives, 2985C
Fluorene moiety, 825C
Fluorescence, 64P, 1058C, 1208C, 1227C, 1243P, 1768C, 1999C, 2112C, 2214C, 2631C, 2774C, 2897C, 2957P, 2985C, 3212C, 3314C, 3479C, 3879C, 3936C, 4775C, 4838C, 5005C, 5745C, 5891C
Fluorescence chemosensors, 1272C
Fluorescence imaging, 5413C

Fluorescence energy transfer, 3479C
Fluorescent probes, 1227C
Fluoride-releasing, 985C
Fluorinated block copolymer, 4809C
Fluorinated dianhydride, 4143C
Fluorinated 2-methylene-1,3-dioxane, 5180C
Fluorinated 2-methylene-1,3-dioxolane, 5180C
Fluorinated polyimide–fluorinated poly-hybridsiloxane block copolymers, 200C
Fluorinated polyimides, 2416C
Fluorinated polymer blends, 1145P
Fluorine-containing bis(epoxide), 2543C
Fluorine-containing diols, 2543C
Fluorine-containing polyethers, 2543C
Fluoroelastomer (FKM; Viton A), 6216C
Fluorofunctional monomer, 1693C
Fluorophilic association, 360C, 5736
Fluoropolyethers, 5354C
Fluoropolymers, 411P, 532P, 544P, 551C, 925C, 1255C, 1343P, 1468C, 1478C, 1506C, 1693C, 1987P, 2308P, 2377C, 2405C, 2621C, 3537C, 4101C, 5180C, 6193C
Fluororubber, 6216C
^{19}F NMR, 3487P
Foams, 1226P, 3741P
Focal point, 2680P
Focused ion beam (FIB) milling, 5067C
δ Form, 3439P
Formation, 765C
Fourier transfer near infrared spectroscopy (FTNIR), 4933C
Fourier transform, 316P
Fourier transform IR attenuated total reflectance, 3859P
Four-stage phase transition, 871P
Fractal, 646P
Fracture, 758P, 1075P, 1715P, 1739P, 1861P, 2066P, 3333P, 4044P
Fracture energy, 1861P, 2667P
Fracture mechanics, 5471C
Fracture toughness, 286P
Fragility, 2604P
Fragmentation, 597C
Free radical copolymerization, 3628P
Free-radical polymerization, 2621C, 2791P, 5877C
Free radicals, 6346C
Free volume, 341P, 493P, 2407P, 2441P, 2909P
Friction, 2348P
Friedel–Crafts polymerizations, 1537C
Friedel–Crafts reaction, 925C
Frontal polymerization, 1630C, 2066C
FTIR, 33P, 60P, 894C, 1010P, 1033P, 1145P, 1985C, 2010C, 2340C, 2430P, 2479P, 2971P, 3423C, 3668C, 4017P, 4164P, 4230P, 4440P, 4448C, 4785C, 5170C, 5983C, 6216C, 6238C
FTIR absorption bands, 3487P
FTIR spectroscopy, 4478P
FTIR studies, 3866P
Fuel cell, 3612C, 3621C
Fullerene-C60, 194C
Fullerenes, 2877C, 3456C, 4820C
Functionalization of polymers, 432C, 444C, 795C, 1461C, 1682C, 1953C, 2251C, 2253C, 2451C, 2866C, 2942P, 3527C, 3797P, 3812C, 3975C, 4074C, 4598C, 5146C, 5372C, 5587C, 5600C, 6071C
Functionalization of polyolefins, 2462C
Functionalized bipyridine ligands, 374C
Functionalized polyabutadiene, 4053P
Functionalized polyolefin, 52C
Functionalized polypropylene, 1042P
Functional poly(ester-carbonate), 2303C

Gadolinium, 2680P
Gadolinium complex, 1912C
Gamma globulins, 615C
Gamma radiation, 3897C
Gas permeability, 226P
Gas permeation, 1987P, 2769P, 2916P, 3766P, 4281P, 4326P
Gas/vapor deposition polymerization, 2621C
Gelatin, 766P, 2791P
Gelation, 733P, 1451P, 1841P, 1849P, 2014P, 2270P, 2780P, 3049C, 3470P, 3729C
Gelator, 1841P
Gel fraction, 6216C
Gel permeation chromatography (GPC), 44C, 1547C, 1758C, 1919C, 2321C, 2558C, 2725C, 2911C, 3447P, 3456C, 4311C, 4743C
Gels, 532P, 544P, 1206P, 2192C, 2308P, 2886C, 2931P, 3095P, 3148P, 3165P, 3476P, 3729C, 4412P
Gel time, 4047C
Glass, 2107P
Glass fibers, 1619P
Glass transition, 64P, 137C, 341C, 613P, 636P, 777P, 994P, 1155P, 1235P, 1299P, 1487P, 1809C, 1823P, 1857C, 1960P, 2027P, 2107P, 2589C, 2604P, 2710P, 2931P, 2960C, 3148P, 3405P, 3849P, 4000P, 4371P, 6052C
Glass-transition temperature, 733C, 2604P, 3649C
Glassy polymers, 199P, 2407P
Glassy polystyrene, 1861P
Glycidyl methacrylate (GMA), 2558C, 5827C
Glycoconjugate polymers, 4598C
Glycopolymer, 2577C
Glycopolymer-polypeptide triblock copolymers, 5754C
Good solvent, 3290P
GPC, 1362C
Graft, 5714C
Graft copolymerization, 2904C
Graft copolymers, 253C, 263C, 374C, 453C, 1189C, 1356C, 1682C, 1705P, 1939C, 2093C, 2462C, 2520C, 2612P, 2920C, 3082C, 3404C, 3417C, 3887C, 4212C, 4370C, 4417C, 4756C, 5482C, 5523C, 6021C
Grafted polymers, 3302P
Grafting, 1976C, 2931C
Grafting polymerization, 2595P, 3842C
Graft polymer of polysilsesquioxane, 4212C
Graphite, 155P, 2844P
Growth, 1265P, 1565P, 1817P
Growth rate, 820P
Guest–host chemistry, 3792C

Half-metallocene, 2698C
Half-titanocene, 2904C
Halogenated, 1461C
HALS, 1350C
^{1}H and ^{13}C NMR spectroscopies, 2920C
Hardness, 861P, 2202P, 3676C
Hard segment, 271C
Hard-segment modification, 271C
Havriliak–Negami equation, 2657P
Head–tail units, 2943C
Head-to-head polymers, 795C
Healing, 1705P
Heat capacity, 316P, 4401P
Heavy metal ions, 92C
2_1-helical assemblies, 4648C
Helical polymers, 566C, 4607C, 4621C, 5838C
Helix, 4518C, 4580C, 4621C, 4711C
Helix sense, 5838C

Helix-sense-selective polymerization, 4480C
Hemicellulose, 2340C
Hemispherical dendrimer, 1400C
Herman's orientation function, 47P
Heteroatom-containing polymers, 432C, 1272C, 2774C, 3604C, 5872C, 5921C, 5983C, 6353C
Heterofunctional linking agent, 514C
Heterogeneity, 1539P
Heterogeneous catalysis, 4830C
Hexabutyl guanidium acetate, 3775C
Hexafluoroisopropanol, 1506C
Hexafluoropropene (HFP), 5077C
Hexagonal columnar phase, 326C
Hexagonal phase, 53P
5-Hexen-1-ol, 52C
Hexylated triethylene tetramine ligand, 1362C
Hexyl methacrylate, 5253C
Hierarchical structure, 4648C
High concentration, 3070P
High-density polyethylene (HDPE), 1212P, 1199P, 1831P
Higher order structure, 1143C
High glass-transition temperature, 3697C
High-impact polystyrene, 2168P
High molecular weight, 1053C
High performance, 2026C
High-performance liquid chromatography (HPLC), 4480C, 4704C
High-performance polymers, 208C, 925C, 1008C, 1255C, 1735C, 1779C, 1845C, 2010C, 2235C, 2272C, 2416C, 3178C, 4056C, 5921C, 5945C, 6089C, 6134C, 6318C, 6353C
High-temperature materials, 6134C
High-temperature polymeric materials, 2377C
High-throughput analysis, 4084C
High-throughput experimentation (HTE), 1830C, 1876C, 5775C
History, 578C
^{1}H NMR, 44C, 1468C
H_2O_2, 2717C
Hofmeister series, 2651C
Hollow microstructures, 3170C
Hollow particles, 2225C
Hollow SiO_2 sphere, 4284C
Host defense peptides, 3860C
Host-guest systems, 4621C
Hot stretch ratio, 4095P
Human serum albumin, 615C
Humidity, 2107P
Hybrid, 3682P, 5189C
Hybrid polysiloxanes, 200C
Hydrazone and carbazone polymers, 3157C
Hydrocarbon resin, 3368P
Hydrocarbons, 2407P
Hydrogels, 360C, 515P, 914P, 986P, 1090P, 1249C, 1506P, 1514P, 2241C, 2294P, 2586P, 2756C, 3293C, 3397P, 4344P, 4370C, 4492C, 5054C, 5736C, 6331C
Hydrogenation, 1335C
Hydrogen bonds, 253P, 702P, 2971P, 4404C, 4895C, 5031C
Hydrogen bonding, 22C, 117P, 636P, 1289P, 2137P, 3405P, 4337P, 4492C
Hydrolysis, 2558P, 3676C
Hydrolysis resistance, 1845C
Hydrophilic polymers, 173C, 208C, 432C, 2019C, 2100C, 2294P, 5021C, 6081C
Hydrophobic, 1789C
Hydrosilylation, 2774C, 2920C
2-Hydroxylethyl methacrylate (HEMA), 5523C, 3476P
Hydroxypropylcellulose, 5911C
Hydrophobic polyelectrolytes, 1640P
Hyperbranched, 1218P, 1235P, 1293C, 1609C, 1735C, 2254P, 2356C, 2506C, 2649P, 3062C, 3110C, 3200C, 3587C, 3739C, 3853C, 4195P, 5725C, 5921C, 6318C
Hyperbranched polyesters, 3751C
Hyperbranched polyimides, 3697C
Hyperbranched polymers, 3697C, 5134C, 6193C

Imaging, 2612C
Imidization degree, 2490P
Imine, 4276C
Immiscible blends, 2545P
Immobilization, 4289C, 4704C
Impact modifier, 1112C
Impact strength, 2690P
Impedance spectroscopy, 98P
Inclusion chemistry, 1173P, 1476P, 5706C
Inclusion complexes, 4207P
Inclusion compound, 4182P
Inclusion polymerization, 4648C
Indan structure, 2769P
Indentation, 1586P, 1628P, 2513P
Induced peroxide decomposition, 675C
Infrared ellipsometry, 1421C
Infrared spectroscopy, 59C, 64P, 636P, 1868P, 3143C, 4587C, 5999C
Inhibitors, 4074C
Initiation, 3800C
Initiator efficiency, 5170C
Initiator-fragment incorporation radical copolymerization, 1609C
Initiators, 1901C, 1979P, 2162C, 2166C, 2859C, 3836C, 4016C, 4189C, 4266C, 5407C, 5811C, 5863C, 5974C
Injection, 2385P
Inorganic acid, 1707C
Inorganic polymers, 4518C
In situ analysis, 1506C
In situ FT-IR, 2994C, 3685C
In situ ^{1}H NMR analysis, 1478C
In situ method, 785C
In situ microfiber-reinforced blend, 374P
In situ microfibrillar blend, 4095P
Interaction parameter, 2215P
Interactions, 267P, 2545P, 3344P, 3513P
Interdiffusion, 2667P
Interface healing below the glass-transition temperature of the bulk, 1861P
Interfaces, 302P, 1421C, 1861P, 2367P, 2942P, 3235P, 3849P, 4023P, 4371P
Interfacial adhesion, 2545P
Interfacial slip, 302P
Interior surface, 4648C
Intermediate, 2877C
Internal functionalization, 5134C
Interpenetrating networks (IPN), 1249C, 3293C, 3841P, 3987P, 5471C
Interpolymer complexes, 2625P, 6230C
Intimate mixing, 4207P
Intramolecular energy transfer, 5636C
Intramolecular propagation, 3373C
Intramolecular reaction, 3729C
Intrinsic birefringence, 2354P
Intrinsic viscosity, 939P
Intumescent flame retardant (IFR), 6163C
Inverse emulsion, 846C
Inverse gas chromatography, 267P
In vitro, 2558P
In vitro studies, 701C
Iodoform, 6267C, 6364C
Iodonium salt, 5863C
Ion-beam irradiation, 1343P
Ion channel, 3860C
Ion cluster, 4412P
Ion condensation, 3642P
Ionenes, 701C
Ion exchangers, 2451C, 3865C
Ionic channel, 326C
Ionic conductivity, 1P, 1299P, 1379P, 1928P
Ionic liquids, 208C, 3230C, 5794C

Ionic networks, 3720C
Ionomers, 432C, 862C, 1243P, 1343P, 1379P, 2678C, 2857P, 2866C, 3612C, 3621C, 3720C
Ion-pairing polyelectrolytes, 3616P
Ionpairs, 3655C
Ion recombination, 6125C
Ion size, 3598P
IPDI, 5354C
IPN, 785C, 986P
iPP, 2385P
IR, 253P, 1868P
Iridium(III) and ruthenium(II) polypyridyl complexes, 4153C
Iron, 1018C
Iron-based catalyst, 5662C
Iron halide, 4882C
Iron(II)-bisimine pyridine catalyst, 4830C
Iron oxide/poly(methyl methacrylate), 5695C
Irradiation, 975C, 1099P, 2612C, 3759P, 4641C, 5463C, 5929C
Irreversible degradation, 714C
Isobutene (IB), 1537C
Isobutylene, 4084C, 6098C
Isoelectric point, 2495C
Isomer effects on polyimide properties, 2130C
Isomer/isomerization, 2892P, 6346C
Isomerization, 4711C
Isoprene, 4084C
Isoprene polymerization, 1841C
Isotactic, 215C, 391C, 3395C, 5600C
Isotactic polypropylene, 3368P, 3428P, 4478P
Isotactic poly(propylene), 3759P
Isotactic polystyrene, 777P
Isotactic stereoselective substitution, 6052C
Isotherm, 3893P
Isothermal crystallization, 4175P, 4255P
Isotope effect, 4711C

Jump analysis, 2081P

Kerner model, 1417P
Kerner–Nielson equation, 1199P
Kerr effect, 4116P
Ketimine, 1137P
Kinetic parameters, 2245P
Kinetics, 648C, 2649P, 2878P, 3655C, 3775P, 4016C, 4036C, 4161C, 4409C, 4437C, 5146C, 5354C, 5794C, 5974C
Kinetics of tethering, 5530C
Kinetics (polym.), 130C, 656P, 846C, 894C, 999C, 1227C, 1441C, 1496P, 1557C, 1693C, 1752C, 2060C, 2432C, 3143C, 3464C, 3668C, 4409C, 4563C, 4743C, 5170C, 5530C, 5548C, 5647C, 5877C, 6238C, 6283C
Kinetic studies, 4964C
Kinked structures, 2214C
Knoevenagel condensation, 3936C
Konjac glucomannan, 4370C

Labels, 64P
Lactide, 1886C, 3775C, 4723C
Lactones, 3782C, 4723C, 5964C
Lactose-installed polymeric aggregates, 5754C
Lamellar crystallization, 3318P
Langmuir isotherm, 92C
Langmuir sorption, 3439P
Laser action, 2214C
Laser extensometer, 260P
Laser-heated drawing, 433P
Latent catalyst, 3841P
Lateral force microscopy, 639C
Late-transition-metal catalyst, 1093C
Lattices, 2225C, 3936C, 4802C, 5706C
Lattice cluster model, 2254P
Lattice models, 2909P
Lauritzen–Hoffman (L–H) secondary nucleation theory, 1265P
Lauryl methacrylate, 2950C
Layer-by-layer assembly, 3654P
Layered silicate, 3981P
LB films, 2329P, 3248P
LCST, 5054C
Lifetime, 557C
Ligand, 1963C
Ligand effect, 3553C
Light-colored, 2416C
Light-emitting, 3954C
Light-emitting diodes (LED), 303C, 333P, 557C, 883C, 1058C, 1820C, 2112C, 2124C, 2347C, 2985C, 3049C, 3314C, 3936C, 3954C, 5853C, 5891C, 5900C, 6041C, 6061C
Light-emitting polymers, 1058C, 3212C
Light scattering, 347P, 1106P, 1841P, 3027P, 3713P, 4177C, 6230C
Light scattering water-soluble polymers, 3236C
Lignin, 2340C
Linear, 2106C, 3587C, 6318C
Linear–dendritic diblock copolymers, 2784C
Linear low-density polyethylene (LLDPE), 1114P, 4327C
Linear PLLA, 939P
Linear viscoelasticity, 1671P, 2730P
Liquid crystal, 404P, 1868P
Liquid-crystal alignment, 1322C, 5401C
Liquid-crystalline polymers (LCP), 290C, 302P, 326P, 395P, 411P, 1010P, 1289P, 1335C, 1619P, 1868P, 1949P, 2734C, 3002C, 3631C, 3870C, 3943P, 4116P, 5215C, 5262C
Liquid-crystalline thermosets (LCTs), 3631C
Liquid–liquid phase separation, 2995P
Lithium batteries, 2254P, 2308P
Lithium diphenylamide, 31C
Lithography, 341P, 1468C, 1478C, 1506C, 3697C
Living anionic polymerization, 933C
Living carbocationic polymerization, 3091C
Living cationic polymerization, 2601C
Living/controlled radical polymerization, 2747C, 5794C
Living free-radical polymerization, 2558C, 3644C
Living nature, 2621C
Living polymerization, 237C, 416C, 505C, 1830C, 1841C, 1939C, 1963C, 2405C, 2483C, 2558C, 2960C, 3332C, 3342C, 3352C, 3373C, 3395C, 3504C, 3537C, 3553C, 3649C, 3655C, 3775C, 4132C, 4168C, 4248C, 4417C, 4535C, 4873C, 4882C, 4933C, 4976C, 5026C, 5548C, 5670C, 6175C, 6267C, 6299C, 6364C
Living radical polymerization, 960C, 2263C, 4933C
L-lactide, 1976C, 6209C
Local configurational mechanisms, 1857C. 6052C
Long-chain branching, 1671P, 3055C
Long-range ordering, 1970C
Long spacing, 1831P
Loss modulus, 2724P
Low-density polyethylene (LDPE), 2813P, 3750P
Lower critical solution temperature, 2651C
Low-temperature heat capacity, 4401P
L-tyrosine, 4906C
Luminescence, 303C, 333P, 1033P, 1610P, 1820C, 2347C, 2444C, 2985C, 3587C, 4153C, 5853C
Luminescent polymers, 2214C, 2686C

Lysine ethyl ester diisocyanate, 624C

Macrocycles, 3751C
Macrocyclic polymers, 5488C
Macroinimer, 3644C
Macroinitiators, 608C
Macromolecular asymmetry, 795C
Macromolecules, 471C
Macromonomers, 597C, 1154C, 2093C, 2462C, 2502P, 2705C, 2904C, 3887C, 4666C, 5098C, 6175C
Macroporous polymers, 1216C, 2019C, 2451C, 3668C
MADQUAT, 515P
Magainin, 3860C
Magnetic polymer, 4802C
Maghemite, 6011C
Magic-angle spinning, 5031C
Magnesium support, 2512C
Magnetic, 5827C
Magnetic field, 5678C
Magnetic force microscopy, 1912C
Magnetic polymers, 1586P, 1912C, 4802C
Magnetic polystyrene latex, 4802C
Main-chain chirality, 4502C
MALDI, 245C, 587C, 608C, 661C, 1299P, 1576C, 1758C, 3230C
MALDI-TOF, 5725C
MALDI-TOF mass spectra, 1198C, 3271C, 5439C
Maleic anhydride, 1934C, 1953C, 3644C, 5714C
Maleic-anhydride alternating copolymers, 3571P
Maleimide, 3828C, 4016C, 4036C, 5954C, 6157C
Markovian statistics, 2780P, 2791P, 2801P
Mass spectrometry, 587C, 4266C
Matrix, 5021C
Matrix-assisted laser desorption/ionization time-of-flight (MAKDI-TOF), 3751C
Measurement techniques, 795C
Mechanical behavior, 2633P, 3876P
Mechanical properties, 79P, 286P, 433P, 666P, 843P, 886P, 947P, 1106P, 1255P, 1312P, 1449C, 1466P, 1715P, 2050P, 2092P, 2137P, 2270P, 2286P, 2419P, 3311P, 3490C, 3505P, 3682P, 3695P, 3822P, 3841P, 4344P, 4448P, 5847C
Mechanism of preparing microspheres, 2833C
Mechanisms, 1025C, 2060C, 2823C, 2943C
Mechanolysis, 4161C
Mechanoradical, 4161C
Melamine–formaldehyde resin, 2225C
Melt, 25P, 267P, 1275P, 1694P, 2215P, 4433P
Melt-drawn, 2703P
Melting behavior, 280P, 296P, 553P
Melting point, 53P, 1312P, 2238P, 3470P, 3677P
Melting point depression, 2254P
Melting under pressure, 53P
Melt polycondensation, 5045C
Melt processing, 2690P, 3750P
Melt spinning, 433P
Melt vibration, 2385P
Membranes, 226P, 232P, 354P, 567P, 621P, 830P, 862C, 1379P, 1905P, 2263P, 2612P, 2769P, 2866C, 3311P, 3344P, 3439P, 3766P, 4281P, 4326P, 4502C, 6109C
Mercaptopropanol, 2943C
Meshless simulations, 1514P
Mesophase, 238P, 3439P
Mesoporous polymer microspheres, 5627C
Mesoporous zeolite SBA-15, 4830C
Metal alkyl-free Ni-based catalyst, 1164C
Metal coating, 1658C
Metal halides, 1537C
Metal ion adsorption, 92C
Metallization, 1408P, 2710P
Metallocene, 38C
Metallocene catalysts, 9C, 52C, 1461C, 1712C, 1841C, 2462C, 2512C, 3038C, 3055C, 3323C, 3395C, 3416P, 3761C, 3766P, 3911C, 4327C, 5600C
Metallochromism, 2444C
Metallodendrimers, 1487P
Metallosupramolecular chemistry, 4458C
Metal-organic catalysts, 4666C
Metal-polymer complexes, 92C, 722C, 1023P, 1610P, 2911C, 3822P, 4458C, 4693C
Metathesis, 1335C, 3800C, 4284C, 4466C
Methacrylates, 112C, 3761C
Methacrylic acid, 2823C, 2950C
4-Methacryloyl-1,2,2,6,6-pentamethyl-piperidinyl (MPMP), 2659C
Method of moments, 2801P
Methoxy poly(ethylene glycol) methacrylate, 2950C
Methoxy poly(ethylene glycol)/polyester, 5784C
Methyl acrylate, 351C, 2060C, 2651C, 2994C
Methylaluminoxane, 2534C, 3911C
Methylanacardate, 4047C
Methylcellulose, 463C, 1849P, 5911C
Methylene blue, 3836C, 5863C
Methyl methacrylate, 31C, 237C, 351C, 902C, 1362C, 1557C, 1876C, 1963C, 4132C, 4882C, 4964C, 5775C, 5811C, 6098C
Methyl methacrylate radical polymerization, 5678C
Methylsilylation, 2367P
Methylthiirane, 2943C
$MgCl_2$-supported $TiCl_4$ catalysts, 1C
Micelle preparation, 4458C
Micelles, 742C, 3095P, 3165P, 3527C, 4177C, 4458C
Micellization, 2014P
Microcontact printing, 541C
Microcrystals, 1206P
Microdeformation, 1075P, 4023P
Microemulsion polymerization, 5253C
Microencapsulation, 2202C
Microhardness, 3797P
Microlayers, 3380P
Micrometer-sized polymer sphere, 4284C
Micron-granular polymer, 1018C
Micropatterning, 3063P
Microphase-separated structure, 4448P
Microphase separation, 4199P
Microscope, 2738P
Microspheres, 4847C
Microstructure, 151C, 567P, 999C, 1107C, 1857C, 1928P, 1939C, 2092P, 2161P, 2171C, 2460P, 2474C, 2710P, 2983P, 3055C, 4255P, 4266C, 4384P, 6052C
Microstructure of poly(ethylene-*co*-styrene)s, 1712C
Microwave, 2871P
Microwave effect, 4230P
Migration behavior, 1114P
Miktoarm star polymers, 2313C, 4228C
Milling, 91P
Miniemulsion, 1025C, 4921C
Miniemulsion polymerization, 2145C, 4222C, 4802C, 6248C
Minimonomer droplet, 2823C, 2833C
Miscibility, 267P, 636P, 676P, 1010P, 1145P, 1441P, 1694P, 2567P, 2813P, 2833P, 2892P, 3191P, 3204P, 3405P, 4182P
Miscibility (polymer–polymer), 2909P
Miscible blends, 636P
Mixed solvents, 3976P
MMA, 2522P
Mobility, 2589C

Model compounds, 2130C
Modeling, 1025C, 1164P, 1441C, 1514P, 2430P, 2871P, 3397P, 3464C, 3741P
Modeling of thermodynamic properties, 1601P
Modification, 578C, 1107C, 1618C, 1857C, 3727P, 3842C, 3920P, 6052C
Modified Cole–Cole plot, 1451P
Modified epoxies, 3953P, 3964P
Modified microemulsion polymerization, 733C
Modified PEO polymer electrolyte, 3866P
Modulus, 1586P, 2181P, 2391P, 3822P, 4391P
Moisture adsorption, 2589C, 3986C
Molding, 2395C
Molecular architecture, 2050P
Molecular cavity, 3439P
Molecular conformation, 1919C
Molecular design, 3792C
Molecular dynamics, 702P, 1663P, 3333P, 4433P
Molecular genetics, 487C
Molecular imprinting, 3668C
Molecular mechanics, 4765C
Molecular mobility, 777P
Molecular modeling, 479C, 2576P, 4656C, 4994C
Molecular motions, 800P, 2337P
Molecular orientation, 1322C, 2329P, 4478P
Molecular packing, 2354P
Molecular recognition, 3668C
Molecular reinforcement, 3987P
Molecular stability, 2202C
Molecular structure, 1018C
Molecular weight, 1235P, 2027P, 3920P, 4161C
Molecular weight and reactivity, 5354C
Molecular weight between crosslinks, 2586P
Molecular weight distribution, 1963C, 2640C, 3828C, 5670C
Molecular weight distribution/molar mass distribution, 102C
Molydenum, 4248C
Monmorillonite, 1P
Monolayers, 541C
Monomer reactivity ratios, 1478C, 1506C, 5964C
Monomers, 52C, 1285C, 2060C, 4906C, 4994C
Monte Carlo simulation, 1164P, 3081P, 3333P, 5714C
Montmorillonite, 38C, 286P, 1310C, 2878P, 3006P, 4139P
Morphology, 117P, 286P, 374P, 386P, 613P, 830P, 886P, 898P, 923P, 965P, 974P, 1112C, 1126C, 1137P, 1174C, 1181P, 1192P, 1441P, 1599C, 1619P, 1715P, 1739P, 1783P, 1831P, 2145C, 2202P, 2545P, 2738P, 3063P, 3368P, 3920P, 3953P, 3964P, 4053P, 4075P, 4095P, 4116P, 4255P, 4353C, 5695C, 6081C
Morphology and structure, 1042P
Moving boundary kinetics, 92C
M-terphenyl, 2214C
Muconic acid, 3922C
Multi-angle laser light scattering (MALLS), 1707C
Multiaxial stress, 2050P
Multiblock multicomponent polymers, 514C
Multidimensional NMR spectroscopy, 5031C
Multifunctional monomers, 2031C
Multifunctional vinyl ester synthesis, 4424C
Multilayers, 3654P
Multiple junction, 733P
Multiple-walled carbon nanotubes (MWNTs), 5802C
Multivalency, 3352C

Nafion, 2857P
Nanocapsules, 2145C
Nanoclay, 1000P
Nanocomposite extrusion, 2690P
Nanocomposites, 1P, 38C, 155P, 246P, 253P, 790P, 916C, 941C, 1192P, 1206P, 1310C, 1441P, 1466P, 1573P, 1685P, 1810P, 1823P, 1928P, 1972P, 2145C, 2161P, 2286P, 2367P, 2391P, 2657P, 2759P, 2844P, 2878P, 3006P, 3395C, 3428P, 3667P, 3682P, 3701P, 3842C, 3981P, 4272P, 4371P, 4384P, 4391P, 4139P, 4466P, 4489P, 5189C, 5802C, 6011C, 6163C
Nanofiber, 3721P
Nanoheterogeneity, 4000P
Nanoindentation, 861P, 2202P
Nanolayers, 3380P
Nanometer-sized SiO_2 particle, 4284C
Nanoparticles, 689C, 733C, 1609C, 1789C, 2253C, 2495C, 2633P, 3352C, 3380C, 3849P, 3876P, 5244C, 5706C
Nanosize polymer fibers, 2703P
Nanostructure, 5031C
Nanotechnology, 629P, 1106P, 1173P, 3063P, 3248P, 3721P, 3792C
Nanotube dispersion, 2690P
NaOCl, 2717C
NaOH/thiourea aqueous solutions, 367P
NaOH/urea aqueous solutions, 347P, 5911C
Naphthalene dianhydrides, 862C
Narrow dispersity, 1053C
Natural fiber, 666P
Natural law, 3013P
N-bromosuccinimide, 5811C
N-(2,4-diaminophenyl)carbazole, 3302C
Near-edge X-ray adsorption fine structure (NEXAFS), 2329P
Near-infrared spectroscopy, 4437C
Neck initiation, 2081P
Neck propagation, 2081P
Neck stabilization, 2081P
Negative glow, 1042C
Nematic, 1289P
N-ethylaniline, 6109C
Networks, 83C, 766P, 2294P, 2318P, 3178C, 3333P, 3360C, 3682P, 4053P, 4723C
Neutron crystal structures analysis, 3836P
Neutron fiber pattern, 3836P
Neutron reflectivity, 2522P, 3235P, 3248P, 3258P, 3267P, 3282P, 3290P, 3302P
Neutron scattering, 1793P, 1841P, 3070P, 3081P, 3095P, 3113P, 3133P, 3191P, 3204P, 3218P, 3713P, 5031C
New cellulose crops, 487C
New dicarboxylic acid monomer, 4056C
New trifluoromethyl-containing diamine, 1255C
Nickel, 1018C
N-isopropylacrylamide (NIPAM), 515P, 3029C, 3293C, 4404C, 5054C, 5706C
Nitrile rubber, 1573P
Nitrogen heterocycle, 2073C
Nitro groups, 1289P
Nitroxide-mediated controlled radical polymerization (NMP), 4016C
Nitroxide-mediated polymerization (NMP), 3332C, 3342C, 3504C, 6340C
Nitroxide radicals, 2659C
NLO, 3013C, 3189C
N-methylimidazole, 1618C
N-methyl-2-pyrrolidinone solubility, 862C
NMR, 317C, 416C, 432C, 463C, 520C, 587C, 615C, 701C, 1053P, 1090P, 1100C, 1566C, 1576C, 1693C, 1759P, 1875P, 1919C, 2073C, 2171C, 2474C, 2520C, 2680P, 2725C, 3013C, 3062C, 3417C, 3423C, 3668C, 3792C, 4404C, 4412P, 4448C,

4994C, 5121C, 5439C, 5687C, 5911C
^{1P}H NMR, 1265P
N,N-diethyldithiocarbamate group, 3644C
N,N-diethyl-2-methylene-3-butenamide, 999C
N-(*n*-hexyl)-2-pyridylmethanimine, 4882C
^{15}N NMR, 701C
N,N,N′,N′,N″-penta(methyl acrylate)diethylenetriamine, 1963C
Noncovalent bonded micelles, 6230C
Noncrystalline polymers, 5847C
Nonequilibrium excess free volume, 2407P
Nonflammability, 1069C
Nonisothermal cold-crystallization behavior, 4151P
Nonisothermal crystallization, 1759P, 2878P
Nonlinear analysis, 2994C
Nonlinear least square (NLLS), 112C
Nonlinear polymers, 1173P
Nonreducing disaccharides, 4598C
Norbornenes, 1468C, 1478C, 2705C
Normal mode, 316P, 4084P, 4313P
Novel polymer intermediates, 795C
Novolac phenolic resin, 3866P
N-phenylmaleimide, 1934C
N-propargylamide, 4641C
N-substitution, 5134C
N-succinimidyl 3-(2-pyridyldithio)propionate (SPDP), 6143C
Nucleating agent, 296P
Nucleating promoter, 296P
Nucleation, 374P, 1793P, 1817P, 1949P
Nucleation mechanism, 5695C
Nucleophile, 3579C
N-vinylacetamide, 2651C, 6384C
Nylon, 60P, 253P, 1739P, 2844P
Nylon-6, 790P, 819C
Nylon-clay hybrid, 819C
Nylon-6P, 155P, 1619P

Octafunctional cubic silsesquioxane epoxides, 3490C
Odd–even effect, 2734C
Olefin polymerization, 1093C, 3911C
Oligoesters, 4666C
Oligo-4-hydroxybenzaldehyde, 1120C
Oligomer distribution, 2321C
Oligomeric calixarene, 186C
Oligomers, 44C, 701C, 2506C, 2725C, 5146C, 6031C
Oligo-2-[(pyridine-2-yl-methylene) amino]phenol, 2717C
Oligosiloxane, 4502C
One-component epoxy resin, 4276C
Onium salts, 4916C
Online Fourier transform–near infrared (FT-NIR) spectroscopy, 2432C
Online monitoring and control, 1025C
Optical and scanning electron microscopy, 4421P
Optical characterization, 404P
Optical density, 5244C
Optical emission spectroscopy, 1042C
Optical fluoropolymers, 5292C
Optically active polymers, 4480C, 4548C, 4563C
Optical microscopy, 2270P
Optical properties, 2897C
Optical rotation, 566C
Optical switching, 2444C
Optics, 1915P, 2897C
Order–disorder transitions, 3179P
Organic acids, 2043C
Organic amine, 4489P
Organic catalysts, 4379C
Organic gels, 360C
Organic–inorganic hybrids, 151C, 1928P
Organic solvents, 4412P
Organoaluminum complexes, 4570C
Organoarsenic polymer, 3023C
Organoclay, 1192P, 2657P, 2759P, 2900P, 3667P, 4384P, 4391P
Organogel, 1841P
Organometallic catalysts, 1107C, 1208C, 1886C, 2171C, 2534C, 3865C, 4379C, 4666C, 6157C
Organosoluble, 1008C, 1255C, 2272C, 5424C
Oriental lacquers, 795C
Orientation, 47P, 98P, 493P, 656P, 758P, 861P, 947P, 956P, 1333P, 1586P, 2703P, 2916P, 2983P, 3677P, 4044P, 4132P, 4433P
Orientation distribution function (ODF), 2007P
Ortho-substituted phenylacetylenes, 4466C
Oscillatory shear flow, 1548P
Ostwald ripening, 603P
O-toluidine, 1934C
Oxadiazole, 1768C, 2112C
1,3,4-Oxadiazole, 3212C
Oxetane monomers, 1415C, 1630C
Oxetanes, 3739C, 4570C
Oxidative copolymerization, 3380C
Oxidative coupling polymerization, 2235C
Oxidative polycondensation, 1120C, 2717C
Oxime, 3157C
Oxyanionic polymerization, 6081C
Oxyethylene, 3729C
Oxygen transport, 493P

P_2, 47P
P_4, 47P
Palladium, 2270P
Palladium (0)-catalyzed Suzuki cross-coupling reaction, 4792C
Paracyclophane, 5891C
Parallel chemistry, 5775C
χ-parameter, 5530C
Partially doped polyaniline, 3224C
Particle dispersibility, 3842C
Particle nucleation, 4222C
Particles, 1154C, 2705C
Particle size, 5067C, 5244C
Particle size distribution, 603P, 1999C, 3476P, 3708C, 4222C
Partition coefficients, 267P
Pattern formation, 3027P
P- benzamide, 4126C
PDMS networks, 2348P
Peel test, 3822P
$(PEG)_xLiClO_{4P}$, 1299P
Pendant bisazo diol, 5463C
1-Pentene, 5121C
Penultimate effect, 1557C
Penultimate model, 1478C, 1506C
Penultimate unit model, 112C
PEO, 656P
Peptides, 4492C
Percolation, 1199P
Perfluorinated aromatic units, 6375C
Perfluorobiphenyl, 925C
Perfluorocarbons, 360C
Perfluorocyclobutyl polymers, 5292C
Perfluoroisopropenyl group, 4101C
Perfluoromethyl vinyl ether (PMVE), 5077C
Perfluorosulfonimde ionomers, 3165P
Permeability, 493P, 2407P
Permeation, 354P
Peroxides, 765C
Peroxypivalates, 4266C

Phase behavior, 53P, 742C, 898P, 1090P, 1289P, 1532P, 2238P, 2821P, 2833P, 3191P, 3870C, 5262C
Phase diagrams, 129P, 3943P, 3179P
Phase separation, 33P, 162C, 515P, 1351P, 1361P, 1783P, 1793P, 2137P, 3027P, 3070P, 3191P
Phase transfer catalysis, 4132C
Phase transformations, 91P, 3487P
Phase transition, 1099P, 4518C, 5784C
PHEMA, 76C
Phenanthrene, 3479C
Phenol derivatives, 351C
Phenolic, 1127P
Phenolic novolac, 279C
Phenolic novolac resins, 3516C
Phenolic resins, 1P
Phenylacetylene polymer, 3930C
Phenyldichlorophosphite, 4126C
Phenylenediacrylate chromophore, 1322C
Phenylenediamines, 1599C
Phenylene ethynylenes, 541C, 3860C
1-Phenylethyl methacrylate, 4480C
Phenyltrimethoxysilane, 4212C, 4587C
Phosphorus-containing vinyl monomers, 2031C
Phosphine oxide-containing diglycidylether, 3516C
Phosphoric dichloride, 2031C
Phosphorous-containing epoxy resin, 279C
Photoacid generators, 3685C
Photoactive copolymers, 3954C
Photochemical and electrochemical properties, 374C
Photochemical attachment, 5413C
Photochemistry, 714C, 765C, 975C, 1285C, 1953C, 2666C, 4009C
Photoconductivity, 5031C
Photocrosslinkable polymers, 5215C
Photocrosslinking, 3685C
Photo-differential scanning calorimetry (photo-DSC), 752C, 2285C
Photoelectric conversion property, 3224C
Photografting, 4074C
Photoinduced anisotropy, 3445C
Photoinitiated cationic homopolymerization, 3365C
Photoinitiator concentration, 4409C
Photoinitiators, 76C, 752C, 2285C, 4948C, 5413C
Photoisomerization, 5463C
Photolithography, 3063P
Photoluminescence, 557C, 1272C, 1768C, 2112C, 2985C, 3049C, 3212C
Photonic devices, 6375C
Photooxidation, 714C, 1033P
Photooxidative degradation, 585P, 3006P
Photophysics, 566C, 1768C, 2112C, 3212C
Photopolymerization, 752C, 846C, 894C, 985C, 1164P, 1630C, 1752C, 1979P, 1985C, 2066C, 2285C, 2329P, 2659C, 2859C, 3351P, 3685C, 3697C, 3836C, 4009C, 4409C, 4424C, 4916C, 4948C, 5301C, 5863C, 6283C, 6375C
Photopolymerization and kinetics, 5271C
Photoreactive aromatic polyesters, 1322C
Photoreactive effect, 4116P
Photoresists, 341P, 975C, 1735C, 2235C, 2373P, 3063P, 5215C, 5990C
Photoresponsive, 2886C
Photosensitive materials, 1735C
Photostabilization, 714C
pH-responsive, 6331C
pH selectivity, 2010C
pH-sensitive surfactants, 2950C
Phthalate oxygens, 3344P
Phthalazinone, 925C, 6089C
pH titration, 3571P
Physical aging, 2107P
Physical gels, 1640P
Physically controlled polymerization, 2621C
Physical networks, 3165P
Physical properties, 1759P
π conjugation, 825C
Piezoelectric coefficient, 3487P
Pigmented coatings, 2225C
π interactions, 5031C
Pinanyl group, 4502C
π-stacked conformation, 4656C
Plasma, 2007P
Plasma films, 2522P
Plasma polymerization, 1042C
Plasma treatment, 4063P
Plasticity, 1476P
Plasticization, 354P
Plasticizer, 2107P
Plastics, 5301C
Platinum, 2270P
PMMA, 2286P, 5617C
PMMA–silica nanocomposites, 785C
Poisson's ratio, 260P, 1206P
Polar, 4337P
Polarizability, 2354P
Polarized light microscopy (PLM), 1265P
Polar sorbents, 2019C
Polyacetals, 2766C
Polyacetylenes, 1333P, 2100C, 4580C, 4621C, 4641C, 4711C, 5838C, 6031C
Poly(acrylic acid), 1506P, 1610P
Polyacrylamide, 2483C, 3236C
Poly(acrylamide/methacrylic acid), 2833C
Polyacrylonitrile, 1023P, 4847C
Polyaddition, 1528C, 2543C, 2766C, 2774C, 4101C
Poly(alkylene terephthalate), 2821P
Poly(alkyl methacrylate)s, 1243P
Polyamide 6, 2633P, 2878P, 3428P, 3876P
Polyamide-66, 648C
Poly(amide-imide), 137C, 3116C
Polyamide-6P, 1823P
Polyamides, 33P, 795C, 1566C, 2377C, 3116C, 4017P, 4126C, 5098C
Poly(amido amine), 2784C
Polyamines, 4994C
Polyampholytes, 3236C, 3252C, 3513P
Polyanhydride, 4311C
Polyaniline, 1599C, 1972P, 3082C, 3750P, 3934P
Polyaromatics, 1779C, 4528C
Poly(arylene ether)s, 1198C, 1779C
Poly(2,5-benzimidazole) (ABPBI), 2576P
Polybenzoxazine, 4063P
Poly[bis(phenylamino)disulfide], 2329C
1,2-Polybutadene, 4437C
Polybutadiene, 1154C, 1671P, 1875P, 2705C, 2920C, 3082C, 3204P, 3404C
Polybutadiene rubber, 1573P
Poly(butylene naphthalate) (PBN), 843P
Poly(butylene-2P,6-pnaphthalate) (PBN), 1694P
Poly(butylene succinate-*co*-butylene 2-Pmethyl succinate), 1759P
Poly(butylene terephthalate), 4401P, 3667P
Polycaprolactones, 689C
Poly(carbonate) glycols, 4448P
Polycarbonates, 280P, 666P, 1069C, 1999C, 2041P, 2506C, 2821P, 3311P, 3996C, 4182P, 5284C, 5561C
Poly(4-carboxyphenyl)acetylene, 3224C
Polycations, 208C

Polychloral, 416C
Polycomplexes, 515P
Polycondensation, 44C, 102C, 722C, 925C, 1100C, 1449C, 2026C, 2106C, 2321C, 2686C, 2725C, 2866C, 2911C, 3110C, 3130C, 3751C, 4126C, 4528C, 4607C, 5098C, 5687C, 5725C, 5745C, 5766C, 6089C, 6134C
Poly(decylmethacrylate), 4177C
Polydepsipeptide, 453C
Poly(dialkyl itaconate)s, 4000P
Poly(diallyldimethylammonium chloride), 914P
Polydimethylsiloxane, 689C
Poly(dimethylsiloxane), 2462C, 2920C, 6125C
Poly(1,4-dioxan-2-one), 3417C
Poly(1,4-dioxan-2-one-co-glycolide), 2558P
Polydisperse polymers, 1351P, 1361P
Polydispersity, 4743C
Polyelectrolyte adsorption, 3642P
Polyelectrolyte chains, 3539P
Polyelectrolyte complexes, 1506P
Polyelectrolytes, 208C, 701C, 742C, 766P, 1068P, 1610P, 1779C, 1905P, 1912C, 1972P, 2495C, 2866C, 3236C, 3252C, 3654P, 3720C, 3860C, 3865C, 3879C, 4225P, 4412P, 4785C, 5244C
Poly(epichlorohydrin), 326C
Poly(ester amide)s, 1289P
Poly(ester-imide)s, 341C
Polyesters, 12P, 47P, 83C, 432C, 444C, 553P, 1100C, 1132C, 1265P, 1528C, 1668C, 1886C, 1901C, 1938P, 2191P, 2725C, 2734C, 2916P, 3013C, 3110C, 3563C, 3727P, 3996C, 4247P, 4421P, 4433P, 4775C, 5384C, 5389C, 5687C, 5847C, 6209C
Poly(ether ester), 4448C
Poly(ether imide)s, 1008C, 1694P, 1735C, 3953P, 3964P, 6089C
Poly(ether ketones), 661C, 1548P, 2866C, 3853C, 5745C, 6134C
Polyethers, 102C, 333P, 520C, 883C, 1132C, 1198C. 1576C, 3002C, 4756C, 6353C
Poly(ether sulfones), 1548P
Polyethylene, 9C, 1093C, 1226P, 2081P, 2228P, 2957P, 2983P, 3006P, 3055C, 3416P, 3741P, 3836P, 4327C, 5662C, 5714C
Polyethylene-*block*-polystyrene, 4199P
Poly(ethylene-*co*-trimethylene terephthalate), 4255P
Polyethylene-d_4, 3836P
Polyethylene fibers, 4830C
Poly(ethylene glycol), 360C, 1173P, 1934C, 2051C, 2833P, 4289C, 4448C, 6193C
Poly(ethylene glycol) dimethacrylate, 2192C
Poly(ethylene glycol dimethacrylate-*co*-acrylonitrile), 5627C
Poly(ethylene imine), 6143C
Poly(ethylene naphthalate)(PEN), 843P, 2916P
Poly(ethylene oxide), 585P, 820P, 950C, 2093C, 2263C, 2904C, 5736C
Poly(ethylene oxide)-aliphatic polyester, 772C
Poly(ethylene oxide) (PEO), 3102P, 4873C
Poly(ethylene oxide)–poly(propylene oxide)–poly(ethylene oxide) (PEO–PPO–PEO), 2014P
Polyethylene (PE), 1C, 53P, 253C, 263C, 396C, 496C, 675C, 941C, 1275P, 1457P, 1461C, 1671P, 1705P, 2534C, 2920C, 3133P, 3464C, 4164P, 5929C, 6071C
Poly(ethylene 2P,6-P, naphthalate) (PEN), 395P, 493P
Poly(ethylene-2P,6-P, naphthalene dicarboxylate), 296P
Poly(ethylene terephthalate), 493P, 676P, 2129P, 2916P, 4448C
Poly(ethylene terephthalate-*co*-bibenzoate), 493P
Poly(ethylene terephthalate) fibers, 79P
Poly(ethylene terephthalate) (PET), 47P, 395P, 1668C, 2092P
Poly(ethylene terephthalate) (PET) film, 260P
Poly(ferrocenyldimethylsilane), 2245P
Poly(ferrocenylmethylphenylsilane), 2245P
Poly(ferrocenylsilane)s, 2245P
Polyfluorene, 1058C
Polyfluorene copolymers, 4838C
Poly(2-fluoroaniline), 3359P
Polyfuran, 3359P
Polyglycidol, 2356C
Polyhedral oligomeric silsesquioxane (POSS), 1127P
Polyhedral oligomeric silsesquioxane (POSS)-modified epoxy resins, 3490C
Polyhydrosilylation, 200C
Poly(ε-caprolactone), 950C, 2093C, 2833P, 4153C, 5045C, 6011C
Poly(imide benzoxazole) precursor, 5990C
Polyimide–polyurethane-urea-imide, 216P
Polyimides, 12P, 144C, 216P, 341C, 354P, 861P, 862C, 1008C, 1255C, 1293C, 1735C, 2130C, 2202P, 2272C, 2354P, 2377C, 2395C, 2490P, 2769P, 3130C, 3189C, 3200C, 3612C, 3621C, 4143C, 4293P, 4303P, 4318C, 5189C, 5766C, 5990C, 5999C, 6089C, 6143C
Polyimines, 4693C
Polyisobutylene, 587C, 3091C, 5942C
Polyisoprene, 1000P, 3204P, 4313P
Polyketone, 947P
Poly(lactic acid), 5045C
Polylactide-grafted dextran, 2577C
Poly(L-lactic acid) (PLLA), 25P, 5054C
Poly(L-lactide), 453C, 5482C
Poly(L-malamide)s, 1566C
Polymer blends, 585P, 676P, 898P, 1408P, 1739P, 1888P, 3996C, 4207P
Polymer brush, 3887C
Polymer cation/anion complex, 2010C
Polymer conformation, 2479P
Polymer crystallization, 1817P, 3809P
Polymer-dispersed liquid crystal, 404P
Polymer dynamics, 994P, 3976P, 5031C
Polymer electrolyte membrane, 1432C
Polymer electrolytes, 232P, 2051C, 2308P, 3165P
Polymer glasses, 2041P, 2066P
Polymeric drugs, 795C
Polymeric nanostructures, 1106P
Polymeric organotin carboxylate, 5372C
Polymeric reagents, 6309C
Polymeric stabilizers, 795C
Polymeric stationary phase, 2566C
Polymerizable calixarene derivatives, 6259C
Polymerizable coumarin derivatives, 3479C
Polymerization, 52C, 578C, 1735C, 1886C, 2960C, 6384C
Polymerization activity, 4765C
Polymerization-induced phase separation, 2202C
Polymerization kinetics, 5253C

Polymerization mechanism, 237C, 3800C, 4862C
Polymerization of methyl methacrylate, 3395C
Polymer kinetics
Polymer-layered silicate nanocomposites, 4075P
Polymer light-emitting diodes, 1647C
Polymer-metal complexes, 2631C
Polymer microspheres, 615C
Polymer monolayer, 5413C
Polymer nanocomposites, 1321P
Polymer network, 765C
Polymer particles, 2678C
Polymer reaction, 4941C
Polymers, 404P, 471C, 1476P, 2107P, 3013C
Polymer synthesis, 2960C, 5794C
Polymethacrylates, 4237C
Poly(methacrylic acid), 263C
Poly(2-methacryloyloxyethyl phosphorylcholine), 2931C
Poly[2-methoxy-5-(2′-ethylhexyloxy)-*p*-phenylenevinylene] (MEH-PPV), 3049C
Polymethylacrylate, 1970C
Poly(methyl acrylate-*co*-divinyl benzene), 2710P
Poly(methyl methacrylate), 374C, 416C, 702P, 733C, 2690P, 4028C, 4063C, 4132C, 4182P, 5647C
Poly(methylsilsesquioxane), 3676C
Polymorphism, 209P, 253P, 1810P
Poly(*N*-isopropylacrylamide), 33P, 1249C, 3302P, 3987P, 4873C, 5736C
Poly(*N*,*N*-dimethylacrylamide), 360C
Polynorbornene, 2705C
Poly(*N*-vinylimidazole), 2294P
Polyol, 809P
Polyolefins, 1C, 52C, 648C, 965P, 1107C, 1226P, 2474C, 2667P, 3911C, 4272P, 4320P, 4357P
Poly(*o-lm*-aminoacetophenone)s, 4300C
Poly(*o-lm*-toluidines), 4300C
Polyol soft segment, 271C
Poly(ornithine) dendrimer, 1400C
Polyoxadiazole, 1058C
Poly(2-oxazoline), 1830C
Poly(oxyethylene), 1934C
Polyoxymethylene ionomers, 795C
Poly(1-P, butene), 2074P
Poly(pentamethylene terephthalate) (PPT), 1265P, 4421P
Polypeptide, 316P
Poly(phenylacetylene), 4466C, 4502C
Poly(phenylene vinylene), 98P, 2214C
Polyphenylquinoxaline, 6318C, 3587C
Polyphosphazenes, 194C, 2877C
Poly(phthalazinone ether)s, 925C
Poly(3-phydroxybutyrate), 974P
Poly(*p*-nitrophenyl acrylate), 4862C
Poly(*p*-phenylenevinylene), 303C, 1033P, 1647C, 1768C, 2112C, 2124C, 3212C, 3936C, 5636C
Poly[2P,6-P, toluene-2P,2-P, bis(3P, 4-P, dicarboxylphenyl)-hexafluoropropane diimide] (6PFDA-2,6-DAT), 354
Poly(propylene-*co*-ethylene), 4320P
Poly(propylene glycol), 587C, 4313P
Polypropylene (PP), 1C, 391C, 396C, 421P, 452P, 722P, 1075P, 1181P, 1255P, 1457P, 1565P, 1656P, 1810P, 1949P, 1953C, 2007P, 2171C, 2738P, 2759P, 2892P, 3318P, 3380P, 4139P, 4357P, 5600C, 6163C
Poly(propylene)(PP) nitrile rubber, 1417P
Poly(propylene sulfide), 2943C
Poly(propylene terephthalate), 3775P
Polypyrrolone, 1658C, 1845C, 3170C
Polyquinolines, 3314C
Poly(*rac*-lactide), 6238C
Polysaccharides, 453C, 3423C, 4344P, 4704C
Polysilanes, 714C, 4518C
Polysiloxanes, 1601P, 1682C, 2051C, 3470P, 3720C, 3975C, 4502C, 4281P, 5235C, 5514C
Polysilsesquioxanes, 4036C
Poly(silylacetylene silazane)s, 2897C
Polystyrene, 59C, 129P, 452P, 639C, 835C, 853C, 1010P, 1155P, 1685P, 1861P, 1970C, 2027P, 2263C, 2263P, 2604P, 2678C, 2813P, 3081P, 3204P, 3230C, 3290P, 3342C, 3456C, 3505P, 3655C, 4016C, 4177C, 4284C, 4556C, 4802C, 4976C, 5617C, 5802C
Poly[styrene-*b*-(ethylene-*co*-butylene)-*b*-styrene] (SEBS), 2813P
Poly(styrene-*co*-vinyl phosphonate) ionomers, 3628P
Polystyrene hexa-adducts, 4820C
Poly(styrene sulfonic acid), 3170C
Polysulfides, 6353C
Polysulfone, 226P, 3953P, 3964P
Polytetrafluoroethylene (PTFE), 1539P, 1789C
Poly(thiodiethylene adipate), 553P
Polythiophene, 3445C
Poly(trimethylene terephthalate), 676P, 3775P, 4151P
Polyurea, 5134C
Poly(urethane acrylate)(PUA), 613P
Polyurethanes, 216P, 271C, 290C, 473P, 523P, 624C, 809P, 1137P, 1143C, 1809C, 2356C, 2460P, 2766C, 3013C, 3062C, 3841P, 4195P, 4353C, 4448P
Polyvanillylidene alkyl/arylphosphate esters, 5215C
Poly(vinyl acetate), 4182P, 445P
Poly(vinyl alcohol), 463C, 800P, 1451P, 1618C
Poly(vinyl chloride), 267P, 286P, 578C, 585P, 1857C, 2337P, 6052C, 6267C, 6364C
Poly(vinyl fluorene), 5488C
Poly(vinylidene fluoride), 91P, 830P, 974P, 2308P
Poly(vinylidene fluoride-trifluoroethylene) [P(VDF-TrFE)], 1099P
Poly(vinyl naphthalene), 5488C
Poly(vinyl phenyl ketone hydrogenated), 636P
Poly(vinyl pyrrolidone), 3721P
Pores, 3070P
Pore structure, 5627C
Porous structure, 2566C
Positive-working, 5990C
Positron, 341P
Positron annihilation, 2441P
Positron annihilation lifetime spectroscopy, 3853C
Postmodification, 5463C
Postpolymerization, 3739C
Potentiometric titration, 2294P
PP/EPDM blends, 1433P
1P,2-P, polybutadiene, 2270P
PP/PS compatibilization, 452P
PP/PS grafting reaction, 452P
Precipitation polymerization, 2823C, 2833C
Prepolymers, 341C
Pressure, 3179P
Pressure sensitive adhesive, 3013P
Pressure–volume–temperature properties, 636P
Primary radical termination, 1227C
Probability theory, 4743C
Probes, 64P

Processable conducting polymers, 6109C
Processing, 2490P
Promoter, 4276C
Propagation, 4409C
Properties, 216P, 1441P
Propylene, 52C, 2263P
Protein adsorption, 615C
Protonation of crosslinked polymers, 2294P
Proton conductivity, 1432C, 2866C, 5031C
Proton-exchange membranes, 1779C
Protonic concentration, 1707C
Protonizable shells, 6081C
Proton relaxivity, 2680P
Proton transport ability, 6259C
Pseudo-kinetic-rate constants, 2801P
Pseudo-polypeptide, 4906C
p-Terphenyl, 1255C, 4056C
p-Toluenesulfonyl chloride, 5161C
Pullulan, 648C
Pulsed-laser polymerization, 1227C
PVDF, 3487P
Pyrazoline derivatives, 2686C
Pyrene, 2957P, 6125C
Pyrene excimers, 6125C
Pyrene monomer fluorescence, 6125C
Pyridine, 1845C, 3212C
Pyrolysis, 1023P
Pyrrole derivative, 1658C

Quantum chemistry, 551C, 1905P
Quantum mechanics, 4765C
Quarternary ammonium groups, 1506P
Quarternized polystyrene surfactants, 4075P
Quartz crystal microbalances (QCMs), 3893P
Quaternization reaction, 3720C
Quinone, 2155C
Quinone methide, 4548C

Racemic monomer, 4563C
Rac-lactide, 5974C, 6238C
Radiation, 1239C, 2586P, 2612P, 2957P, 5670C, 5929C
Radical, 6384C
Radical addition-fragmentation chain transfer, 3828C
Radical copolymerization, 1693C
Radical-induced cationic polymerization, 2066C
Radical initiation, 5077C
Radical polymerization, 130C, 597C, 999C, 1441C, 1468C, 1478C, 1506C, 1547C, 1557C, 1609C, 1707C, 1979P, 2060C, 2093C, 2285C, 2640C, 2678C, 2801P, 2845C, 2859C, 3023C, 3332C, 3456C, 3479C, 3504C, 3604C, 3697C, 4101C, 4404C, 4656C, 4743C, 4895C, 4916C, 4948C, 5180C, 5339C, 5523C, 5548C, 5647C, 5863C, 6021C, 6157C, 6175C, 6267C, 6364C
Radical shift, 4101C
Radiothermoluminescence, 6125C
Raman spectroscopy, 47P, 59C, 3049C, 4587C
Random copolymers, 453C, 689C, 3113P
Rapid polymerization, 1053C
Rapid prototyping, 624C
Rare-earth initiators, 6209C
Rate constant, 445P, 4563C
Reaction calorimeter, 1537C
Reaction diffusion, 3063P
Reaction-induced phase separation, 3953P, 3964P
Reactive blending, 452P, 3996C
Reactive polymers, 194C
Reactivity ratios, 112C, 317C, 1693C, 2474C, 2950C, 2994C, 3761C, 5227C
Real-time dielectric relaxation, 777P
Real-time fiberoptic FTIR monitoring, 4084C
Real-time FT-IR, 6283C
Real-time infrared, 6346C
Recrystallization, 25P, 53P
Recyclable polymers, 2766C
Recycling, 1875P, 2766C, 3812C
Red-light-emitting polymers, 3936C
Redox and electric properties, 2329C
Redox polymers, 2686C, 5872C
Reduced viscosity, 1068P
Reductive amination, 1400C
Refractive index, 98P, 137C, 144C, 1033P, 2235C, 2354P, 3676C, 6375C
Regenerated cellulose, 367P
Regime transition, 2215P
Reinforcement, 1715P
Relaxation, 1451P, 2286P, 3102P, 3797P, 4313P
Relaxation in polymers, 994P
Relaxation of dipole alignment, 3189C
Relaxation phenomena, 6125C
Relaxation time, 3822P
Relaxation time distribution, 2730P
Renewable resources, 1441P, 6346C
Reorganized poly(ethylene terephthalates), 386P
Reptation model, 5031C
Residual stress, 4293P, 4303P
Resins, 1868C, 2122P, 3701P
Resists, 1468C, 1478C, 1506C
Resolution, 4480C, 4704C
Retinol, 2202C
Reverse atom transfer radical polymerization, 534C
Reversible activation, 4743C
Reversible addition fragmentation chain transfer (RAFT), 960C, 1441C, 1939C, 2432C, 2502P, 2558C, 3271C, 4862C, 4873C, 5067C, 5439C, 5775C, 5877C, 6248C, 6340C
Reversible nonlinear conduction, 1212P
Rheological properties, 1759P
Rheology, 714P, 790P, 939P, 1199P, 1218P, 1496P, 1548P, 1619P, 1640P, 1671P, 1849P, 2014P, 2130C, 2502P, 2520C, 2545P, 2931P, 3148P, 3252C, 3505P, 3936C, 4023P, 4132P, 4313P
Rheo-optics, 1725P
Rigid-amorphous fraction, 2092P, 4401P
Rigid-body temperature factor, 3836P
Rigid-flexible polymer, 5098C
Rigidity, 1919C
Ring bands, 4421P
Ring-collapsed radical alternating copolymerization (RCRAC), 3604C
Ring-opening metathesis polymerization (ROMP), 1154C, 2705C, 2973C, 3352C, 4248C
Ring-opening polymerization (ROP), 151C, 444C, 950C, 1189C, 1356C, 1630C, 1830C, 1901C, 1976C, 2162C, 2166C, 2313C, 2577C, 3023C, 3360C, 3739C, 3775C, 3975C, 4153C, 4228C, 4379C, 4570C, 4723C, 5113C, 5180C, 5235C, 5401C, 5407C, 5523C, 5754C, 5784C, 5974C, 6011C, 6209C, 6238C
Ring-opening vibration, 4587C
Ripening kinetics, 603P
Rodlike macromolecules, 1919C
Room temperature polymerization, 902C
Rotational correlation time, 1243P
Rotational vibration, 1539P
Roughness, 646P
(R,R)-tartramide derivatives, 2566C
Rubber, 956P, 1476P, 1739P, 1875P, 2181P, 4489P
Rubber synthesis, 271C
Rubber toughening, 2168P
Ruthenium, 722C, 2911C, 4248C

Ruthenium complex, 4621C, 4838C
Ruthenium(II) polypyridyl complexes, 374C, 1487P

Salicylaldiminato Ni (II) complexes, 4765C
Salt, 1849P
Salting-in, 2651C
Salting-out, 33P, 2651C
Salt solutions, 505P
SAXS, 79P, 117P, 1398P, 1496P, 1705P, 1919C, 3070P, 3682P, 3981P, 4075P, 4199P, 4281P
Scaffolds, 624C
Scaling, 2014P
Scaling behavior, 1212P
Scaling theory, 3397P
Scanning electron microscopy (SEM), 463C, 3866P
Scattering, 3070P
Scattering experiments, 3976P
Schiff base oligomers, 1120C
Sec-butylanacardate, 4047C
SEC-FTIR, 5121C
Secondary interactions, 6230C
Secondary relaxation, 3405P
Second harmonic generation (SHG) coefficient, 3189C
Segmental mode, 4313P
Segmental relaxation, 2604P, 3405P, 4084P
Segmented copolymer, 4448C
Selectivity, 238P, 3323C, 4548C
Self-assembled multilayer films, 3224C
Self-assembly, 22C, 411P, 541C, 629P, 853C, 923P, 1312P, 1586P, 1970C, 3113P, 3352C, 3470P, 3922C, 5736C, 6230C
Self-catalyst system, 4941C
Self-immobilization, 1018C
Self-initiation, 253C
Self-organization, 742C, 3027P, 3351P
Self-polyaddition, 4101C
Self-regulated catalyst, 505C
Semiaromatic polyamide, 433P
Semicrystalline polyamide 6P films, 687P
Semicrystalline polymer interfaces, 2667P
Semicrystalline polymers, 2074P, 2983P
Semidilute solution, 3713P
Semiempirical calculations, 551C
Semiflexible macromolecules, 1919C
Semifluorinated, 853C
Sensitizers, 2285C, 3897C
Sensors, 2373P, 2444C, 3893P, 4598C
Separation of carbon dioxide, 4326P
Separation techniques, 4320P, 6309C
Sequence, 1100C
Sequence-controlled copolymers, 5401C
Sequence design, 5339C
Sequence distributions, 44C, 5687C
Sequestering activity, 701C
Shear, 656P, 1725P, 1831P, 3095P, 3102P
Shear banding, 687P
Shear-induced phase separation, 3148P
Shear-induced phase transition, 1451P
Shear modulus, 2373P
Sheet polymers, 3922C
Shish kebab, 1831P
Side-chain liquid-crystalline polymers, 1333P
Significant discovery, 1537C
Silicas, 577P, 1367C, 1384C
Silicone/acrylic compound rubber, 1112C
Silicones, 1421C, 2155C, 2318P
Silicon monomers, 1415C
Siloxane-based macromonomer surfactant, 173C
Siloxane formation, 714C
Silsesquioxane, 5189C
Silver, 621P, 2263P
Silver ion, 232P
Silver nanoparticles, 790P, 3344P
Silylation, 1789C
Simulations, 1343P, 1361P, 2391P, 2640C, 3333P, 3342C, 4648C, 5339C
Single crystal, 5424C
Single electron transfer, 6267C, 6364C
Single molecule, 3930C
Single site catalysis, 3911C
Single-step swelling, 4847C
Singlet oxygen, 1285C
Sintering, 4284C
SiO_2 fillers, 1789C
Size exclusion chromatography (SEC), 1576C, 3236C
Slip, 1888P
Small-angle neutron scattering (SANS), 3027P, 3063P, 3102P, 3148P, 3165P, 3179P
Smectic, 1289P
Smectic phase, 3870C
Sodium acrylate, 3293C
Sodium dithionite, 6267C, 6364C
Sodium montmorillonite, 4489P
Sodium tetraphynylborate, 933C
Sol-gel, 1789C, 3682P
Sol-gel transition, 772C
Solid-phase, 4906C
Solid-phase extraction, 2019C
Solid polymer electrolytes, 1299P, 2254P
Solid-solution interface, 3859P
Solid state, 1618C
Solid-state NMR, 5802C
Solid-state polymerization, 795C, 3922C, 5999C
Solubility, 493P, 2377C, 2407P, 2416C, 4056C, 4143C
Solubility-improving side groups, 825C
Solubility parameter, 2909P, 4337P
Soluble polyimides, 4303P
Solute codiffusion, 2202C
Solution, 3102P
Solution behavior, 4809C
Solution copolymerization, 112C
Solution-processable polyazomethines, 825C
Solution properties, 33P, 347P, 1243P, 1398P, 1601P, 1663P, 2747P, 3081P, 3314C, 3934P, 4225P, 4337P, 5587C
Solution rheology, 1451P
Solvation, 3579C, 3729C
Solvation complexes, 3655C
Solvent, 253C
Solvent effects, 130C, 1198C
Solvent extraction, 186C
Solvent quality, 1601P, 5530C
Sonogashira–Hagihara coupling, 1919C
Sorption, 354P, 515P, 2107P, 3439P
Space charge, 523P, 2813P, 4164P
Spacer chain, 3729C
Spacer groups, 795C
Sparteine, 4964C
Spatiotemporal growth, 2892P
Specific interactions, 636P, 1145P, 2367P
Spectroscopy, 232P, 2043C
Spheres, 3598P
Spherical dendrimer, 1400C
Spherulites, 553P, 1565P, 3318P, 4255P
Spherulitic morphology, 820P
Spin coating, 341P, 3013C, 3654P
Spinodal decomposition, 871P, 886P, 1817P, 2995P, 3027P
Spiro-orthocarbonate, 3360C
Spontaneous initiation, 2845C
Square-planar transition-metal complexes, 2270P
(S,S)-(-)-2,2′-isopropylidenebis(4-*tert*-butyl-2-oxazoline), 5384C
Stability, 6143C
Stabilization, 578C, 1350C, 3708C
Stable free-radical polymerization, 4228C
Starch, 188P, 3417C

Star polymers, 129P, 608C, 950C, 1576C, 1745C, 2263C, 2356C, 2931P, 3447P, 3456C, 3751C, 4189C, 4195P, 4535C, 5647C, 5942C
Star-shaped PLLA, 939P
Statistical mechanics, 1663P
Statistical segment length, 4225P
Statistical thermodynamics, 1532P, 2909P, 4230P
Stent coating, 1658C
Step-growth polymerization, 1752C, 4247P, 5847C, 6353C
Step-wise extraction, 238P
Stereoblock, 3395C
Stereochemical microstructure, 2337P
Stereoregular polymers, 416C, 4404C
Stereoselective, 5974C
Stereoselective substitution, 1857C
Stereospecific living polymerization, 2698C
Stereospecific polymerization, 3395C
Stereospecific polymers, 1C, 215C
Sterically hindered monomers, 2432C
Steric hindrance, 3373C, 6021C
Stiffness, 1398P
Stimuli-sensitive polymers, 566C, 1249C, 1514P, 2520C, 2601C, 2625P, 3713P, 3879C, 3987P, 4641C, 6309C
Storage colloidal stability, 2495C, 5244C
Strain, 2513P
Strain hardening, 2041P
Strain-induced crystallization, 1915P
Stress, 2513P, 3759P, 4132P
Stress–diffusion coupling, 3027P
Stress-optical rule, 1915P
Stress-strain, 2181P
Stretch, 656P
Structural changes, 1099P
Structural defects, 1647C
Structural diversity, 3930C
Structural evolution, 1970C
Structural isomers, 5687C
Structural recovery, 2107P
Structural stability, 2419P
Structure, 79P, 216P, 433P, 487C, 809P, 1255P, 1379P, 1618C, 1725P, 1868P, 2633P, 2703P, 3344P, 3368P, 3682P, 3876P
Structure effect, 2254P
Structure formation, 4199P
Structure-property relations, 98P, 473P, 752C, 1025C, 1075P, 1208C, 1255C, 1449C, 1640P, 1876C, 2130C, 2377C, 2490P, 2416C, 2502P, 2734C, 2857P, 3351P, 3504C, 4056C, 4357P, 5471C, 5488C
Styrene, 130C, 351C, 1506C, 1557C, 2093C, 2904C, 5811C, 6098C
Styrene–butadiene rubber, 577P, 1573P
Styrene/maleic anhydride copolymers, 92C
Subsequent melting behavior, 4151P
Sudan black B, 5608C
Sugar-containing dendrimer, 1400C
Sulfonated polyimide, 1432C
Sulfonated polyimide copolymers, 862C
Sulfonation, 4809C
Sulfone-containing polymers, 1868P
Sulfonic acid, 505P
Supercritical carbon dioxide, 173C, 280P, 2405C, 3537C
Supercritical CO_2 fluid, 2479P
Supercritical fluid chromatography, 416C
Supported catalyst, 5662C
Supports, 9C, 1216C, 2512C, 3038C, 3464C, 4074C, 5026C
Support metallocene catalysts, 941C
Supramolecular, 4016C
Supramolecular chemistry, 4028C
Supramolecular structures, 162C, 326C, 661C, 2973C, 3792C, 5031C, 6230C
Surface activity, 2625P
Surface adhesion, 199P
Surface analysis, 1408P
Surface attachment density, 5530C
Surface energy, 3859P
Surface free energy, 4063P
Surface functionality, 5627C
Surface glass transition, 639C
Surface hardness (Shore A), 6216C
Surface modification, 2931C, 3091C, 5413C
Surface morphology, 3496P
Surface potential, 541C
Surface properties, 1145P, 4809C
Surfaces, 263C, 411P, 421P, 646P, 2460P, 2551C, 2931C, 2942P, 3091C, 3258P, 3727P, 3842C, 4074C, 4289C, 5339C, 5389C, 5530C
Surface structure, 615C
Surface tension, 1415C
Surfactants, 733P, 1114P, 2405C, 2577C, 3537C, 4063C, 4222C, 4994C, 6364C
Surfmer chain transfer, 4202C
Surfmer copolymerization, 4202C
Surfmer homopolymerization, 4202C
Suspension, 1068P, 3708C
Suspension polymerization, 1362C, 2019C
Swelling, 505P, 532P, 544P, 1506P, 2161P, 2192C, 2586P, 3282P, 3987P, 4344P, 4775C, 4785C, 4847C, 6331C
Swelling ratio, 3029C
Synchrotron, 53P
Synchrotron X-ray, 956P
Synchrotron X-ray scattering, 4175P
Syndiotactic, 391C, 733C, 800P, 1685P, 2171C, 3395C, 4404C
Syndiotactic polymer, 2904C
Syndiotactic polystyrene, 238P, 3439P
Synthesis, 194C, 216P, 317C, 432C, 661C, 722C, 883C, 985C, 1293C, 1528C, 1566C, 1599C, 1735C, 1768C, 2026C, 2073C, 2112C, 2214C, 2272C, 2329C, 2395C, 2877C, 2886C, 2985C, 3013C, 3212C, 3433C, 3628P, 3870C, 4036C, 4237C, 4318C, 4682C, 5045C, 5262C, 5372C, 5538C, 5900C, 5911C, 5990C
Synthetic uniform polymers, 416C
System life, 471C
System theory, 471C

Tack, 3013P
Tacticity, 31C, 4656C, 4895C, 6267C
Tandem catalytic system, 4327C
Tapered groups, 326C
T-butyl 2-trifluoromethylacrylate, 1506C
TCD polymer, 5617C
Telechelic, 6267C
Telechelic poly(ether ketones), 162C
Telechelic polyisobutylenes, 162C
Telomerization, 999C
TEM, 1310C, 1972P, 2667P, 3981P, 4384P
Temperature, 2957P
Temperature-modulated differential scanning calorimetry (TMDSC), 1275P
Temperature-responsive, 6331C
Template-free, 3170C
Templates, 4847C, 5339C
Tensile deformation, 2074P
Tensile properties, 1379P, 2690P
Tensile strength, 463P
Terminal model, 1478C, 1506C
Terminal unit model, 112C

Terminator multifunctional initiator (TERMINI), 505C
Ternary blend, 4182P
Terpolymers, 317C
Terpyridine, 4016C, 4028C
2-(*tert*-butylamino)ethyl methacrylate, 3708C
Tethered chains, 5530C
Tetraamine, 1845C
Tetrablock quarterpolymers, 514C
Tetrafluoroethylene, 1693C
Tetrafunctional initiation, 5647C
Tetrafunctional initiator, 5942C
Tetrahydrofuran, 6364C
Tetramethoxysilane (TMOS), 3476P
Tetramethylammonium, 237C
2,2,4,4-Tetramethyl-1,3-cyclobutanediol (CBDO), 3473C
Texture, 2007P
Textured silicate surfaces, 4075P
TGA, 3866P
Theophylline, 2756C
Theory, 551C, 2238P, 3081P
Theory of rubber elasticity, 2318P
Theory (Simha–Somcynsky), 2909P
Thermal analysis, 714P, 2717C
Thermal behavior, 386P, 3416P
Thermal characterization, 2308P
Thermal control coatings, 6134C
Thermal curing, 4028C
Thermal degradations, 3685C
Thermal expansion, 3741P
Thermally induced physical gelation, 2601C
Thermally latent catalysts, 5407C
Thermally stimulated currents, 702P
Thermally stimulated depolarization current (TSDC), 1099P
Thermal polymerization, 4921C
Thermal properties, 25P, 144C, 279C, 722P, 800P, 835C, 1008C, 1226P, 1255C, 1289P, 1321P, 1335C, 1361P, 1487P, 1809C, 1845C, 1868P, 2191P, 2377C, 2416C, 2531P, 2589C, 2612P, 2897C, 3002C, 3062C, 3130C, 3314C, 3761C, 3922C, 4056C, 4139P, 4143C, 4212C, 4391P, 5215C, 5227C, 5401C, 5488C
Thermal stability, 825C, 1487P, 2225C, 3157C, 3859P, 4820C
Thermochemistry, 1557C
Thermochroism, 1768C
Thermochromic, 3870C
Thermodynamics, 986P, 1351P, 1601P, 1793P, 3191P, 3204P
Thermogravimetric analysis (TGA), 290C, 3189C, 3380C, 3423C, 5574C, 6216C
Thermomechanical properties, 3849P
Thermooxidative stability, 648C
Thermoplastic elastomers, 200C, 341C, 1042P, 1449C
Thermoplastic polyurethane (TPU), 271C
Thermoplastics, 271C, 702P, 925C, 1783P
Thermoplastic vulcanizates (TPV), 2900P
Thermo properties, 3490C
Thermoresponsive, 5054C
Thermoreversibility, 2014P
Thermoreversible gel, 733P
Thermosensitivity, 2651C, 4492C
Thermosets, 146P, 1868C, 2050P, 2395C, 2567P, 3143C, 3178C, 3490C, 3579C, 3782C, 5954C
Thermosetting blends, 2833P
Thermostimulated depolarization currents, 4164P
Thermotropic liquid-crystalline polymer (TLCP), 302P, 3667P
Thiacrown ether, 186C
Thin films, 1042C, 2245P, 3218P, 3258P, 3267P, 3282P, 3290P, 3496P, 3695P, 3809P, 3822P, 3893P, 4293P, 4303P, 4440P, 6134C
Thin polymer films, 1106P
Thiolene, 6346C
Thiol–ene, 5301C, 6283C
Thiophenes, 3954C
Thiophosphate, 5504C
Three component system, 820P, 5863C
Through-space, 5891C
Time-resolved X-ray scattering, 974P
Time–temperature shifting, 2467P
Tin-catalyst, 5354C
Tin coordination, 5372C
Tissue engineering, 624C, 5054C
Titania, 3682P, 4272P
TMOS, 785C
Tolan-bisbenzyl (TBB) defects, 5636C
Toluene diisocyanate, 4047C
Toughening, 3920P
Toughness, 1433P, 1476P, 1656P, 2759P
Tourmaline nanocrystals, 367P
T-peel test, 1861P
Trans–cis-azobenzene isomerization, 566C
Transcrystallinity, 374P
Transesterifications, 2129P, 3996C
Trans-4-hydroxy-L-proline, 2303C
Transient plane source method, 1226P
Transition-metal catalyst, 2100C
Transition metal chemistry, 31C, 186C, 2973C, 4392C
Transitions, 209P, 4132P, 4175P
Transparency, 4459P, 5766C
Triaxial stress, 2081P
Triblock terpolymers, 514C
Tricyclodecane, 3649C
Tricyclodecene, 3649C
Triethoxysilyl-terminated polystyrene, 3447P
2-(Triethylsilyl)propyl isocyanate, 933C
2-Trifluoromethylacrylate, 1468C, 1478C
Trifluoromethyl group, 2377C, 2416C
Trifluorovinyl ether, 5292C
Trifunctional-five-membered cyclic carbonate (dithiocarbonate), 5983C
Triglycerides, 1441P
Triisopropoxy(methyl)silane, 3676C
Trimethylsilane, 1042C
Triphenylamine, 3302C, 3936C
Triphenylbismuthonium 1,2,3,4-tetraphenyl-cyclopentadienylide, 2060C
Triphenylmethide, 237C
Triphenylmethyl methacrylate, 4480C
Triphenyl phosphate, 1069C
Triphenylphosphine oxides, 1069C, 6134C
1,1,1-Tris(4-hydroxyphenyl)ethane, 5725C
Tris(pentafluorophenyl)borane, 1164C
Tropylium salt, 2166C
Two-dimensional (2D) chromatography, 1939C
Two-dimensional (2PD) Fourier transform infrared (FTIR) spectroscopy, 1127P
Two-phase, 3070P
Two-stage reaction, 44C
Tyrosine, 1143C

Ultra-fine, 4289C
Ultrafine fibers, 5P
Ultrahigh-molecular-weight polyethylene (UHMWPE) fibers, 53P, 463P
Ultrasonic degradation, 445P
Ultrasonic irradiation, 534C
Ultrasonic wave attenuation, 2710P
Ultraviolet absorbers, 714C
Ultraviolet absorption, 5488C
Ultraviolet exposure, 1735C
Ultraviolet irradiation, 585P

6465Ultraviolet radiation, 463P
Ultraviolet-curable multifunctional acrylate monomers, 6375C
Ultraviolet-curing, 4028C
Ultraviolet-vis spectroscopy, 722C, 752C, 1042C, 1208C, 1272C, 1285C, 2285C, 2631C, 2911C, 4776C, 5125C, 5170C, 5463C, 5538C
Universality, 2730P
Uranyl ions, 1610P, 986P
Urethane, 2960C

van Herk method, 112C
Vapor deposition, 5999C
Vapor sorption, 238P
Variable-radius roll adhesion test (VaRRAT), 3822P
Vegetable oil, 809P
Vesicles, 923P, 5271C
Vibrational heat capacity, 4401P
Vinyl acetate, 3479C, 4437C
Vinyl benzyl chloride, 701C
Vinyl chloride, 6267C, 6364C
Vinyl ester, 1310C
Vinyl ester resin, 5471C
Vinyl ethers, 1468C, 1478C, 1985C, 2625P, 2766C, 2960C, 3373C, 3649C, 3729C
Vinylidene fluoride/trifluoroethylene copolymer, 4175P
Vinylidene fluoride (VDF), 5077C
Viologen, 6364C
Viscoelasticity, 2041P, 2724P
Viscoelastic properties, 209P, 800P, 1312P, 1417P, 1640P, 2373P, 2467P, 2601C, 2657P, 3505P, 4023P
Viscoelastic relaxation, 1759P
Viscosity, 347P, 445P, 1068P, 1100C, 1609C, 1663P, 2060C, 2106C, 3252C, 3423C, 3476P, 3936C, 4177C, 4225P
Viscosity *B* coefficient, 2651C
Viscosity of polymers, 1888P
Volume control, 5113C

Water, 702P, 1537C, 1985C, 2680P
Water clustering, 473P
Water/methanol mixture, 5161C
Water permeation, 473P
Water soluble copolymers, 1724C
Water-soluble polymers, 463C, 846C, 1189C, 1506P, 2179C, 2483C, 2520C, 2625P, 3252C, 3721P, 4756C, 5439C, 5784C, 6309C
Water-soluble rhodium complex, 2100C
Water-soluble thickeners, 1640P
Water sorption, 473P
Water uptake, 3612C, 3621C
Water vapor sorption, 1432C
WAXS, 1310C, 1705P, 1915P, 2857P, 3490C, 4175P
Weathering test, 1112C
Wet sliding friction, 2467P
Wettability, 263C, 1415C
Wide-angle X-ray diffraction (WAXD), 177P, 253P, 843P, 1457P, 1915P, 4421P
Wilkinson's catalyst, 2920C
Windowing polarization, 4164P
Wood decay, 2340C
Woodsward's reagent, 2162C
Worm micelle, 168P
Wound dressing, 2241C

XP5, 615C
XPS spectroscopy, 1408P
X-ray, 290C, 479C, 1333P, 1586P, 1759P, 1868P, 1938P, 2329P, 3759P, 4000P, 4272P
X-ray crystallography, 4648C
X-ray diffraction (XRD), 2576P, 2900P
X-ray difractometry, 1206P
X-ray photo-electron spectroscopy (XPS), 6216C
X-ray scattering, 5031C
x,y-Dihydroxytoluenes, 5687C

Yield, 2027P
Yield criteria, 2050P
Yielding, 2066P
Young's modulus, 260P

Zeolites, 3038C
Ziegler–Natta catalysts, 3416P
Ziegler–Natta polymerization, 52C, 391C, 396C
Zirconium acetylacetonate, 1886C
Zirconium complexes, 1886C
Zirconocene, 52C
Zirconocene catalyst, 2512C
Zirconocene complexes, 3911C
Zwitterionic intermediate, 3800C